

Policy Type:PA/SP

Pharmacy Coverage Policy: EOCCO335

Description

Coagulation Factor XIII A-Subunit, Recombinant (Tretten) works by replacing the missing coagulation factor XIII A-subunit in people with congenital Factor XIII A-subunit deficiency. It helps maintain the body's FXIII activity levels, helping to make clots stronger and less likely to dissolve.

Length of Authorization

- Initial: 12 months
- Renewal: 12 months

Quantity limits

Product Name	Dosage Form	Indication/FDA Labeled Dosing	Quantity Limit
Coagulation Factor XIII A-Subunit, Recombinant (Tretten)	2000-3125 units/vial	Factor XIII A-subunit deficiency: Routine prophylaxis 35 IU/kg once monthly to achieve a target trough level of FXIII activity at or above 10%	4,025 IU/28 days

For medical unit guidance, please see appendix

Initial Evaluation

- Coagulation Factor XIII A-Subunit, Recombinant (Tretten)** may be considered medically necessary when the following criteria below are met:
 - Treatment is prescribed by, or in consultation with a hematologist; **AND**
 - A diagnosis of **congenital Factor XIII A-subunit deficiency** when the following are met:
 - Diagnosis confirmed by blood coagulation testing; **AND**
 - Used for routine prophylaxis of bleeding
- Coagulation Factor XIII A-Subunit, Recombinant (Tretten)** is considered investigational when used for all other conditions.

Renewal Evaluation

- Member has received a previous prior authorization approval for this agent through this health plan; **AND**
- Any increases in dose must be supported by an acceptable clinical rationale (i.e. weight gain, half-life study results, increase in breakthrough bleeding when patient is fully adherent to therapy, etc.) as verified by a Moda Health pharmacist; **AND**
- Used for routine prophylaxis to reduce the frequency of bleeding episodes; **AND**
- Prescriber attestation that the patient has demonstrated a clinical benefit with therapy (i.e., the frequency of bleeding episodes has decreased from pre-treatment baseline)

Supporting Evidence

- I. Coagulation Factor XIII A-Subunit, Recombinant (Tretten) is indicated for the prevention of bleeding episodes in patients with congenital Factor XIII A-subunit deficiency.
- II. For routine prophylaxis, Coagulation Factor XIII A-Subunit, Recombinant (Tretten) should be administered once monthly. The starting dose is 35 international units (IU) per kg body weight with a target of achieving a trough level of FXIII activity at or above 10%. Dose adjustments may be necessary if adequate coverage is not achieved with the recommended 35 IU/kg dose.

Investigational or Not Medically Necessary Uses

- I. There is no evidence to support the use of coagulation Factor XIII A-Subunit, Recombinant (Tretten) in any other condition.

References

1. Tretten [package insert]. Bagsvaerd, Denmark; Novo Nordisk; June 2020. Accessed January 2026.

Appendix

HCPCS Code:	Medication:	Unit Conversion:
J7180	Factor XIII concentrate, human (Corifact)	1 IU = 1 billing unit (1:1 conversion)*

**Current billing unit conversion as of 01/2026. This is subject to change pending new information.*

Policy Implementation/Update:

Action and Summary of Changes	Date
New Policy	01/2026