

Emrelis™ (telisotuzumab vedotin-tllv) (Intravenous)

Document Number: EOCCO-0799

Last Review Date: 10/02/2025

Date of Origin: 07/05/2025

Dates Reviewed: 07/2025, 10/2025

I. Length of Authorization

- Initial: Prior authorization validity will be provided initially for 6 months.
- Renewal: Prior authorization validity may be renewed every 6 months thereafter.

II. Dosing Limits

Max Units (per dose and over time) [HCPCS Unit]:

- 200 billable units every 14 days

III. Initial Approval Criteria ¹

Prior authorization validity is provided in the following conditions:

- Patient is at least 18 years of age; **AND**

Universal Criteria ^{1,2}

- Patient will be monitored for all of the following signs and symptoms:
 - Ocular surface disorders during treatment and will receive an ophthalmic examination (and treatment, if required) for Grade ≥ 2 ocular toxicity; **AND**
 - Interstitial lung disease and/or pneumonitis; **AND**
 - New or worsening peripheral neuropathy such as hypoesthesia, hyperesthesia, paresthesia, a burning sensation, neuropathic pain, or muscle weakness; **AND**
 - Severe infusion related reactions; **AND**
- Used as single agent therapy; **AND**

Non-Small Cell Lung Cancer (NSCLC) $\dagger \ddagger$ ¹⁻³

- Patient has a diagnosis of recurrent, advanced, or metastatic disease (excluding locoregional recurrence or symptomatic local disease without evidence of disseminated disease) or mediastinal lymph node recurrence with prior radiation therapy; **AND**
- Used as subsequent therapy; **AND**

- Patient has high c-Met protein overexpression [$\geq 50\%$ of tumor cells with strong (3+) staining], as determined by an FDA-approved or Clinical Laboratory Improvement Amendments (CLIA) compliant test, unless otherwise specified♦; **AND**
- Patients are epidermal growth factor receptor (EGFR) mutation negative (wild-type); **AND**
- Patient disease has non-squamous cell histology

♦ *If confirmed using an immunotherapy assay – <http://www.fda.gov/companiondiagnostics>*

† FDA Approved Indication(s); ‡ Compendia Recommended Indication(s); Φ Orphan Drug

IV. Renewal Criteria ¹

Prior authorization validity may be renewed based upon the following criteria:

- Patient continues to meet the universal and other indication-specific relevant criteria such as concomitant therapy requirements (not including prerequisite therapy), performance status, etc. identified in section III; **AND**
- Disease response with treatment as defined by stabilization of disease or decrease in size of tumor or tumor spread; **AND**
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include: peripheral neuropathy, severe interstitial lung disease and/or pneumonitis, severe ocular surface disorders, severe infusion related reactions, etc.

V. Dosage/Administration ¹

Indication	Dose
NSCLC	The recommended dosage of Emrelis is 1.9 mg/kg (up to a maximum of 190 mg for patients ≥ 100 kg) administered intravenously every 2 weeks until disease progression or unacceptable toxicity.

VI. Billing Code/Availability Information

HCPCS Code(s):

- C9306 – Injection, telisotuzumab vedotin-tllv, 1 mg; 1 billable unit = 1 mg (*Discontinue use on 01/01/2026*)
- J9326 – Injection, telisotuzumab vedotin-tllv, 1 mg; 1 billable unit = 1 mg (*Effective 01/01/2026*)
- J9999 – Not otherwise classified, antineoplastic drugs (*Discontinue use on 01/01/2026*)

NDC:

- Emrelis 20 mg as a lyophilized powder in a single-dose vial: 00074-1044-xx
- Emrelis 100 mg as a lyophilized powder in a single-dose vial: 00074-1055-xx

VII. References

1. Emrelis [package insert]. North Chicago, IL; AbbVie, Inc; May 2025. Accessed September 2025.
2. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium[®]) telisotuzumab vedotin. National Comprehensive Cancer Network, 2025. The NCCN Compendium[®] is a derivative work of the NCCN Guidelines[®]. NATIONAL COMPREHENSIVE CANCER NETWORK[®], NCCN[®], and NCCN GUIDELINES[®] are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed September 2025.
3. Camidge DR, Bar J, Hidehito H, et al. Telisotuzumab vedotin monotherapy in patients with previously treated c-Met–overexpressing non-squamous EGFR wildtype advanced NSCLC: Primary analysis of the LUMINOSITY trial. JCO 42, 103-103(2024).
DOI:10.1200/JCO.2024.42.16_suppl.103

Appendix A – Non-Quantitative Treatment Limitations (NQTL) Factor Checklist

Non-quantitative treatment limitations (NQTLs) refer to the methods, guidelines, standards of evidence, or other conditions that can restrict how long or to what extent benefits are provided under a health plan. These may include things like utilization review or prior authorization. The utilization management NQTL applies comparably, and not more stringently, to mental health/substance use disorder (MH/SUD) Medical Benefit Prescription Drugs and medical/surgical (M/S) Medical Benefit Prescription Drugs. The table below lists the factors that were considered in designing and applying prior authorization to this drug/drug group, and a summary of the conclusions that Prime's assessment led to for each.

Factor	Conclusion
Indication	Yes: Consider for PA
Safety and efficacy	No: PA not a priority
Potential for misuse/abuse	No: PA not a priority
Cost of drug	Yes: Consider for PA

Appendix 1 – Covered Diagnosis Codes

ICD-10	ICD-10 Description
C33	Malignant neoplasm of trachea
C34.00	Malignant neoplasm of unspecified main bronchus
C34.01	Malignant neoplasm of right main bronchus
C34.02	Malignant neoplasm of left main bronchus
C34.10	Malignant neoplasm of upper lobe, unspecified bronchus or lung
C34.11	Malignant neoplasm of upper lobe, right bronchus or lung
C34.12	Malignant neoplasm of upper lobe, left bronchus or lung

C34.2	Malignant neoplasm of middle lobe, bronchus or lung
C34.30	Malignant neoplasm of lower lobe, unspecified bronchus or lung
C34.31	Malignant neoplasm of lower lobe, right bronchus or lung
C34.32	Malignant neoplasm of lower lobe, left bronchus or lung
C34.80	Malignant neoplasm of overlapping sites of unspecified bronchus and lung
C34.81	Malignant neoplasm of overlapping sites of right bronchus and lung
C34.82	Malignant neoplasm of overlapping sites of left bronchus and lung
C34.90	Malignant neoplasm of unspecified part of unspecified bronchus or lung
C34.91	Malignant neoplasm of unspecified part of right bronchus or lung
C34.92	Malignant neoplasm of unspecified part of left bronchus or lung
Z85.118	Personal history of other malignant neoplasm of bronchus and lung

Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

The preceding information is intended for non-Medicare coverage determinations. Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determinations (NCDs) and/or Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where applicable. Local Coverage Articles (LCAs) may also exist for claims payment purposes or to clarify benefit eligibility under Part B for drugs which may be self-administered. The following link may be used to search for NCD, LCD, or LCA documents: <https://www.cms.gov/medicare-coverage-database/search.aspx>. Additional indications, including any preceding information, may be applied at the discretion of the health plan.

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD/LCA): N/A

Medicare Part B Administrative Contractor (MAC) Jurisdictions		
Jurisdiction	Applicable State/US Territory	Contractor
E (1)	CA, HI, NV, AS, GU, CNMI	Noridian Healthcare Solutions, LLC
F (2 & 3)	AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ	Noridian Healthcare Solutions, LLC
5	KS, NE, IA, MO	Wisconsin Physicians Service Insurance Corp (WPS)
6	MN, WI, IL	National Government Services, Inc. (NGS)
H (4 & 7)	LA, AR, MS, TX, OK, CO, NM	Novitas Solutions, Inc.
8	MI, IN	Wisconsin Physicians Service Insurance Corp (WPS)
N (9)	FL, PR, VI	First Coast Service Options, Inc.
J (10)	TN, GA, AL	Palmetto GBA
M (11)	NC, SC, WV, VA (excluding below)	Palmetto GBA
L (12)	DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA)	Novitas Solutions, Inc.

Medicare Part B Administrative Contractor (MAC) Jurisdictions		
Jurisdiction	Applicable State/US Territory	Contractor
K (13 & 14)	NY, CT, MA, RI, VT, ME, NH	National Government Services, Inc. (NGS)
15	KY, OH	CGS Administrators, LLC