

# Golimumab: **Immgolis INTRI®; Simponi ARIA®** (Intravenous)

Document Number: M-0176

**Last Review Date: 07/01/2026**

**Date of Origin: 09/05/2013**

**Dates Reviewed: 12/2013, 08/2014, 03/2015, 06/2015, 09/2015, 12/2015, 03/2016, 06/2016, 09/2016, 12/2016, 03/2017, 06/2017, 09/2017, 10/2017, 03/2018, 06/2018, 10/2018, 10/2019, 07/2020, 11/2020, 08/2021, 10/2022, 10/2023, 10/2024, 03/2025, 03/2026, 07/2026**

## **I. Length of Authorization**

- Initial: Prior authorization validity will be provided initially for 6 months (180 days).
- Renewal: Prior authorization validity may be renewed every 12 months (365 days) thereafter, unless otherwise specified.
  - Therapy for the Management of Immune Checkpoint Inhibitor-Related Toxicities may not be renewed.

## **II. Dosing Limits**

**Max Units (per dose and over time) [HCPCS Unit]:**

### **Simponi ARIA**

- Management of Immune Checkpoint Inhibitor-Related Toxicities
  - 250 billable units x 1 dose
- All other indications
  - Loading Dose: 250 billable units on weeks 0 and 4
  - Maintenance: 250 billable units every 8 weeks

### **Immgolis INTRI**

- Management of Immune Checkpoint Inhibitor-Related Toxicities
  - 250 mg x 1 dose
- All other indications
  - Loading Dose: 250 mg on weeks 0 and 4
  - Maintenance: 250 mg every 8 weeks

## **III. Initial Approval Criteria <sup>1,34</sup>**

For groups in scope for the Site of Care (SOC) specialty infusion program, all program requirements are met.

Prior authorization validity is provided in the following conditions:

- Member is at least 18 years of age, unless otherwise specified; **AND**
- Member has been evaluated and screened for the presence hepatitis B virus (HBV) infection prior to initiating treatment; **AND**

#### **Universal Criteria** <sup>1,34</sup>

- Member has been evaluated and screened for the presence of latent tuberculosis (TB) infection prior to initiating treatment and will receive ongoing monitoring for presence of TB during treatment; **AND**
- Member does not have an active infection, including clinically important localized infections; **AND**
- Provider will confirm that member will not receive live vaccines while on therapy; **AND**
- Member is not on concurrent treatment with another biologic therapy or targeted synthetic therapy; **AND**

#### **Rheumatoid Arthritis (RA) †** <sup>1,17,33,34</sup>

- Physician has assessed baseline disease severity utilizing an objective measure/tool; **AND**
- Documented moderate to severe active disease; **AND**
  - Member has had at least a 3-month trial and failed previous therapy with ONE conventional synthetic disease modifying anti-rheumatic drug (csDMARD) (e.g., methotrexate, azathioprine, auranofin, hydroxychloroquine, penicillamine, sulfasalazine, leflunomide, etc.); **OR**
  - Member is already established on biologic or targeted synthetic therapy for the treatment of RA; **AND**
- Prescribed in combination with methotrexate unless the member has a contraindication or intolerance; **AND**

#### **For Medicaid Members Only**

- Patient must try and have an inadequate response, contraindication, or intolerance to at least a three (3) month trial of ONE of the following: adalimumab\*, Enbrel (etanercept), or tocilizumab SC\*\*;
- Patient is continuing treatment

**\*Note: Preferred products are Hadlima (adalimumab-bwwd) and adalimumab-adaz**

**\*\*Note: Preferred product is Tyenne SC (tocilizumab-aazg)**

## Psoriatic Arthritis (PsA) †<sup>1,22,23,27,32</sup>

- Member is at least 2 years of age; **AND**
- Physician has assessed baseline disease severity utilizing an objective measure/tool; **AND**
- Documented moderate to severe active disease; **AND**
  - For members with predominantly axial disease OR enthesitis, a failure of at least a 4-week trial of ONE non-steroidal anti-inflammatory drug (NSAID), unless use is contraindicated; **OR**
  - For members with peripheral arthritis OR dactylitis, a failure of at least a 3-month trial of ONE conventional synthetic disease-modifying anti-rheumatic drug (csDMARD) (e.g., methotrexate, azathioprine, sulfasalazine, leflunomide, hydroxychloroquine, etc.); **OR**
  - Member is already established on biologic or targeted synthetic therapy for the treatment of PsA; **AND**

### For Medicaid Members Only

- For adults aged ≥ 18 years: patient must try and have an inadequate response, contraindication, or intolerance to at least a three (3) month trial of ONE of the following: adalimumab\*, Enbrel (etanercept), Cosentyx SC (secukinumab), or ustekinumab SC<sup>^</sup>; **OR**
- For pediatric patients aged ≥ 6 years: patient must try and have an inadequate response, contraindication, or intolerance to at least a three (3) month trial of ONE of the following: Cosentyx SC (secukinumab), Enbrel (etanercept), or ustekinumab SC<sup>^</sup>; **OR**
- For pediatric patients aged ≥ 2 years: patient must try and have an inadequate response, contraindication, or intolerance to at least a three (3) month trial of ONE of the following: Cosentyx SC (secukinumab) or Enbrel (etanercept); **OR**
- Patient is continuing treatment

**\*Note: Preferred products are Hadlima (adalimumab-bwwd) and adalimumab-adaz**

**<sup>^</sup>Note: Preferred products are Selarsdi SC (ustekinumab-aekn), Yesintek SC (ustekinumab-kfce), and Steqeyma SC (ustekinumab-stba)**

## Ankylosing Spondylitis (AS) †<sup>1,7,19,28</sup>

- Physician has assessed baseline disease severity utilizing an objective measure/tool; **AND**
- Documented active disease; **AND**
  - Member had an adequate trial and failure of at least TWO (2) non-steroidal anti-inflammatory drugs (NSAIDs) over 4 weeks (in total), unless use is contraindicated; **OR**
  - Member is already established on biologic or targeted synthetic therapy for the treatment of AS; **AND**

### For Medicaid Members Only

- Patient must try and have an inadequate response, contraindication, or intolerance to at least a three (3) month trial of ONE of the following: adalimumab\*, Enbrel (etanercept), or Cosentyx SC (secukinumab); **OR**

Patient is continuing treatment

**\*Note: Preferred products are Hadlima (adalimumab-bwwd) and adalimumab-adaz**

### Polyarticular Juvenile Idiopathic Arthritis (pJIA) † Φ <sup>1,14,21</sup>

- Member is at least 2 years of age; **AND**
- Physician has assessed baseline disease severity utilizing an objective measure/tool; **AND**
- Documented moderate to severe active polyarticular disease; **AND**
  - Member has had at least a 1-month trial and failure (unless contraindicated or intolerant) of previous therapy with either oral non-steroidal anti-inflammatory drugs (NSAIDs) OR conventional synthetic disease modifying anti-rheumatic drugs (csDMARDs) (e.g., methotrexate, leflunomide, sulfasalazine, etc.); **OR**
  - Member is already established on biologic or targeted synthetic therapy for the treatment of pJIA; **AND**
- May be used as a single agent or in combination with methotrexate; **AND**

### For Medicaid Members Only

- Patient must try and have an inadequate response, contraindication, or intolerance to at least a three (3) month trial of ONE of the following: adalimumab\*, Enbrel (etanercept), or tocilizumab SC\*\*;  
**OR**
- Patient is continuing treatment

**\*Note: Preferred products are Hadlima (adalimumab-bwwd) and adalimumab-adaz**

**\*\*Note: Preferred product is Tyenne SC (tocilizumab-aazg)**

### Management of Immune Checkpoint Inhibitor-Related Toxicities ‡ <sup>29,30</sup>

- Member has been receiving therapy with an immune checkpoint inhibitor; **AND**
- Member has moderate or severe immunotherapy-related inflammatory arthritis; **AND**
- Member is unable to taper corticosteroids after one week

† FDA Approved Indication(s); ‡ Compendia Recommended Indication(s); Ⓢ Orphan Drug

#### IV. Renewal Criteria <sup>1,34</sup>

Prior authorization validity may be renewed based upon the following criteria:

- Member continues to meet universal and other indication-specific relevant criteria such as concomitant therapy requirements (not including prerequisite therapy), performance status, etc. identified in section III; **AND**
- Duration of authorization has not been exceeded (*refer to Section I*); **AND**
- Absence of unacceptable toxicity from the drug. Examples of unacceptable toxicity include: serious infections, congestive heart failure, malignancy, demyelinating disorders, lupus-like syndrome, severe hypersensitivity reactions (including anaphylaxis), severe hematologic cytopenias (e.g., pancytopenia, leukopenia, neutropenia, agranulocytosis, aplastic anemia, thrombocytopenia), etc.; **AND**

##### **Rheumatoid Arthritis (RA)** <sup>9-11</sup>

- Disease response as indicated by improvement in signs and symptoms compared to baseline such as the number of tender and swollen joint counts, reduction of C-reactive protein, improvement of patient global assessment, and/or an improvement on a disease activity scoring tool [e.g. an improvement on a composite scoring index such as Disease Activity Score-28 (DAS28) of 1.2 points or more or a ≥20% improvement on the American College of Rheumatology-20 (ACR20) criteria, an improvement of disease severity on RAPID3 assessment, etc.].

##### **Psoriatic Arthritis (PsA)** <sup>8,25,31</sup>

- Disease response as indicated by improvement in signs and symptoms compared to baseline such as the number of tender and swollen joint counts, reduction of C-reactive protein, improvement of patient global assessment, improvement on imaging (X-ray, ultrasound, or MRI), and/or an improvement on a disease activity scoring tool.

##### **Ankylosing Spondylitis (AS)** <sup>7,24,28</sup>

- Disease response as indicated by improvement in signs and symptoms compared to baseline such as total back pain, physical function, morning stiffness, and/or an improvement on a disease activity scoring tool [e.g. ≥ 1.1 improvement on the Ankylosing Spondylitis Disease Activity Score (ASDAS) or an improvement of ≥ 2 on the Bath Ankylosing Spondylitis Disease Activity Index (BASDAI)].

##### **Polyarticular Juvenile Idiopathic Arthritis (pJIA)** <sup>15,16</sup>

- Disease response as indicated by improvement in signs and symptoms compared to baseline such as the number of tender and swollen joint counts, reduction of C-reactive protein, improvement of patient global assessment, and/or an improvement on a disease activity scoring tool [e.g., an improvement on a composite scoring index such as Juvenile Arthritis Disease Activity Score (JADAS) or the American College of Rheumatology (ACR) Pediatric (ACR-Pedi 30) of at least 30% improvement from baseline in three of six variables].

## V. Dosage/Administration <sup>1,34</sup>

| Indication                                                   | Dose                                                                                                                                                                                                                                          |
|--------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Rheumatoid Arthritis, Ankylosing Spondylitis                 | – Administer a 2 mg/kg intravenous infusion at weeks 0 and 4, then every 8 weeks thereafter.                                                                                                                                                  |
| Psoriatic Arthritis                                          | <u>Adult</u><br>– Administer a 2 mg/kg intravenous infusion at weeks 0 and 4, then every 8 weeks thereafter.<br><u>Pediatric</u><br>– Administer an 80 mg/m <sup>2</sup> intravenous infusion at weeks 0 and 4, and every 8 weeks thereafter. |
| Polyarticular Juvenile Idiopathic Arthritis                  | – Administer an 80 mg/m <sup>2</sup> intravenous infusion at weeks 0 and 4, and every 8 weeks thereafter.                                                                                                                                     |
| Management of Immune Checkpoint Inhibitor-Related Toxicities | – Administer a 2 mg/kg intravenous infusion x 1 dose                                                                                                                                                                                          |

## VI. Billing Code/Availability Information

### HCPCS Code(s):

- J1602 - Injection, golimumab, 1 mg, for intravenous use; 1 billable unit = 1 mg
- J3590 – Unclassified biologics (*Immgolis INTRI Only*)

### NDC(s):

- Simponi ARIA 50 mg/4 mL injection, single-dose vial: 57894-0350-xx
- Immgolis INTRI 50 mg/4 mL injection, single-dose vial: 69448-0029-xx

## VII. References

1. Simponi ARIA [package insert]. Horsham, PA; Janssen Biotech Inc; April 2025. Accessed February 2026.

2. Singh JA, Saag KG, Bridges SL Jr, et al. 2015 American College of Rheumatology Guideline for the Treatment of Rheumatoid Arthritis. *Arthritis Care Res (Hoboken)*. 2015 Nov 6. doi: 10.1002/acr.22783.
3. Weinblatt ME, Bingham CO 3rd, Mendelsohn AM, et al. Intravenous golimumab is effective in patients with active rheumatoid arthritis despite methotrexate therapy with responses as early as week 2: results of the phase 3, randomised, multicentre, double-blind, placebo-controlled GO-FURTHER trial. *Ann Rheum Dis*. 2013 Mar;72(3):381-9. doi: 10.1136/annrheumdis-2012-201411. Epub 2012 Jun 1.
4. Smolen JS, Landewé R, Bijlsma J, et al. EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2016 update. *Ann Rheum Dis*. 2017 Mar 6. pii: annrheumdis-2016-210715.
5. Gottlieb A, Korman NJ, Gordon KB, et al. Guidelines of care for the management of psoriasis and psoriatic arthritis: Section 2. Psoriatic arthritis: overview and guidelines of care for treatment with an emphasis on the biologics. *J Am Acad Dermatol* 2008 May; 58(5):851-64.
6. Ramiro S, Smolen JS, Landewé R, et al. Pharmacological treatment of psoriatic arthritis: a systematic literature review for the 2015 update of the EULAR recommendations for the management of psoriatic arthritis. *Ann Rheum Dis* 2016;75:490-498 doi:10.1136/annrheumdis-2015-208466
7. Van Der Heijde D, Ramiro S, Landewe R, et al. 2016 update of the ASAS-EULAR management recommendations for axial spondyloarthritis. *Annals of the Rheumatic Diseases* Published Online First: 13 January 2017. Doi: 10.1136/annrheumdis-2016-210770.
8. National Institute for Health and Care Excellence. NICE 2017. Certolizumab pegol and secukinumab for treating active psoriatic arthritis after inadequate response to DMARDs. Published 24 May 2017. Technology Appraisal Guidance [TA445]. <https://www.nice.org.uk/guidance/ta445>. Accessed February 2026.
9. National Institute for Health and Care Excellence. NICE 2018. Rheumatoid Arthritis in Adults: Management. Published 11th July 2018. NICE Guideline [NG100]. <https://www.nice.org.uk/guidance/ng100/chapter/Recommendations>.
10. National Institute for Health and Care Excellence. NICE 2010. Adalimumab, etanercept, infliximab, rituximab and abatacept for the treatment of rheumatoid arthritis after failure of a TNF inhibitor. Published 25 August 2010. Clinical Guideline [TA195]. <https://www.nice.org.uk/guidance/ta195/resources/adalimumab-etanercept-infliximab-rituximab-and-abatacept-for-the-treatment-of-rheumatoid-arthritis-after-the-failure-of-a-tnf-inhibitor-pdf-82598558287813>.
11. Ward MM, Guthri LC, Alba MI. Rheumatoid Arthritis Response Criteria And Patient-Reported Improvement in Arthritis Activity: Is an ACR20 Response Meaningful to Patients". *Arthritis Rheumatol*. 2014 Sep; 66(9): 2339–2343. doi: 10.1002/art.38705.

12. Ward M, Deodhar A, Gensler L, et al. 2019 Update of the American College of Rheumatology/Spondylitis Association of America/Spondyloarthritis Research and Treatment Network Recommendations for the Treatment of Ankylosing Spondylitis and Nonradiographic Axial Spondyloarthritis. 2019 Aug; Arthritis Care Res. doi: 10.1002/acr.24025.
13. Fahrenbruch R, Kintzel P, Bott AM, et al. Dose Rounding of Biologic and Cytotoxic Anticancer Agents: A Position Statement of the Hematology/Oncology Pharmacy Association. J Oncol Pract. 2018 Mar;14(3):e130-e136.
14. Ringold S, Angeles-Han ST, Beukelman T, et al. 2019 American College of Rheumatology/Arthritis Foundation Guideline for the Treatment of Juvenile Idiopathic Arthritis: Therapeutic Approaches for Non-Systemic Polyarthritis, Sacroiliitis, and Enthesitis. Arthritis Care & Research, Vol. 71, No. 6, June 2019, pp 717–734 DOI 10.1002/acr.23870.
15. Ringold S, Bittner R, Neggi T, et al. Performance of rheumatoid arthritis disease activity measures and juvenile arthritis disease activity scores in polyarticular-course juvenile idiopathic arthritis: Analysis of their ability to classify the American College of Rheumatology pediatric measures of response and the preliminary criteria for flare and inactive disease. Arthritis Care Res (Hoboken). 2010 Aug;62(8):1095-102.
16. Consolaro A, Giancane G, Schiappapietra B, et al. Clinical outcome measures in juvenile idiopathic arthritis. Pediatric Rheumatology 18 April 2016 14:23.
17. Fraenkel L, Bathon JM, England BR, et al. 2021 American College of Rheumatology Guideline for the Treatment of Rheumatoid Arthritis. Arthritis Care Res (Hoboken). 2021 Jun 8. doi: 10.1002/acr.24596.
18. Gossec L, Baraliakos X, Kerschbaumer A, et al. EULAR recommendations for the management of psoriatic arthritis with pharmacological therapies: 2019 update. Ann Rheum Dis. 2020 Jun;79(6):700-712. doi: 10.1136/annrheumdis-2020-217159.
19. Ward MM, Deodhar A, Gensler LS, et al. 2019 Update of the American College of Rheumatology/Spondylitis Association of America/Spondyloarthritis Research and Treatment Network Recommendations for the Treatment of Ankylosing Spondylitis and Nonradiographic Axial Spondyloarthritis. Arthritis Rheumatol. 2019 Oct;71(10):1599-1613. doi: 10.1002/art.41042.
20. Smolen JS, Landewé RBM, Bijlsma JWW, et al. EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2019 update. Annals of the Rheumatic Diseases 2020;79:685-699.
21. Ringold S, Weiss PF, Beukelman T, et al. 2013 update of the 2011 American College of Rheumatology recommendations for the treatment of juvenile idiopathic arthritis: recommendations for the medical therapy of children with systemic juvenile idiopathic arthritis and tuberculosis screening among children receiving biologic medications. Arthritis Rheum. 2013 Oct;65(10):2499-512.

22. Singh JA, Guyatt G, Ogdie A, et al. 2018 American College of Rheumatology/National Psoriasis Foundation Guideline for the Treatment of Psoriatic Arthritis. *Arthritis Rheumatol*. 2019 Jan;71(1):5-32. Doi: 10.1002/art.40726.
23. American Academy of Dermatology Work Group. Guidelines of care for the management of psoriasis and psoriatic arthritis: section 6. Guidelines of care for the treatment of psoriasis and psoriatic arthritis: case-based presentations and evidence-based conclusions. *J Am Acad Dermatol*. 2011 Jul;65(1):137-74. Doi: 10.1016/j.jaad.2010.11.055.
24. National Institute for Health and Care Excellence (NICE). Spondyloarthritis. Quality standard [QS170]. Published: 28 June 2018 <https://www.nice.org.uk/guidance/qs170/chapter/Quality-statements>. Accessed February 2026.
25. Mease PJ. Measures of psoriatic arthritis: Tender and Swollen Joint Assessment, Psoriasis Area and Severity Index (PASI), Nail Psoriasis Severity Index (NAPSI), Modified Nail Psoriasis Severity Index (mNAPSI), Mander/Newcastle Enthesitis Index (MEI), Leeds Enthesitis Index (LEI), Spondyloarthritis Research Consortium of Canada (SPARCC), Maastricht Ankylosing Spondylitis Enthesis Score (MASES), Leeds Dactylitis Index (LDI), Patient Global for Psoriatic Arthritis, Dermatology Life Quality Index (DLQI), Psoriatic Arthritis Quality of Life (PsAQOL), Functional Assessment of Chronic Illness Therapy-Fatigue (FACIT-F), Psoriatic Arthritis Response Criteria (PsARC), Psoriatic Arthritis Joint Activity Index (PsAJAI), Disease Activity in Psoriatic Arthritis (DAPSA), and Composite Psoriatic Disease Activity Index (CPDAI). *Arthritis Care Res (Hoboken)*. 2011 Nov;63 Suppl 11:S64-85. doi: 10.1002/acr.20577.
26. Elmets CA, Korman NL, Prater EF, et al. Joint AAD-NPF guidelines of care for the management and treatment of psoriasis with topical therapy and alternative medicine modalities for psoriasis severity measures. *J Am Acad Dermatol* 2021 Feb; 84(2):432-470. Doi: 10.1016/j.jaad.2020.07.087
27. Tucker L, Allen A, Chandler D, et al. The 2022 British Society for Rheumatology guideline for the treatment of psoriatic arthritis with biologic and targeted synthetic DMARDs. *Rheum* 2022 Sept; 61(9): e255–e266. Doi: 10.1093/rheumatology/keac295.
28. Ramiro S, Nikiphorou E, Sepriano A, et al. ASAS-EULAR recommendations for the management of axial spondyloarthritis: 2022 update. *Ann Rheum Dis*. 2023 Jan; 82(1):19–34. doi:10.1136/ard-2022-223296
29. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium®) golimumab. National Comprehensive Cancer Network, 2026. The NCCN Compendium® is a derivative work of the NCCN Guidelines®. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed February 2026.

30. Referenced with permission from the NCCN Drugs & Biologics Compendium (NCCN Compendium®) Management of Immunotherapy-Related Toxicities. Version 1.2026. National Comprehensive Cancer Network, 2025. The NCCN Compendium® is a derivative work of the NCCN Guidelines®. NATIONAL COMPREHENSIVE CANCER NETWORK®, NCCN®, and NCCN GUIDELINES® are trademarks owned by the National Comprehensive Cancer Network, Inc. To view the most recent and complete version of the Compendium, go online to NCCN.org. Accessed February 2026.
31. Tiwari V, Brent LH. Psoriatic Arthritis. [Updated 2024 Jan 7]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024. <https://www.ncbi.nlm.nih.gov/books/NBK547710/>. Accessed February 2026.
32. Gossec L, Kerschbaumer A, Ferreira RJO, et al. EULAR recommendations for the management of psoriatic arthritis with pharmacological therapies: 2023 update. Ann Rheum Dis. 2024 May 15;83(6):706-719. doi: 10.1136/ard-2024-225531. PMID: 38499325
33. Smolen JS, Landewé RBM, Bergstra SA, et al. EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2022 update. Ann Rheum Dis. 2023 Jan;82(1):3-18. doi: 10.1136/ard-2022-223356. Epub 2022 Nov 10. Erratum in: Ann Rheum Dis. 2023 Mar;82(3):e76. doi: 10.1136/ard-2022-223356corr1. PMID: 36357155.
34. Immogolis INTRI [package insert]. Raleigh, NC; Accord BioPharma, Inc.; May 2026. Accessed June 2026.

## Appendix A – Non-Quantitative Treatment Limitations (NQTL) Factor Checklist

Non-quantitative treatment limitations (NQTLs) refer to the methods, guidelines, standards of evidence, or other conditions that can restrict how long or to what extent benefits are provided under a health plan. These may include things like utilization review or prior authorization. The utilization management NQTL applies comparably, and not more stringently, to mental health/substance use disorder (MH/SUD) Medical Benefit Prescription Drugs and medical/surgical (M/S) Medical Benefit Prescription Drugs. The table below lists the factors that were considered in designing and applying prior authorization to this drug/drug group, and a summary of the conclusions that Prime's assessment led to for each.

| Factor                     | Conclusion            |
|----------------------------|-----------------------|
| Indication                 | Yes: Consider for PA  |
| Safety and efficacy        | Yes: Consider for PA  |
| Potential for misuse/abuse | No: PA not a priority |
| Cost of drug               | Yes: Consider for PA  |

## Appendix 1 – Covered Diagnosis Codes

| ICD-10  | ICD-10 Description                                                              |
|---------|---------------------------------------------------------------------------------|
| L40.50  | Arthropathic psoriasis, unspecified                                             |
| L40.51  | Distal interphalangeal psoriatic arthropathy                                    |
| L40.52  | Psoriatic arthritis mutilans                                                    |
| L40.53  | Psoriatic spondylitis                                                           |
| L40.59  | Other psoriatic arthropathy                                                     |
| M05.10  | Rheumatoid lung disease with rheumatoid arthritis of unspecified site           |
| M05.111 | Rheumatoid lung disease with rheumatoid arthritis of right shoulder             |
| M05.112 | Rheumatoid lung disease with rheumatoid arthritis of left shoulder              |
| M05.119 | Rheumatoid lung disease with rheumatoid arthritis of unspecified shoulder       |
| M05.121 | Rheumatoid lung disease with rheumatoid arthritis of right elbow                |
| M05.122 | Rheumatoid lung disease with rheumatoid arthritis of left elbow                 |
| M05.129 | Rheumatoid lung disease with rheumatoid arthritis of unspecified elbow          |
| M05.131 | Rheumatoid lung disease with rheumatoid arthritis of right wrist                |
| M05.132 | Rheumatoid lung disease with rheumatoid arthritis of left wrist                 |
| M05.139 | Rheumatoid lung disease with rheumatoid arthritis of unspecified wrist          |
| M05.141 | Rheumatoid lung disease with rheumatoid arthritis of right hand                 |
| M05.142 | Rheumatoid lung disease with rheumatoid arthritis of left hand                  |
| M05.149 | Rheumatoid lung disease with rheumatoid arthritis of unspecified hand           |
| M05.151 | Rheumatoid lung disease with rheumatoid arthritis of right hip                  |
| M05.152 | Rheumatoid lung disease with rheumatoid arthritis of left hip                   |
| M05.159 | Rheumatoid lung disease with rheumatoid arthritis of unspecified hip            |
| M05.161 | Rheumatoid lung disease with rheumatoid arthritis of right knee                 |
| M05.162 | Rheumatoid lung disease with rheumatoid arthritis of left knee                  |
| M05.169 | Rheumatoid lung disease with rheumatoid arthritis of unspecified knee           |
| M05.171 | Rheumatoid lung disease with rheumatoid arthritis of right ankle and foot       |
| M05.172 | Rheumatoid lung disease with rheumatoid arthritis of left ankle and foot        |
| M05.179 | Rheumatoid lung disease with rheumatoid arthritis of unspecified ankle and foot |
| M05.19  | Rheumatoid lung disease with rheumatoid arthritis of multiple sites             |
| M05.20  | Rheumatoid vasculitis with rheumatoid arthritis of unspecified site             |
| M05.211 | Rheumatoid vasculitis with rheumatoid arthritis of right shoulder               |
| M05.212 | Rheumatoid vasculitis with rheumatoid arthritis of left shoulder                |
| M05.219 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified shoulder         |

#### Medical Necessity Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

| ICD-10  | ICD-10 Description                                                            |
|---------|-------------------------------------------------------------------------------|
| M05.221 | Rheumatoid vasculitis with rheumatoid arthritis of right elbow                |
| M05.222 | Rheumatoid vasculitis with rheumatoid arthritis of left elbow                 |
| M05.229 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified elbow          |
| M05.231 | Rheumatoid vasculitis with rheumatoid arthritis of right wrist                |
| M05.232 | Rheumatoid vasculitis with rheumatoid arthritis of left wrist                 |
| M05.239 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified wrist          |
| M05.241 | Rheumatoid vasculitis with rheumatoid arthritis of right hand                 |
| M05.242 | Rheumatoid vasculitis with rheumatoid arthritis of left hand                  |
| M05.249 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified hand           |
| M05.251 | Rheumatoid vasculitis with rheumatoid arthritis of right hip                  |
| M05.252 | Rheumatoid vasculitis with rheumatoid arthritis of left hip                   |
| M05.259 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified hip            |
| M05.261 | Rheumatoid vasculitis with rheumatoid arthritis of right knee                 |
| M05.262 | Rheumatoid vasculitis with rheumatoid arthritis of left knee                  |
| M05.269 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified knee           |
| M05.271 | Rheumatoid vasculitis with rheumatoid arthritis of right ankle and foot       |
| M05.272 | Rheumatoid vasculitis with rheumatoid arthritis of left ankle and foot        |
| M05.279 | Rheumatoid vasculitis with rheumatoid arthritis of unspecified ankle and foot |
| M05.29  | Rheumatoid vasculitis with rheumatoid arthritis of multiple sites             |
| M05.30  | Rheumatoid heart disease with rheumatoid arthritis of unspecified site        |
| M05.311 | Rheumatoid heart disease with rheumatoid arthritis of right shoulder          |
| M05.312 | Rheumatoid heart disease with rheumatoid arthritis of left shoulder           |
| M05.319 | Rheumatoid heart disease with rheumatoid arthritis of unspecified shoulder    |
| M05.321 | Rheumatoid heart disease with rheumatoid arthritis of right elbow             |
| M05.322 | Rheumatoid heart disease with rheumatoid arthritis of left elbow              |
| M05.329 | Rheumatoid heart disease with rheumatoid arthritis of unspecified elbow       |
| M05.331 | Rheumatoid heart disease with rheumatoid arthritis of right wrist             |
| M05.332 | Rheumatoid heart disease with rheumatoid arthritis of left wrist              |
| M05.339 | Rheumatoid heart disease with rheumatoid arthritis of unspecified wrist       |
| M05.341 | Rheumatoid heart disease with rheumatoid arthritis of right hand              |
| M05.342 | Rheumatoid heart disease with rheumatoid arthritis of left hand               |
| M05.349 | Rheumatoid heart disease with rheumatoid arthritis of unspecified hand        |

| ICD-10  | ICD-10 Description                                                               |
|---------|----------------------------------------------------------------------------------|
| M05.351 | Rheumatoid heart disease with rheumatoid arthritis of right hip                  |
| M05.352 | Rheumatoid heart disease with rheumatoid arthritis of left hip                   |
| M05.359 | Rheumatoid heart disease with rheumatoid arthritis of unspecified hip            |
| M05.361 | Rheumatoid heart disease with rheumatoid arthritis of right knee                 |
| M05.362 | Rheumatoid heart disease with rheumatoid arthritis of left knee                  |
| M05.369 | Rheumatoid heart disease with rheumatoid arthritis of unspecified knee           |
| M05.371 | Rheumatoid heart disease with rheumatoid arthritis of right ankle and foot       |
| M05.372 | Rheumatoid heart disease with rheumatoid arthritis of left ankle and foot        |
| M05.379 | Rheumatoid heart disease with rheumatoid arthritis of unspecified ankle and foot |
| M05.39  | Rheumatoid heart disease with rheumatoid arthritis of multiple sites             |
| M05.40  | Rheumatoid myopathy with rheumatoid arthritis of unspecified site                |
| M05.411 | Rheumatoid myopathy with rheumatoid arthritis of right shoulder                  |
| M05.412 | Rheumatoid myopathy with rheumatoid arthritis of left shoulder                   |
| M05.419 | Rheumatoid myopathy with rheumatoid arthritis of unspecified shoulder            |
| M05.421 | Rheumatoid myopathy with rheumatoid arthritis of right elbow                     |
| M05.422 | Rheumatoid myopathy with rheumatoid arthritis of left elbow                      |
| M05.429 | Rheumatoid myopathy with rheumatoid arthritis of unspecified elbow               |
| M05.431 | Rheumatoid myopathy with rheumatoid arthritis of right wrist                     |
| M05.432 | Rheumatoid myopathy with rheumatoid arthritis of left wrist                      |
| M05.439 | Rheumatoid myopathy with rheumatoid arthritis of unspecified wrist               |
| M05.441 | Rheumatoid myopathy with rheumatoid arthritis of right hand                      |
| M05.442 | Rheumatoid myopathy with rheumatoid arthritis of left hand                       |
| M05.449 | Rheumatoid myopathy with rheumatoid arthritis of unspecified hand                |
| M05.451 | Rheumatoid myopathy with rheumatoid arthritis of right hip                       |
| M05.452 | Rheumatoid myopathy with rheumatoid arthritis of left hip                        |
| M05.459 | Rheumatoid myopathy with rheumatoid arthritis of unspecified hip                 |
| M05.461 | Rheumatoid myopathy with rheumatoid arthritis of right knee                      |
| M05.462 | Rheumatoid myopathy with rheumatoid arthritis of left knee                       |
| M05.469 | Rheumatoid myopathy with rheumatoid arthritis of unspecified knee                |
| M05.471 | Rheumatoid myopathy with rheumatoid arthritis of right ankle and foot            |
| M05.472 | Rheumatoid myopathy with rheumatoid arthritis of left ankle and foot             |
| M05.479 | Rheumatoid myopathy with rheumatoid arthritis of unspecified ankle and foot      |

#### Medical Necessity Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

| ICD-10  | ICD-10 Description                                                                        |
|---------|-------------------------------------------------------------------------------------------|
| M05.49  | Rheumatoid myopathy with rheumatoid arthritis of multiple sites                           |
| M05.50  | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified site                   |
| M05.511 | Rheumatoid polyneuropathy with rheumatoid arthritis of right shoulder                     |
| M05.512 | Rheumatoid polyneuropathy with rheumatoid arthritis of left shoulder                      |
| M05.519 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified shoulder               |
| M05.521 | Rheumatoid polyneuropathy with rheumatoid arthritis of right elbow                        |
| M05.522 | Rheumatoid polyneuropathy with rheumatoid arthritis of left elbow                         |
| M05.529 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified elbow                  |
| M05.531 | Rheumatoid polyneuropathy with rheumatoid arthritis of right wrist                        |
| M05.532 | Rheumatoid polyneuropathy with rheumatoid arthritis of left wrist                         |
| M05.539 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified wrist                  |
| M05.541 | Rheumatoid polyneuropathy with rheumatoid arthritis of right hand                         |
| M05.542 | Rheumatoid polyneuropathy with rheumatoid arthritis of left hand                          |
| M05.549 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hand                   |
| M05.551 | Rheumatoid polyneuropathy with rheumatoid arthritis of right hip                          |
| M05.552 | Rheumatoid polyneuropathy with rheumatoid arthritis of left hip                           |
| M05.559 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hip                    |
| M05.561 | Rheumatoid polyneuropathy with rheumatoid arthritis of right knee                         |
| M05.562 | Rheumatoid polyneuropathy with rheumatoid arthritis of left knee                          |
| M05.569 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified knee                   |
| M05.571 | Rheumatoid polyneuropathy with rheumatoid arthritis of right ankle and foot               |
| M05.572 | Rheumatoid polyneuropathy with rheumatoid arthritis of left ankle and foot                |
| M05.579 | Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified ankle and foot         |
| M05.59  | Rheumatoid polyneuropathy with rheumatoid arthritis of multiple sites                     |
| M05.60  | Rheumatoid arthritis of unspecified site with involvement of other organs and systems     |
| M05.611 | Rheumatoid arthritis of right shoulder with involvement of other organs and systems       |
| M05.612 | Rheumatoid arthritis of left shoulder with involvement of other organs and systems        |
| M05.619 | Rheumatoid arthritis of unspecified shoulder with involvement of other organs and systems |
| M05.621 | Rheumatoid arthritis of right elbow with involvement of other organs and systems          |
| M05.622 | Rheumatoid arthritis of left elbow with involvement of other organs and systems           |
| M05.629 | Rheumatoid arthritis of unspecified elbow with involvement of other organs and systems    |
| M05.631 | Rheumatoid arthritis of right wrist with involvement of other organs and systems          |

#### Medical Necessity Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

| ICD-10  | ICD-10 Description                                                                                       |
|---------|----------------------------------------------------------------------------------------------------------|
| M05.632 | Rheumatoid arthritis of left wrist with involvement of other organs and systems                          |
| M05.639 | Rheumatoid arthritis of unspecified wrist with involvement of other organs and systems                   |
| M05.641 | Rheumatoid arthritis of right hand with involvement of other organs and systems                          |
| M05.642 | Rheumatoid arthritis of left hand with involvement of other organs and systems                           |
| M05.649 | Rheumatoid arthritis of unspecified hand with involvement of other organs and systems                    |
| M05.651 | Rheumatoid arthritis of right hip with involvement of other organs and systems                           |
| M05.652 | Rheumatoid arthritis of left hip with involvement of other organs and systems                            |
| M05.659 | Rheumatoid arthritis of unspecified hip with involvement of other organs and systems                     |
| M05.661 | Rheumatoid arthritis of right knee with involvement of other organs and systems                          |
| M05.662 | Rheumatoid arthritis of left knee with involvement of other organs and systems                           |
| M05.669 | Rheumatoid arthritis of unspecified knee with involvement of other organs and systems                    |
| M05.671 | Rheumatoid arthritis of right ankle and foot with involvement of other organs and systems                |
| M05.672 | Rheumatoid arthritis of left ankle and foot with involvement of other organs and systems                 |
| M05.679 | Rheumatoid arthritis of unspecified ankle and foot with involvement of other organs and systems          |
| M05.69  | Rheumatoid arthritis of multiple sites with involvement of other organs and systems                      |
| M05.7A  | Rheumatoid arthritis with rheumatoid factor of other specified site without organ or systems involvement |
| M05.711 | Rheumatoid arthritis with rheumatoid factor of right shoulder without organ or systems involvement       |
| M05.712 | Rheumatoid arthritis with rheumatoid factor of left shoulder without organ or systems involvement        |
| M05.719 | Rheumatoid arthritis with rheumatoid factor of unspecified shoulder without organ or systems involvement |
| M05.721 | Rheumatoid arthritis with rheumatoid factor of right elbow without organ or systems involvement          |
| M05.722 | Rheumatoid arthritis with rheumatoid factor of left elbow without organ or systems involvement           |
| M05.729 | Rheumatoid arthritis with rheumatoid factor of unspecified elbow without organ or systems involvement    |
| M05.731 | Rheumatoid arthritis with rheumatoid factor of right wrist without organ or systems involvement          |
| M05.732 | Rheumatoid arthritis with rheumatoid factor of left wrist without organ or systems involvement           |
| M05.739 | Rheumatoid arthritis with rheumatoid factor of unspecified wrist without organ or systems involvement    |
| M05.741 | Rheumatoid arthritis with rheumatoid factor of right hand without organ or systems involvement           |
| M05.742 | Rheumatoid arthritis with rheumatoid factor of left hand without organ or systems involvement            |
| M05.749 | Rheumatoid arthritis with rheumatoid factor of unspecified hand without organ or systems involvement     |
| M05.751 | Rheumatoid arthritis with rheumatoid factor of right hip without organ or systems involvement            |
| M05.752 | Rheumatoid arthritis with rheumatoid factor of left hip without organ or systems involvement             |
| M05.759 | Rheumatoid arthritis with rheumatoid factor of unspecified hip without organ or systems involvement      |
| M05.761 | Rheumatoid arthritis with rheumatoid factor of right knee without organ or systems involvement           |

| ICD-10  | ICD-10 Description                                                                                             |
|---------|----------------------------------------------------------------------------------------------------------------|
| M05.762 | Rheumatoid arthritis with rheumatoid factor of left knee without organ or systems involvement                  |
| M05.769 | Rheumatoid arthritis with rheumatoid factor of unspecified knee without organ or systems involvement           |
| M05.771 | Rheumatoid arthritis with rheumatoid factor of right ankle and foot without organ or systems involvement       |
| M05.772 | Rheumatoid arthritis with rheumatoid factor of left ankle and foot without organ or systems involvement        |
| M05.779 | Rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot without organ or systems involvement |
| M05.79  | Rheumatoid arthritis with rheumatoid factor of multiple sites without organ or systems involvement             |
| M05.8A  | Other rheumatoid arthritis with rheumatoid factor of other specified site                                      |
| M05.811 | Other rheumatoid arthritis with rheumatoid factor of right shoulder                                            |
| M05.812 | Other rheumatoid arthritis with rheumatoid factor of left shoulder                                             |
| M05.819 | Other rheumatoid arthritis with rheumatoid factor of unspecified shoulder                                      |
| M05.821 | Other rheumatoid arthritis with rheumatoid factor of right elbow                                               |
| M05.822 | Other rheumatoid arthritis with rheumatoid factor of left elbow                                                |
| M05.829 | Other rheumatoid arthritis with rheumatoid factor of unspecified elbow                                         |
| M05.831 | Other rheumatoid arthritis with rheumatoid factor of right wrist                                               |
| M05.832 | Other rheumatoid arthritis with rheumatoid factor of left wrist                                                |
| M05.839 | Other rheumatoid arthritis with rheumatoid factor of unspecified wrist                                         |
| M05.841 | Other rheumatoid arthritis with rheumatoid factor of right hand                                                |
| M05.842 | Other rheumatoid arthritis with rheumatoid factor of left hand                                                 |
| M05.849 | Other rheumatoid arthritis with rheumatoid factor of unspecified hand                                          |
| M05.851 | Other rheumatoid arthritis with rheumatoid factor of right hip                                                 |
| M05.852 | Other rheumatoid arthritis with rheumatoid factor of left hip                                                  |
| M05.859 | Other rheumatoid arthritis with rheumatoid factor of unspecified hip                                           |
| M05.861 | Other rheumatoid arthritis with rheumatoid factor of right knee                                                |
| M05.862 | Other rheumatoid arthritis with rheumatoid factor of left knee                                                 |
| M05.869 | Other rheumatoid arthritis with rheumatoid factor of unspecified knee                                          |
| M05.871 | Other rheumatoid arthritis with rheumatoid factor of right ankle and foot                                      |
| M05.872 | Other rheumatoid arthritis with rheumatoid factor of left ankle and foot                                       |
| M05.879 | Other rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot                                |
| M05.89  | Other rheumatoid arthritis with rheumatoid factor of multiple sites                                            |
| M05.9   | Rheumatoid arthritis with rheumatoid factor, unspecified                                                       |
| M06.0A  | Rheumatoid arthritis without rheumatoid factor, other specified site                                           |

#### Medical Necessity Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

| ICD-10  | ICD-10 Description                                                         |
|---------|----------------------------------------------------------------------------|
| M06.011 | Rheumatoid arthritis without rheumatoid factor, right shoulder             |
| M06.012 | Rheumatoid arthritis without rheumatoid factor, left shoulder              |
| M06.019 | Rheumatoid arthritis without rheumatoid factor, unspecified shoulder       |
| M06.021 | Rheumatoid arthritis without rheumatoid factor, right elbow                |
| M06.022 | Rheumatoid arthritis without rheumatoid factor, left elbow                 |
| M06.029 | Rheumatoid arthritis without rheumatoid factor, unspecified elbow          |
| M06.031 | Rheumatoid arthritis without rheumatoid factor, right wrist                |
| M06.032 | Rheumatoid arthritis without rheumatoid factor, left wrist                 |
| M06.039 | Rheumatoid arthritis without rheumatoid factor, unspecified wrist          |
| M06.041 | Rheumatoid arthritis without rheumatoid factor, right hand                 |
| M06.042 | Rheumatoid arthritis without rheumatoid factor, left hand                  |
| M06.049 | Rheumatoid arthritis without rheumatoid factor, unspecified hand           |
| M06.051 | Rheumatoid arthritis without rheumatoid factor, right hip                  |
| M06.052 | Rheumatoid arthritis without rheumatoid factor, left hip                   |
| M06.059 | Rheumatoid arthritis without rheumatoid factor, unspecified hip            |
| M06.061 | Rheumatoid arthritis without rheumatoid factor, right knee                 |
| M06.062 | Rheumatoid arthritis without rheumatoid factor, left knee                  |
| M06.069 | Rheumatoid arthritis without rheumatoid factor, unspecified knee           |
| M06.071 | Rheumatoid arthritis without rheumatoid factor, right ankle and foot       |
| M06.072 | Rheumatoid arthritis without rheumatoid factor, left ankle and foot        |
| M06.079 | Rheumatoid arthritis without rheumatoid factor, unspecified ankle and foot |
| M06.08  | Rheumatoid arthritis without rheumatoid factor, vertebrae                  |
| M06.09  | Rheumatoid arthritis without rheumatoid factor, multiple sites             |
| M06.4   | Inflammatory polyarthropathy                                               |
| M06.8A  | Other specified rheumatoid arthritis, other specified site                 |
| M06.811 | Other specified rheumatoid arthritis, right shoulder                       |
| M06.812 | Other specified rheumatoid arthritis, left shoulder                        |
| M06.819 | Other specified rheumatoid arthritis, unspecified shoulder                 |
| M06.821 | Other specified rheumatoid arthritis, right elbow                          |
| M06.822 | Other specified rheumatoid arthritis, left elbow                           |
| M06.829 | Other specified rheumatoid arthritis, unspecified elbow                    |
| M06.831 | Other specified rheumatoid arthritis, right wrist                          |

| ICD-10  | ICD-10 Description                                               |
|---------|------------------------------------------------------------------|
| M06.832 | Other specified rheumatoid arthritis, left wrist                 |
| M06.839 | Other specified rheumatoid arthritis, unspecified wrist          |
| M06.841 | Other specified rheumatoid arthritis, right hand                 |
| M06.842 | Other specified rheumatoid arthritis, left hand                  |
| M06.849 | Other specified rheumatoid arthritis, unspecified hand           |
| M06.851 | Other specified rheumatoid arthritis, right hip                  |
| M06.852 | Other specified rheumatoid arthritis, left hip                   |
| M06.859 | Other specified rheumatoid arthritis, unspecified hip            |
| M06.861 | Other specified rheumatoid arthritis, right knee                 |
| M06.862 | Other specified rheumatoid arthritis, left knee                  |
| M06.869 | Other specified rheumatoid arthritis, unspecified knee           |
| M06.871 | Other specified rheumatoid arthritis, right ankle and foot       |
| M06.872 | Other specified rheumatoid arthritis, left ankle and foot        |
| M06.879 | Other specified rheumatoid arthritis, unspecified ankle and foot |
| M06.88  | Other specified rheumatoid arthritis, vertebrae                  |
| M06.89  | Other specified rheumatoid arthritis, multiple sites             |
| M06.9   | Rheumatoid arthritis, unspecified                                |
| M08.0A  | Unspecified juvenile rheumatoid arthritis, other specified site  |
| M08.011 | Unspecified juvenile rheumatoid arthritis, right shoulder        |
| M08.012 | Unspecified juvenile rheumatoid arthritis, left shoulder         |
| M08.019 | Unspecified juvenile rheumatoid arthritis, unspecified shoulder  |
| M08.021 | Unspecified juvenile rheumatoid arthritis, right elbow           |
| M08.022 | Unspecified juvenile rheumatoid arthritis, left elbow            |
| M08.029 | Unspecified juvenile rheumatoid arthritis, unspecified elbow     |
| M08.031 | Unspecified juvenile rheumatoid arthritis, right wrist           |
| M08.032 | Unspecified juvenile rheumatoid arthritis, left wrist            |
| M08.039 | Unspecified juvenile rheumatoid arthritis, unspecified wrist     |
| M08.041 | Unspecified juvenile rheumatoid arthritis, right hand            |
| M08.042 | Unspecified juvenile rheumatoid arthritis, left hand             |
| M08.049 | Unspecified juvenile rheumatoid arthritis, unspecified hand      |
| M08.051 | Unspecified juvenile rheumatoid arthritis, right hip             |
| M08.052 | Unspecified juvenile rheumatoid arthritis, left hip              |

#### Medical Necessity Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

| ICD-10  | ICD-10 Description                                                            |
|---------|-------------------------------------------------------------------------------|
| M08.059 | Unspecified juvenile rheumatoid arthritis, unspecified hip                    |
| M08.061 | Unspecified juvenile rheumatoid arthritis, right knee                         |
| M08.062 | Unspecified juvenile rheumatoid arthritis, left knee                          |
| M08.069 | Unspecified juvenile rheumatoid arthritis, unspecified knee                   |
| M08.071 | Unspecified juvenile rheumatoid arthritis, right ankle and foot               |
| M08.072 | Unspecified juvenile rheumatoid arthritis, left ankle and foot                |
| M08.079 | Unspecified juvenile rheumatoid arthritis, unspecified ankle and foot         |
| M08.08  | Unspecified juvenile rheumatoid arthritis, vertebrae                          |
| M08.09  | Unspecified juvenile rheumatoid arthritis, multiple sites                     |
| M08.2A  | Juvenile rheumatoid arthritis with systemic onset, other specified site       |
| M08.211 | Juvenile rheumatoid arthritis with systemic onset, right shoulder             |
| M08.212 | Juvenile rheumatoid arthritis with systemic onset, left shoulder              |
| M08.219 | Juvenile rheumatoid arthritis with systemic onset, unspecified shoulder       |
| M08.221 | Juvenile rheumatoid arthritis with systemic onset, right elbow                |
| M08.222 | Juvenile rheumatoid arthritis with systemic onset, left elbow                 |
| M08.229 | Juvenile rheumatoid arthritis with systemic onset, unspecified elbow          |
| M08.231 | Juvenile rheumatoid arthritis with systemic onset, right wrist                |
| M08.232 | Juvenile rheumatoid arthritis with systemic onset, left wrist                 |
| M08.239 | Juvenile rheumatoid arthritis with systemic onset, unspecified wrist          |
| M08.241 | Juvenile rheumatoid arthritis with systemic onset, right hand                 |
| M08.242 | Juvenile rheumatoid arthritis with systemic onset, left hand                  |
| M08.249 | Juvenile rheumatoid arthritis with systemic onset, unspecified hand           |
| M08.251 | Juvenile rheumatoid arthritis with systemic onset, right hip                  |
| M08.252 | Juvenile rheumatoid arthritis with systemic onset, left hip                   |
| M08.259 | Juvenile rheumatoid arthritis with systemic onset, unspecified hip            |
| M08.261 | Juvenile rheumatoid arthritis with systemic onset, right knee                 |
| M08.262 | Juvenile rheumatoid arthritis with systemic onset, left knee                  |
| M08.269 | Juvenile rheumatoid arthritis with systemic onset, unspecified knee           |
| M08.271 | Juvenile rheumatoid arthritis with systemic onset, right ankle and foot       |
| M08.272 | Juvenile rheumatoid arthritis with systemic onset, left ankle and foot        |
| M08.279 | Juvenile rheumatoid arthritis with systemic onset, unspecified ankle and foot |
| M08.28  | Juvenile rheumatoid arthritis with systemic onset, vertebrae                  |

| ICD-10  | ICD-10 Description                                                       |
|---------|--------------------------------------------------------------------------|
| M08.29  | Juvenile rheumatoid arthritis with systemic onset, multiple sites        |
| M08.3   | Juvenile rheumatoid polyarthritis (seronegative)                         |
| M08.4A  | Pauciarticular juvenile rheumatoid arthritis, other specified site       |
| M08.411 | Pauciarticular juvenile rheumatoid arthritis, right shoulder             |
| M08.412 | Pauciarticular juvenile rheumatoid arthritis, left shoulder              |
| M08.419 | Pauciarticular juvenile rheumatoid arthritis, unspecified shoulder       |
| M08.421 | Pauciarticular juvenile rheumatoid arthritis, right elbow                |
| M08.422 | Pauciarticular juvenile rheumatoid arthritis, left elbow                 |
| M08.429 | Pauciarticular juvenile rheumatoid arthritis, unspecified elbow          |
| M08.431 | Pauciarticular juvenile rheumatoid arthritis, right wrist                |
| M08.432 | Pauciarticular juvenile rheumatoid arthritis, left wrist                 |
| M08.439 | Pauciarticular juvenile rheumatoid arthritis, unspecified wrist          |
| M08.441 | Pauciarticular juvenile rheumatoid arthritis, right hand                 |
| M08.442 | Pauciarticular juvenile rheumatoid arthritis, left hand                  |
| M08.449 | Pauciarticular juvenile rheumatoid arthritis, unspecified hand           |
| M08.451 | Pauciarticular juvenile rheumatoid arthritis, right hip                  |
| M08.452 | Pauciarticular juvenile rheumatoid arthritis, left hip                   |
| M08.459 | Pauciarticular juvenile rheumatoid arthritis, unspecified hip            |
| M08.461 | Pauciarticular juvenile rheumatoid arthritis, right knee                 |
| M08.462 | Pauciarticular juvenile rheumatoid arthritis, left knee                  |
| M08.469 | Pauciarticular juvenile rheumatoid arthritis, unspecified knee           |
| M08.471 | Pauciarticular juvenile rheumatoid arthritis, right ankle and foot       |
| M08.472 | Pauciarticular juvenile rheumatoid arthritis, left ankle and foot        |
| M08.479 | Pauciarticular juvenile rheumatoid arthritis, unspecified ankle and foot |
| M08.48  | Pauciarticular juvenile rheumatoid arthritis, vertebrae                  |
| M08.80  | Other juvenile arthritis, unspecified site                               |
| M08.811 | Other juvenile arthritis, right shoulder                                 |
| M08.812 | Other juvenile arthritis, left shoulder                                  |
| M08.819 | Other juvenile arthritis, unspecified shoulder                           |
| M08.821 | Other juvenile arthritis, right elbow                                    |
| M08.822 | Other juvenile arthritis, left elbow                                     |
| M08.829 | Other juvenile arthritis, unspecified elbow                              |

#### Medical Necessity Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

| ICD-10  | ICD-10 Description                                    |
|---------|-------------------------------------------------------|
| M08.831 | Other juvenile arthritis, right wrist                 |
| M08.832 | Other juvenile arthritis, left wrist                  |
| M08.839 | Other juvenile arthritis, unspecified wrist           |
| M08.841 | Other juvenile arthritis, right hand                  |
| M08.842 | Other juvenile arthritis, left hand                   |
| M08.849 | Other juvenile arthritis, unspecified hand            |
| M08.851 | Other juvenile arthritis, right hip                   |
| M08.852 | Other juvenile arthritis, left hip                    |
| M08.859 | Other juvenile arthritis, unspecified hip             |
| M08.861 | Other juvenile arthritis, right knee                  |
| M08.862 | Other juvenile arthritis, left knee                   |
| M08.869 | Other juvenile arthritis, unspecified knee            |
| M08.871 | Other juvenile arthritis, right ankle and foot        |
| M08.872 | Other juvenile arthritis, left ankle and foot         |
| M08.879 | Other juvenile arthritis, unspecified ankle and foot  |
| M08.88  | Other juvenile arthritis, other specified site        |
| M08.89  | Other juvenile arthritis, multiple sites              |
| M08.9A  | Juvenile arthritis, unspecified, other specified site |
| M08.911 | Juvenile arthritis, unspecified, right shoulder       |
| M08.912 | Juvenile arthritis, unspecified, left shoulder        |
| M08.919 | Juvenile arthritis, unspecified, unspecified shoulder |
| M08.921 | Juvenile arthritis, unspecified, right elbow          |
| M08.922 | Juvenile arthritis, unspecified, left elbow           |
| M08.929 | Juvenile arthritis, unspecified, unspecified elbow    |
| M08.931 | Juvenile arthritis, unspecified, right wrist          |
| M08.932 | Juvenile arthritis, unspecified, left wrist           |
| M08.939 | Juvenile arthritis, unspecified, unspecified wrist    |
| M08.941 | Juvenile arthritis, unspecified, right hand           |
| M08.942 | Juvenile arthritis, unspecified, left hand            |
| M08.949 | Juvenile arthritis, unspecified, unspecified hand     |
| M08.951 | Juvenile arthritis, unspecified, right hip            |
| M08.952 | Juvenile arthritis, unspecified, left hip             |

#### Medical Necessity Criteria

Proprietary Information. Restricted Access – Do not disseminate or copy without approval.

| ICD-10  | ICD-10 Description                                          |
|---------|-------------------------------------------------------------|
| M08.959 | Juvenile arthritis, unspecified, unspecified hip            |
| M08.961 | Juvenile arthritis, unspecified, right knee                 |
| M08.962 | Juvenile arthritis, unspecified, left knee                  |
| M08.969 | Juvenile arthritis, unspecified, unspecified knee           |
| M08.971 | Juvenile arthritis, unspecified, right ankle and foot       |
| M08.972 | Juvenile arthritis, unspecified, left ankle and foot        |
| M08.979 | Juvenile arthritis, unspecified, unspecified ankle and foot |
| M08.98  | Juvenile arthritis, unspecified, vertebrae                  |
| M08.99  | Juvenile arthritis, unspecified, multiple sites             |
| M45.0   | Ankylosing spondylitis of multiple sites in spine           |
| M45.1   | Ankylosing spondylitis of occipito-atlanto-axial region     |
| M45.2   | Ankylosing spondylitis of cervical region                   |
| M45.3   | Ankylosing spondylitis of cervicothoracic region            |
| M45.4   | Ankylosing spondylitis of thoracic region                   |
| M45.5   | Ankylosing spondylitis of thoracolumbar region              |
| M45.6   | Ankylosing spondylitis lumbar region                        |
| M45.7   | Ankylosing spondylitis of lumbosacral region                |
| M45.8   | Ankylosing spondylitis sacral and sacrococcygeal region     |
| M45.9   | Ankylosing spondylitis of unspecified sites in spine        |

## Appendix 2 – Centers for Medicare and Medicaid Services (CMS)

The preceding information is intended for non-Medicare coverage determinations. Medicare coverage for outpatient (Part B) drugs is outlined in the Medicare Benefit Policy Manual (Pub. 100-2), Chapter 15, §50 Drugs and Biologicals. In addition, National Coverage Determinations (NCDs) and/or Local Coverage Determinations (LCDs) may exist and compliance with these policies is required where applicable. Local Coverage Articles (LCAs) may also exist for claims payment purposes or to clarify benefit eligibility under Part B for drugs which may be self-administered. The following link may be used to search for NCD, LCD, or LCA documents: <https://www.cms.gov/medicare-coverage-database/search.aspx>. Additional indications, including any preceding information, may be applied at the discretion of the health plan.

Medicare Part B Covered Diagnosis Codes (applicable to existing NCD/LCD/LCA): N/A

| Medicare Part B Administrative Contractor (MAC) Jurisdictions |                                                                                             |                                                   |
|---------------------------------------------------------------|---------------------------------------------------------------------------------------------|---------------------------------------------------|
| Jurisdiction                                                  | Applicable State/US Territory                                                               | Contractor                                        |
| E (1)                                                         | CA, HI, NV, AS, GU, CNMI                                                                    | Noridian Healthcare Solutions, LLC                |
| F (2 & 3)                                                     | AK, WA, OR, ID, ND, SD, MT, WY, UT, AZ                                                      | Noridian Healthcare Solutions, LLC                |
| 5                                                             | KS, NE, IA, MO                                                                              | Wisconsin Physicians Service Insurance Corp (WPS) |
| 6                                                             | MN, WI, IL                                                                                  | National Government Services, Inc. (NGS)          |
| H (4 & 7)                                                     | LA, AR, MS, TX, OK, CO, NM                                                                  | Novitas Solutions, Inc.                           |
| 8                                                             | MI, IN                                                                                      | Wisconsin Physicians Service Insurance Corp (WPS) |
| N (9)                                                         | FL, PR, VI                                                                                  | First Coast Service Options, Inc.                 |
| J (10)                                                        | TN, GA, AL                                                                                  | Palmetto GBA                                      |
| M (11)                                                        | NC, SC, WV, VA (excluding below)                                                            | Palmetto GBA                                      |
| L (12)                                                        | DE, MD, PA, NJ, DC (includes Arlington & Fairfax counties and the city of Alexandria in VA) | Novitas Solutions, Inc.                           |
| K (13 & 14)                                                   | NY, CT, MA, RI, VT, ME, NH                                                                  | National Government Services, Inc. (NGS)          |
| 15                                                            | KY, OH                                                                                      | CGS Administrators, LLC                           |