

<b>2019 EOCCO CHA Elements and Sources</b>	<b>Baker</b>	<b>Baker</b>	<b>Baker</b>	<b>OREGON</b>
<b>DEMOGRAPHICS</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>				
Total Population	16,210	16,325	16,750	4,141,100
Age 0-17 2013, 2015, 2017	3,252	3,213	3,173	869,330
Age 0-17 % of Total Population	20%	20%	18.9%	21.0%
Age 16-64 2013, 2015, 2017	9,183	9,037	9,101	2,557,575
Age 16-64 % of Total Population	57%	55%	54.3%	61.8%
Age 65 and Over	3,775	4,075	4,476	714,196
Age 65 and Over % of Total Population	23%	25%	26.7%	17.2%
<b>Race</b>				
% White	96%	91.3%	91.4%	77.0%
% American Indian/Native Alaskan	1.10%	1.28%	1.3%	0.9%
% African American/Black	0.40%	0.44%	0.4%	1.8%
% Asian	0.40%	0.64%	0.8%	4.0%
% Pacific Islander	0%	0%	0.3%	0.4%
% Other	0.30%	2.08%	0.1%	0.1%
% 2 or More	1.90%	1.8%	1.9%	3.5%
<b>Ethnicity</b>				
Hispanic	3.30%	4.2%	3.8%	12.4%
<b>Gender</b>				
% Females	50.70%	51%	50.5%	52.0%
% Males	49.30%	49%	49.5%	48.0%
% Other	NA	NA	NA	NA
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll - % of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	2.66	2.77	2.8	3.1
<b>% Single Parents - ACS</b>	31.5%	31.5%	6.5%	8.3%
<b>% Unemployment - OR Dept of Employment</b>	<b>10%</b>	<b>8.6%</b>	<b>6.4%</b>	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	11.6%	<b>8.1%</b>	<b>9.6%</b>	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	<b>60.54%</b>	<b>71.12%</b>	<b>74.00%</b>	77.80%
<b>Poverty</b>				
Total Population 100%, 185% - ACS	<b>20%</b>	14.5%	15.1%	15.7%
% Child Poverty Rate - ACS	<b>24.7%</b>	<b>27.0%</b>	<b>21.3%</b>	20.4%

	Baker	Baker	Baker	OREGON
	2013	2015	2017	2017
<b>Language</b>				
% of Limited English Speaking Households	0.8%	0.8%	0.5%	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	16.4%	5.8%	7.7%	6.2%
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	79.4%	90.6%
Renter Occupied Housing Units - ACS	NA	NA	32.5%	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	32.6%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	42%	46%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	2.3%	1.3%
No Telephone Available in Household - ACS	4.2%	3.5%	2.9%	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	13	3	NAP
Unsheltered	NA	1	4	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	5.8%	6.8%	7.4%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	1,825	3,313	3,579	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	47.13	90.08	95.59	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	42.8%	43.2%	29.9%	47.6%
Estimated # of Food Insecure Children (OSU, Communitis Reporter, 2013, 2014, 2015)	980	970	820	194,070
Estimated # of Food Insecure Individuals (OSU, Communitis Reporter, 2013, 2014, 2015)	2,680	2,700	2,480	572,790
Estimated % of Food Insecure Children (OSU, Communitis Reporter, 2013, 2014, 2015)	30.5%	30.4%	25.8%	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitis Reporter, 2013, 2014, 2015)	16.7%	16.8%	15.5%	14.2%
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	18.8%	NA	22.3%
Food Insecurity	NA	44.7%	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	1,280	1,184	1,141	NA
	Baker	Baker	Baker	OREGON
	2013	2015	2017	2017
<b>VULNERABLE POPULATIONS</b>				

<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	<b>32.7</b>	<b>8.4</b>	<b>18.8</b>	4.6
Low Birthweight per 1,000 births	67.1	49.6	<b>83.3</b>	68.3
Births to Mothers Receiving Inadequate Prenatal Care	<b>7.3%</b>	<b>7.0%</b>	<b>9.7%</b>	6.1%
Births to Mothers under the age of 18	<b>1.8%</b>	0.09%	0.6%	0.9%
<b>Maternal Depression - PRAMS Data by State - EOCCO rate</b>				
% During Pregnancy	<b>22.1%</b>	<b>23.7%</b>	<b>28.9%</b>	20.1%
% Postpartum	20.9%	21.3%	<b>47.6%</b>	21.3%
% Depression during pregnancy or postpartum or both	31.0%	31.0%	<b>48.1%</b>	29.3%
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	<b>24.1</b>	<b>18.4</b>	<b>33.2</b>	12.8
Children in Foster Care per 1,000 - OR DHS	<b>46</b>	<b>71</b>	<b>11.7</b>	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	0	0	NA
Unaccompanied	NA	0	1	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	26.0%	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$5,520	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	47%	54%	56%	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	75.0%	52.4%	48.2%	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	72.3%	73.0%	<b>67.0%</b>	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	<b>27.0%</b>	<b>27.0%</b>	14.7%	23.9%
<b>Teen Health</b>				
<b>8th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	87.2%	86.4%	<b>85.1%</b>	86.3%
% Reporting Good, Very Good, or Excellent Mental Health	84.8%	80.8%	<b>66.7%</b>	75.0%
Preventative Care Visit, % last 12 months	<b>50.0%</b>	<b>48.1%</b>	<b>50.0%</b>	61.8%
Emergency Care Visit, % last 12 months	34.1%	27.5%	<b>35.1%</b>	34.8%
Oral Health Visit, % last 12 months	74.1%	<b>68.3%</b>	<b>73.4%</b>	74.0%
Suicidal Ideation, % last 12 months	<b>17.9%</b>	16.3%	<b>20.9%</b>	16.9%
% Have had Sexual Intercourse	<b>11.5%</b>	<b>17.6%</b>	<b>15.7%</b>	8.4%
	<b>Baker</b>	<b>Baker</b>	<b>Baker</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Percent Reporting Past 30 Day Use -Alcohol	<b>22.4%</b>	<b>25.3%</b>	10.2%	10.3%
Percent Reporting Past 30 Day Use-Tobacco	<b>9.4%</b>	<b>7.8%</b>	<b>3.4%</b>	2.7%

Percent Reporting Past 30 Day Use-Marijuana	<b>13.1%</b>	6.1%	4.6%	6.7%
<b>11th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	88.4%	90.3%	89.0%	83.2%
% Reporting Good, Very Good, or Excellent Mental Health	84.5%	78.6%	69.1%	66.3%
Preventative Care Visit, % last 12 months	<b>52.1%</b>	<b>51.5%</b>	68.5%	62.2%
Emergency Care Visit, % last 12 months	31.1%	33.0%	29.1%	35.7%
Oral Health Visit, % last 12 months	<b>64.8%</b>	<b>71.8%</b>	<b>72.7%</b>	73.8%
Suicidal Ideation, % last 12 months	11.6%	17.3%	7.8%	18.2%
% Have had Sexual Intercourse	<b>51.4%</b>	38.4%	40.0%	40.9%
Percent Reporting Past 30 Day Use -Alcohol	<b>36.6%</b>	25.0%	<b>27.5%</b>	26.9%
Percent Reporting Past 30 Day Use-Tobacco	<b>15.7%</b>	2.9%	2.0%	7.4%
Percent Reporting Past 30 Day Use-Marijuana	<b>31.4%</b>	17.0%	10.0%	20.9%
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>77.9</b>	<b>74.8</b>	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>28.4</b>	<b>30.6</b>	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>38.3</b>	<b>52.7</b>	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>275.6</b>	<b>296.6</b>	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>91.5</b>	<b>94.4</b>	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>77.9</b>	<b>66.2</b>	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>89.0</b>	<b>89.5</b>	48.3
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>29.7</b>	<b>29.4</b>	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>18.5</b>	9.8	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>306.5</b>	<b>279.4</b>	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	8.7	8.6	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>21.0</b>	<b>27.0</b>	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	85.5%	84.5%	<b>82.1%</b>	82.9%
Overall Mental Health (2010-2013 BRFSS)	72.1%	69.2%	63.5%	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	32.7%	22.6%	20.3%
Tobacco Use Total (2010-2013 BRFSS)	<b>38.3%</b>	<b>43.1%</b>	<b>27.3%</b>	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	<b>20.0%</b>	<b>23.2%</b>	<b>23.2%</b>	19.0%
	<b>Baker</b>	<b>Baker</b>	<b>Baker</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Tobacco Use, Smokeless (2010-2013 BRFSS)	<b>18.3%</b>	<b>19.9%</b>	<b>19.9%</b>	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	6.30%	S	<b>13.40%</b>	7.8%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	4.5%	5.9%	S	7.9%

Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	17.8%	11.1%	<b>34.6%</b>	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	7.8%	9.6%	<b>29.8%</b>	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	<b>35.0%</b>	NA	29.7%	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	42.3%	S	S	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	22.3%	<b>29.0%</b>	<b>29.0%</b>	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	<b>12.2%</b>	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	63.5	75.2	<b>6.1%</b>	2.9%
Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	13.8	NA	<b>13.8%</b>	7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	11.6	NA	<b>13.4%</b>	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	14.7	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	23.6	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	10.9	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	10.9	NA	<b>12.2%</b>	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	54.3	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	6.9^	NA	<b>61.2%</b>	54.3%

<b>CODES:</b>
NA = Not Available
NAP = Not Applicable
S = Suppressed Data
* = Statewide lists as "Asian / Pacific Islander" and county specific data lists two group = "Asian" and "Pacific Islander."
/ = Gilliam, Sherman, and Wasco Counties Combined
** = This number is suppressed because it is statistically unreliable.
^ = This number may be statistically unreliable and should be interpreted with caution.
. = Percentages exclude missing answers.
<b>Bold = Worse than state rate - County rate is higher than statewide rate (or lower if a higher rate is more positive)</b>
# = Rate is significantly different from the state rate.
& = Detailed reporting of small numbers may breach confidentiality.
! = Insufficient data.

<b>2019 EOCCO CHA Elements and Sources</b>	<b>Gilliam</b>	<b>Gilliam</b>	<b>Gilliam</b>	<b>OREGON</b>
<b>DEMOGRAPHICS</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>				
Total Population	1,900	1,975	1,995	4,141,100
Age 0-17 2013, 2015, 2017	351	357	346	869,330
Age 0-17 % of Total Population	19.0%	18.0%	17.3%	21.0%
Age 16-64 2013, 2015, 2017	1,095	1,106	1,087	2,557,575
Age 16-64 % of Total Population	58.0%	56.0%	54.5%	61.8%
Age 65 and Over	454	512	563	714,196
Age 65 and Over % of Total Population	24.0%	26.0%	28.2%	17.2%
<b>Race</b>				
% White	92.8%	89.1%	86.6%	77.0%
% American Indian/Native Alaskan	0.2%	1.29%	2.8%	0.9%
% African American/Black	0.3%	0.26%	0.3%	1.8%
% Asian	0.3%	1.19%	0.0%	4.0%
% Pacific Islander	0.2%	0%	0.5%	0.4%
% Other	0.45%	1.70%	0.0%	0.1%
% 2 or More	1.7%	0%	0.0%	3.5%
<b>Ethnicity</b>				
Hispanic	8.3%	6.4%	9.7%	12.4%
<b>Gender</b>				
% Females	45.7%	54.3%	49.3%	52.0%
% Males	54.3%	45.7%	50.7%	48.0%
% Other	NA	NA	NA	NA
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll - % of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	2.6	2.77	3	3.1
<b>% Single Parents - ACS</b>	<b>34.5%</b>	<b>34.5%</b>	5.6%	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>7.4%</b>	<b>8.0%</b>	<b>5.9%</b>	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	<b>13.2%</b>	6.2%	<b>10.1%</b>	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	93.3%	80.0%	<b>73.9%</b>	77.8%
<b>Poverty</b>				
Total Population 100%, 185% - ACS	11.8%	11.9%	11.2%	15.7%
Child Poverty Rate - ACS	19.7%	17.9%	4.2%	20.4%

	Gilliam	Gilliam	Gilliam	OREGON
	2013	2015	2017	2017
<b>Language</b>				
% of Limited English Speaking Households	0.3%	0.4%	0.8%	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	<b>16.4%</b>	5.6%	<b>6.9%</b>	6.2%
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	<b>75.0%</b>	90.6%
Renter Occupied Housing Units - ACS	NA	NA	<b>36.4%</b>	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	23.8%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	29%	48%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	0.5%	1.3%
No Telephone Available in Household - ACS	1.9%	1.5%	<b>3.3%</b>	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	0	0	NAP
Unsheltered	NA	0	0	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	5.3%	4.0%	3.4%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	348	618	710	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	119.59	191.33	206.40	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	32.6%	<b>61.8%</b>	<b>60.7%</b>	47.6%
Estimated # of Food Insecure Children (OSU, Communitis Reporter, 2013, 2014, 2015)	80	80	80	194,070
Estimated # of Food Insecure Individuals (OSU, Communitis Reporter, 2013, 2014, 2015)	270	280	260	572,790
Estimated % of Food Insecure Children (OSU, Communitis Reporter, 2013, 2014, 2015)	21.9%	20.7%	18.9%	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitis Reporter, 2013, 2014, 2015)	14%	<b>14.4%</b>	13.8%	14.2%
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	18.8%	NA	22.3%
Food Insecurity	NA	44.7%	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	101	90	93	NA
	<b>Gilliam</b>	<b>Gilliam</b>	<b>Gilliam</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>VULNERABLE POPULATIONS</b>				

<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	NA	0	S	4.6
Low Birthweight per 1,000 births	NA	34.4	S	68.3
Births to Mothers Receiving Inadequate Prenatal Care	0.0%	<b>16.7%</b>	<b>28.6%</b>	6.1%
Births to Mothers under the age of 18	<b>4.8%</b>	0.2%	0.0%	0.9%
<b>Maternal Depression - PRAMS Data by State - EOCCO rate</b>				
% During Pregnancy	<b>22.1%</b>	<b>23.7%</b>	<b>28.9%</b>	20.1%
% Postpartum	20.9%	21.3%	<b>47.6%</b>	21.3%
% Depression during pregnancy or postpartum or both	31.0%	31.0%	<b>48.1%</b>	29.3%
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	<b>60</b>	S	<b>13.7</b>	12.8
Children in Foster Care per 1,000 - OR DHS	<b>14</b>	<b>24</b>	5.5	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	0	0	NA
Unaccompanied	NA	0	0	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	29.0%	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$6,180	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	<b>81%</b>	<b>85%</b>	<b>86%</b>	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	56.0%	57.1%	<b>36.3%</b>	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	68.7%	72.0%	<b>65.0%</b>	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	<b>28.7%</b>	<b>28.7%</b>	21.1%	23.9%
<b>Teen Health</b>				
<b>8th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	NA	NA	NA	NA
% Reporting Good, Very Good, or Excellent Mental Health	NA	NA	NA	NA
Preventative Care Visit, % last 12 months	NA	NA	NA	NA
Emergency Care Visit, % last 12 months	NA	NA	NA	NA
Oral Health Visit, % last 12 months	NA	NA	NA	NA
Suicidal Ideation, % last 12 months	NA	NA	NA	NA
% Have had Sexual Intercourse	NA	NA	NA	NA
	<b>Gilliam</b>	<b>Gilliam</b>	<b>Gilliam</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Percent Reporting Past 30 Day Use -Alcohol	NA	NA	NA	NA
Percent Reporting Past 30 Day Use-Tobacco	NA	NA	NA	NA

Percent Reporting Past 30 Day Use-Marijuana	NA	NA	NA	NA
<b>11th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	NA	NA	NA	NA
% Reporting Good, Very Good, or Excellent Mental Health	NA	NA	NA	NA
Preventative Care Visit, % last 12 months	NA	NA	NA	NA
Emergency Care Visit, % last 12 months	NA	NA	NA	NA
Oral Health Visit, % last 12 months	NA	NA	NA	NA
Suicidal Ideation, % last 12 months	NA	NA	NA	NA
% Have had Sexual Intercourse	NA	NA	NA	NA
Percent Reporting Past 30 Day Use -Alcohol	NA	NA	NA	NA
Percent Reporting Past 30 Day Use-Tobacco	NA	NA	NA	NA
Percent Reporting Past 30 Day Use-Marijuana	NA	NA	NA	NA
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	41.6	43.2	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>20.8</b>	<b>32.4</b>	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>62.3</b>	<b>64.8</b>	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>197.4</b>	<b>194.4</b>	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	41.6	10.8	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	31.2	21.6	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	31.2	<b>64.8</b>	48.3
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>41.6</b>	10.8	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	0.0	<b>10.8</b>	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>187.0</b>	<b>248.4</b>	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>20.8</b>	<b>194.4</b>	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>31.2</b>	0.0	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	<b>77.7%</b>	83.6%	<b>77.8%</b>	82.9%
Overall Mental Health (2010-2013 BRFSS)	66.8%	64.5%	61.5%	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	37.7%	S	20.3%
Tobacco Use Total (2010-2013 BRFSS)	<b>31.2%</b>	19.6%	S	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	<b>22.8%</b>	<b>19.6%</b>	<b>19.6%</b>	19.0%
	<b>Gilliam</b>	<b>Gilliam</b>	<b>Gilliam</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Tobacco Use, Smokeless (2010-2013 BRFSS)	<b>84.0%</b>	S	S	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	S	S	S	7.8%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	10.0%	S	3.3%	7.9%

Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	S	17.0%	18.0%	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	S	4.3%	S	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	# <b>38.9%</b>	NA	<b>34.3%</b>	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	57.0%	S	S	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	<b>31%</b>	<b>33.0%</b>	NA	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	237.8	247.5	S	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	54.1	51.5	S	2.9%
Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	NA	7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	S	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	S	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	S	54.3%

<b>CODES:</b>
NA = Not Available
NAP = Not Applicable
S = Suppressed Data
* = Statewide lists as "Asian / Pacific Islander" and county specific data lists two group = "Asian" and "Pacific Islander."
/ = Gilliam, Sherman, and Wasco Counties Combined
** = This number is suppressed because it is statistically unreliable.
^ = This number may be statistically unreliable and should be interpreted with caution.
. = Percentages exclude missing answers.
<b>Bold = Worse than state rate - County rate is higher than statewide rate (or lower if a higher rate is more positive)</b>
# = Rate is significantly different from the state rate.
& = Detailed reporting of small numbers may breach confidentiality.
! = Insufficient data.

<b>2019 EOCCO CHA Elements and Sources</b>	<b>Grant</b>	<b>Grant</b>	<b>Grant</b>	<b>OREGON</b>
<b>DEMOGRAPHICS</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>				
Total Population	7,450	7,425	7,415	4,141,100
Age 0-17 2013, 2015, 2017	1,362	1,280	1,156	869,330
Age 0-17 % of Total Population	18.0%	17.0%	15.6%	21.0%
Age 16-64 2013, 2015, 2017	4,147	4,007	3,870	2,557,575
Age 16-64 % of Total Population	56.0%	54.0%	52.2%	61.8%
Age 65 and Over	1,941	2,138	2,388	714,196
Age 65 and Over % of Total Population	26.0%	29.0%	32.2%	17.2%
<b>Race</b>				
% White	95.2%	91.1%	92.0%	77.0%
% American Indian/Native Alaskan	1.0%	1%	0.6%	0.9%
% African American/Black	0.4%	0.34%	0.4%	1.8%
% Asian	0.2%	0.64%	0.2%	4.0%
% Pacific Islander	0%	0%	0.0%	0.4%
% Other	0.3%	2.40%	0.0%	0.1%
% 2 or More	2.9%	3.2%	3.2%	3.5%
<b>Ethnicity</b>				
Hispanic	2.6%	4.0%	3.5	12.4%
<b>Gender</b>				
% Females	50.7%	49.3%	49.3%	52.0%
% Males	49.3%	50.7%	50.7%	48.0%
% Other	NA	NA	NA	NA
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll - % of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	2.63	2.79	2.7	3.1
<b>% Single Parents - ACS</b>	<b>33.3%</b>	<b>33.3%</b>	7.6%	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>13.4%</b>	<b>10.8%</b>	<b>7.8%</b>	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	<b>11.0%</b>	9.0%	<b>10.4%</b>	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	81.33%	85.19%	92.5%	77.80%
<b>Poverty</b>				
Total Population 100%, 185% - ACS	<b>17.2%</b>	<b>18.0%</b>	14.9%	15.7%
Child Poverty Rate - ACS	<b>29.0%</b>	<b>26.4%</b>	<b>21.1%</b>	20.4%

	Grant	Grant	Grant	OREGON
	2013	2015	2017	2017
<b>Language</b>				
% of Limited English Speaking Households	1.2%	1.0%	1.1%	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	<b>16.4%</b>	5.6%	<b>6.9%</b>	6.2%
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	<b>73.1%</b>	90.6%
Renter Occupied Housing Units - ACS	NA	NA	<b>27.2%</b>	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	28.8%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	44%	49%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	<b>2.3%</b>	1.3%
No Telephone Available in Household - ACS	2.3%	<b>3.4%</b>	<b>3.9%</b>	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	7	0	NAP
Unsheltered	NA	0	4	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	6.4%	4.6%	3.9%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	3,959	3,700	3,400	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	258.59	263.72	228.65	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	<b>58.4%</b>	<b>58.1%</b>	<b>55.4%</b>	47.6%
Estimated # of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	410	380	340	194,070
Estimated # of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	1,310	1,240	1,170	572,790
Estimated % of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>29.1%</b>	<b>28.0%</b>	<b>25.1%</b>	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>17.8%</b>	<b>16.9%</b>	<b>16.1%</b>	14.2%
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	18.8%	NA	22.3%
Food Insecurity	NA	44.7%	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	426	376	378	NA
	<b>Grant</b>	<b>Grant</b>	<b>Grant</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>VULNERABLE POPULATIONS</b>				

<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	NA	0	17.9	4.6
Low Birthweight per 1,000 births	50.8	61.0	95.2	68.3
Births to Mothers Receiving Inadequate Prenatal Care	10.2%	13.8#%	9.5%	6.1%
Births to Mothers under the age of 18	NA	0.9%	0.0%	0.9%
<b>Maternal Depression - PRAMS Data by State - EOCCO rate</b>				
% During Pregnancy	22.1%	23.7%	28.9%	20.1%
% Postpartum	20.9%	21.3%	47.6%	21.3%
% Depression during pregnancy or postpartum or both	31.0%	31.0%	48.1%	29.3%
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	11.4	9.6	21.9	12.8
Children in Foster Care per 1,000 - OR DHS	12	14	14.4	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	0	0	NA
Unaccompanied	NA	0	0	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	28.0%	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$6,000	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	60%	66%	79%	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	84.2%	46.2%	46.7%	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	62.3%	65.0%	62.0%	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	21.6%	21.6%	22.6%	23.9%
<b>Teen Health</b>				
<b>8th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	94.8%	87.8%	88.5%	86.3%
% Reporting Good, Very Good, or Excellent Mental Health	88.6%	75.8%	65.1%	75.0%
Preventative Care Visit, % last 12 months	49.8%	66.4%	54.2%	61.8%
Emergency Care Visit, % last 12 months	35.1%	40.8%	43.5%	34.8%
Oral Health Visit, % last 12 months	77.7%	73.3%	76.9%	74.0%
Suicidal Ideation, % last 12 months	15.2%	15.6%	21.2%	16.9%
% Have had Sexual Intercourse	9.9%	1290.0%	15.5%	8.4%
	<b>Grant</b>	<b>Grant</b>	<b>Grant</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Percent Reporting Past 30 Day Use -Alcohol	14.8%	13.2%	17.0%	10.3%
Percent Reporting Past 30 Day Use-Tobacco	2.8%	6.2%	2.1%	2.7%

Percent Reporting Past 30 Day Use-Marijuana	<b>8.7%</b>	3.5%	5.7%	6.7%
<b>11th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	85.3%	90.3%	87.5%	83.2%
% Reporting Good, Very Good, or Excellent Mental Health	85.4%	70.3%	73.6%	66.3%
Preventative Care Visit, % last 12 months	<b>50.1%</b>	<b>59.6%</b>	<b>57.0%</b>	62.2%
Emergency Care Visit, % last 12 months	29.3%	<b>74.4%</b>	26.0%	35.7%
Oral Health Visit, % last 12 months	<b>72.9%</b>	<b>67.6%</b>	<b>72.6%</b>	73.8%
Suicidal Ideation, % last 12 months	11.1%	16.0%	<b>18.9%</b>	18.2%
% Have had Sexual Intercourse	<b>48.2%</b>	<b>68.5%</b>	<b>49.0%</b>	40.9%
Percent Reporting Past 30 Day Use -Alcohol	<b>39.5%</b>	<b>30.4%</b>	<b>29.7%</b>	26.9%
Percent Reporting Past 30 Day Use-Tobacco	<b>12.6%</b>	<b>19.2%</b>	5.0%	7.4%
Percent Reporting Past 30 Day Use-Marijuana	11.2%	19.9%	14.4%	20.9%
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	39.2	<b>77.9</b>	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>25.2</b>	<b>25.0</b>	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>50.4</b>	<b>41.7</b>	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>235.0</b>	<b>205.9</b>	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>50.4</b>	47.3	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	39.2	<b>47.3</b>	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>103.5</b>	<b>111.3</b>	48.3
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	22.4	<b>27.8</b>	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>36.4</b>	<b>27.8</b>	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>249.0</b>	<b>239.3</b>	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	11.2	5.6	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>25.2</b>	<b>33.4</b>	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	87.0%	90.3%	87.0%	82.9%
Overall Mental Health (2010-2013 BFRSS)	66.9%	74.0%	80.8%	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	25.10%	30.9%	20.3%
Tobacco Use Total (2010-2013 BRFSS)	<b>54.7%</b>	16.3%	<b>22.6%</b>	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	<b>24.4%</b>	16.3%	16.3%	19.0%
	<b>Grant</b>	<b>Grant</b>	<b>Grant</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Tobacco Use, Smokeless (2010-2013 BRFSS)	<b>30.3%</b>	S	S	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	3.7%	S	<b>28.1%</b>	7.8%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	<b>9.9%</b>	10.5%	<b>S</b>	7.9%

Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	16.2%	S	<b>36.7%</b>	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	<b>26.1%</b>	26.6%	S	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	30.8%	NA	25.4%	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	57.0%	S	S	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	<b>27.9%</b>	23.8%	23.8%	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	231.8	241.3	S	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	62	46.6	S	2.9%
Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	7.9^	NA	7.9^%	7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	S	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	8.5^	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	4.0^	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	S	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	48.8	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	<b>54.8%</b>	54.3%

<b>CODES:</b>
NA = Not Available
NAP = Not Applicable
S = Suppressed Data
* = Statewide lists as "Asian / Pacific Islander" and county specific data lists two group = "Asian" and "Pacific Islander."
/ = Gilliam, Sherman, and Wasco Counties Combined
** = This number is suppressed because it is statistically unreliable.
^ = This number may be statistically unreliable and should be interpreted with caution.
. = Percentages exclude missing answers.
<b>Bold = Worse than state rate - County rate is higher than statewide rate (or lower if a higher rate is more positive)</b>
# = Rate is significantly different from the state rate.
& = Detailed reporting of small numbers may breach confidentiality.
! = Insufficient data.

<b>2019 EOCCO CHA Elements and Sources</b>	<b>Harney</b>	<b>Harney</b>	<b>Harney</b>	<b>OREGON</b>
<b>DEMOGRAPHICS</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>				
Total Population	7,315	7,265	7,360	4,141,100
Age 0-17 2013, 2015, 2017	1,601	1,547	1,486	869,330
Age 0-17 % of Total Population	22.0%	21.0%	20.2%	21.0%
Age 16-64 2013, 2015, 2017	4,224	4,108	4,092	2,557,575
Age 16-64 % of Total Population	58.0%	57.0%	55.6%	61.8%
Age 65 and Over	1,490	1,610	1,782	714,196
Age 65 and Over % of Total Population	20.0%	22.0%	24.2%	17.2%
<b>Race</b>				
% White	92.9%	87.6%	87.3%	77.0%
% American Indian/Native Alaskan	2.9%	3.38%	3.3%	0.9%
% African American/Black	0.4%	0.35%	0.6%	1.8%
% Asian	1%	0.56%	0.4%	4.0%
% Pacific Islander	0.1%	0%	0.1%	0.4%
% Other	0.3%	2.90%	0.6%	0.1%
% 2 or More	2.3%	1.4%	2.7%	3.5%
<b>Ethnicity</b>				
Hispanic	3.8%	5.1%	4.9%	12.4%
<b>Gender</b>				
% Females	48.4%	51.6%	50.1%	52.0%
% Males	51.6%	48.4%	49.9%	48.0%
% Other	NA	NA	NA	NA
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll - % of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	2.6	2.75	2.8	3.1
<b>% Single Parents - ACS</b>	<b>30.9%</b>	<b>30.9%</b>	6.8%	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>12.6%</b>	<b>9.8%</b>	<b>6.3%</b>	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	<b>11.2%</b>	7.3%	<b>10.4%</b>	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	89.42%	84.62%	<b>76.0%</b>	77.80%
<b>Poverty</b>				
Total Population 100%, 185% - ACS	<b>18.6%</b>	<b>18.1%</b>	<b>16.4%</b>	15.7%
Child Poverty Rate - ACS	<b>28.0%</b>	<b>25.5%</b>	<b>26.7%</b>	20.4%

	Harney	Harney	Harney	OREGON
	2013	2015	2017	2017
<b>Language</b>				
% of Limited English Speaking Households	2.2%	1.4%	1.7%	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	16.4%	6.8%	8.3%	6.2%
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	80.4%	90.6%
Renter Occupied Housing Units - ACS	NA	NA	29.4%	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	35.2%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	40%	52%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	0.7%	1.3%
No Telephone Available in Household - ACS	3.8%	3.0%	2.6%	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	4	1	NAP
Unsheltered	NA	2	18	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	6.6%	4.0%	3.7%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	2,679	3,255	3,215	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	146.07	187.93	172.11	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	59.7%	51.7%	41.5%	47.6%
Estimated # of Food Insecure Children (OSU, Communitis Reporter, 2013, 2014, 2015)	510	490	410	194,070
Estimated # of Food Insecure Individuals (OSU, Communitis Reporter, 2013, 2014, 2015)	1,360	1,300	1,150	572,790
Estimated % of Food Insecure Children (OSU, Communitis Reporter, 2013, 2014, 2015)	32.3%	31.6%	26.8%	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitis Reporter, 2013, 2014, 2015)	18.6%	17.9%	15.9%	14.2%
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	18.8%	NA	22.3%
Food Insecurity	NA	44.7%	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	434	396	401	NA
	Harney	Harney	Harney	OREGON
	2013	2015	2017	2017
<b>VULNERABLE POPULATIONS</b>				

<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	NA	<b>7.4</b>	S	4.6
Low Birthweight per 1,000 births	<b>90.9</b>	64.2	<b>69.4</b>	68.3
Births to Mothers Receiving Inadequate Prenatal Care	<b>7.2%</b>	1.4%	2.9%	6.1%
Births to Mothers under the age of 18	<b>3.4%</b>	0.08%	0.0%	0.9%
<b>Maternal Depression - PRAMS Data by State - EOCCO rate</b>				
% During Pregnancy	<b>22.1%</b>	<b>23.7%</b>	<b>28.9%</b>	20.1%
% Postpartum	20.9%	21.3%	<b>47.6%</b>	21.3%
% Depression during pregnancy or postpartum or both	31.0%	31.0%	<b>48.1%</b>	29.3%
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	12.3	<b>21.2</b>	<b>45.7</b>	12.8
Children in Foster Care per 1,000 - OR DHS	<b>14</b>	<b>22</b>	<b>30.7</b>	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	0	0	NA
Unaccompanied	NA	0	1	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	28.0%	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$6,000	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	39%	43%	51%	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	72.3%	<b>40.0%</b>	52.5%	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	<b>53.4%</b>	<b>62.0%</b>	<b>66.0%</b>	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	20.6%	20.6%	19.7%	23.9%
<b>Teen Health</b>				
<b>8th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	94.8%	87.8%	88.5%	86.3%
% Reporting Good, Very Good, or Excellent Mental Health	88.6%	75.8%	<b>65.1%</b>	75.0%
Preventative Care Visit, % last 12 months	<b>49.8%</b>	66.4%	<b>54.2%</b>	61.8%
Emergency Care Visit, % last 12 months	<b>35.1%</b>	<b>40.8%</b>	<b>43.5%</b>	34.8%
Oral Health Visit, % last 12 months	77.7%	<b>73.3%</b>	76.9%	74.0%
Suicidal Ideation, % last 12 months	15.2%	15.6%	<b>21.2%</b>	16.9%
% Have had Sexual Intercourse	<b>9.9%</b>	<b>12.9%</b>	<b>15.5%</b>	8.4%
	<b>Harney</b>	<b>Harney</b>	<b>Harney</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Percent Reporting Past 30 Day Use -Alcohol	<b>14.8%</b>	<b>13.2%</b>	<b>17.0%</b>	10.3%
Percent Reporting Past 30 Day Use-Tobacco	2.8%	<b>6.2%</b>	2.1%	2.7%

Percent Reporting Past 30 Day Use-Marijuana	<b>8.7%</b>	3.5%	5.7%	6.7%
<b>11th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	85.3%	90.3%	87.5%	83.2%
% Reporting Good, Very Good, or Excellent Mental Health	85.4%	70.3%	73.6%	66.3%
Preventative Care Visit, % last 12 months	<b>50.1%</b>	<b>59.6%</b>	<b>57.0%</b>	62.2%
Emergency Care Visit, % last 12 months	29.3%	<b>74.4%</b>	26.0%	35.7%
Oral Health Visit, % last 12 months	<b>72.9%</b>	<b>67.6%</b>	<b>72.6%</b>	73.8%
Suicidal Ideation, % last 12 months	11.1%	16.0%	<b>18.9%</b>	18.2%
% Have had Sexual Intercourse	<b>48.2%</b>	<b>68.5%</b>	<b>49.0%</b>	40.9%
Percent Reporting Past 30 Day Use -Alcohol	<b>39.5%</b>	<b>30.4%</b>	<b>29.7%</b>	26.9%
Percent Reporting Past 30 Day Use-Tobacco	<b>12.6%</b>	<b>19.2%</b>	5.0%	7.4%
Percent Reporting Past 30 Day Use-Marijuana	11.2%	19.9%	14.4%	20.9%
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>73.2</b>	<b>95.4</b>	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>33.8</b>	<b>43.6</b>	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	16.9	27.3	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>261.8</b>	<b>250.8</b>	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>78.8</b>	<b>65.4</b>	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>67.6</b>	<b>749.1</b>	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>61.9</b>	<b>76.3</b>	48.3
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>39.4</b>	<b>43.6</b>	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>14.1</b>	8.2	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>188.6</b>	<b>166.3</b>	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	5.6	5.5	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>39.4</b>	<b>35.4</b>	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	83.6%	83.1%	<b>73.9%</b>	82.9%
Overall Mental Health (2010-2013 BRFSS)	75.9%	69.7%	64.6%	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	21.9%	S	20.3%
Tobacco Use Total (2010-2013 BRFSS)	<b>43.0%</b>	<b>36.1%</b>	19.1%	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	14.3%	10.8%	10.8%	19.0%
	<b>Harney</b>	<b>Harney</b>	<b>Harney</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Tobacco Use, Smokeless (2010-2013 BRFSS)	<b>28.7%</b>	<b>25.3%</b>	<b>25.3%</b>	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	S	S	S	7.8%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	S	S	S	7.9%

Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	17.1%	S	S	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	11.2%	S	S	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	29.9%	NA	25.2%	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	54.0%	28.2	28.2%	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	22.8%	<b>38.7%</b>	<b>38.7%</b>	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	230.9	205.3	3.7%	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	62.5	73.1	S	2.9%
Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	8.5^	NA		7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	8.0^	NA	<b>9.9%</b>	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	7.5^	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	23.2	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	15.7	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	2.3^	NA	3.7%	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	50.2	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	<b>57.6%</b>	54.3%

<b>CODES:</b>
NA = Not Available
NAP = Not Applicable
S = Suppressed Data
* = Statewide lists as "Asian / Pacific Islander" and county specific data lists two group = "Asian" and "Pacific Islander."
/ = Gilliam, Sherman, and Wasco Counties Combined
** = This number is suppressed because it is statistically unreliable.
^ = This number may be statistically unreliable and should be interpreted with caution.
. = Percentages exclude missing answers.
<b>Bold = Worse than state rate - County rate is higher than statewide rate (or lower if a higher rate is more positive)</b>
# = Rate is significantly different from the state rate.
& = Detailed reporting of small numbers may breach confidentiality.
! = Insufficient data.

<b>2019 EOCCO CHA Elements and Sources</b>	<b>Lake</b>	<b>Lake</b>	<b>Lake</b>	<b>OREGON</b>
<b>DEMOGRAPHICS</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>				
Total Population	7,920	7,990	8,120	4,141,100
Age 0-17 2013, 2015, 2017	1,473	1,423	1,340	869,330
Age 0-17 % of Total Population	19.0%	18.0%	16.5%	21.0%
Age 16-64 2013, 2015, 2017	4,727	4,702	4,745	2,557,575
Age 16-64 % of Total Population	60.0%	59.0%	58.4%	61.8%
Age 65 and Over	1,720	1,865	2,035	714,196
Age 65 and Over % of Total Population	22.0%	23.0%	25.1%	17.2%
<b>Race</b>				
% White	92.1%	87.6%	85.6%	77.0%
% American Indian/Native Alaskan	2.0%	1.94%	1.2%	0.9%
% African American/Black	0.6%	0.57%	0.6%	1.8%
% Asian	0.5%	1.03%	0.9%	4.0%
% Pacific Islander	0.2%	0%	0.0%	0.4%
% Other	1.4%	3.0%	0.1%	0.1%
% 2 or More	3.3%	3.8%	4.0%	3.5%
<b>Ethnicity</b>				
Hispanic	6.4%	8.3%	7.6	12.4%
<b>Gender</b>				
% Females	52.5%	52.5%	49.5%	52.0%
% Males	47.5%	47.5%	50.5%	48.0%
% Other	NA	NA	NA	NA
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll - % of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	2.6	2.67	2.8	3.1
<b>% Single Parents - ACS</b>	<b>29.8%</b>	<b>29.8%</b>	5.1%	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>12.8%</b>	<b>9.8%</b>	<b>6.4%</b>	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	<b>12.8%</b>	<b>11.8%</b>	<b>16.1%</b>	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	80.11%	85.19%	88.2%	77.80%
<b>Poverty</b>				
Total Population 100%, 185% - ACS	<b>20.6%</b>	<b>20.9%</b>	<b>17.6%</b>	15.7%
Child Poverty Rate - ACS	<b>29.0%</b>	<b>26.1%</b>	18.6%	20.4%

	Lake	Lake	Lake	OREGON
	2013	2015	2017	2017
<b>Language</b>				
% of Limited English Speaking Households	0.5%	0.4%	0.4%	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	16.4%	6.8%	8.3%	6.2%
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	77.2%	90.6%
Renter Occupied Housing Units - ACS	NA	NA	38.3%	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	38.9%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	46%	55%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	2.9%	1.3%
No Telephone Available in Household - ACS	4.4%	3.8%	3.2%	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	0	0	NAP
Unsheltered	NA	6	12	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	4.0%	5.4%	7.3%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	1,188	812	1,990	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	68.71	49.00	119.52	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	50.4%	44.9%	43.6%	47.6%
Estimated # of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	440	390	360	194,070
Estimated # of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	1,400	1,360	1,310	572,790
Estimated % of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	29.8%	26.8%	24.9%	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	17.9%	17.3%	16.8%	14.2%
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	18.8%	NA	22.3%
Food Insecurity	NA	44.7%	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	551	500	479	NA
	Lake	Lake	Lake	OREGON
	2013	2015	2017	2017
<b>VULNERABLE POPULATIONS</b>				

<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	NA	2.8	<b>14.3</b>	4.6
Low Birthweight per 1,000 births	<b>114.3</b>	62.8	<b>161.4</b>	68.3
Births to Mothers Receiving Inadequate Prenatal Care	<b>7.4%</b>	4.4%	<b>8.1%</b>	6.1%
Births to Mothers under the age of 18	1.4%	0.08%	<b>1.6%</b>	0.9%
<b>Maternal Depression - PRAMS Data by State - EOCCO rate</b>				
% During Pregnancy	<b>22.1%</b>	<b>23.7%</b>	<b>28.9%</b>	20.1%
% Postpartum	20.9%	21.3%	<b>47.6%</b>	21.3%
% Depression during pregnancy or postpartum or both	31.0%	31.0%	<b>48.1%</b>	29.3%
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	<b>25.4</b>	<b>41.2</b>	<b>37.2</b>	12.8
Children in Foster Care per 1,000 - OR DHS	<b>22</b>	<b>22</b>	<b>19.3</b>	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	0	0	NA
Unaccompanied	NA	0	0	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	23.0%	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$4,800	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	<b>89%</b>	<b>90%</b>	<b>76%</b>	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	68.8%	48.6%	48.2%	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	<b>53.8%</b>	<b>62.0%</b>	<b>64.0%</b>	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	<b>26.7%</b>	<b>26.7%</b>	19.8%	23.9%
<b>Teen Health</b>				
<b>8th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	91.1%	95.4%	88.5%	86.3%
% Reporting Good, Very Good, or Excellent Mental Health	85.1%	82.6%	<b>65.1%</b>	75.0%
Preventative Care Visit, % last 12 months	<b>47.9%</b>	<b>48.1%</b>	<b>54.2%</b>	61.8%
Emergency Care Visit, % last 12 months	<b>36.2%</b>	<b>35.9%</b>	<b>43.5%</b>	34.8%
Oral Health Visit, % last 12 months	<b>70.7%</b>	<b>65.8%</b>	76.9%	74.0%
Suicidal Ideation, % last 12 months	12.0%	<b>18.7%</b>	<b>21.2%</b>	16.9%
% Have had Sexual Intercourse	<b>10.3%</b>	<b>9.2%</b>	<b>15.5%</b>	8.4%
	<b>Lake</b>	<b>Lake</b>	<b>Lake</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Percent Reporting Past 30 Day Use -Alcohol	<b>13.8%</b>	<b>19.4%</b>	<b>17.0%</b>	10.3%
Percent Reporting Past 30 Day Use-Tobacco	<b>5.8%</b>	<b>7.1%</b>	2.1%	2.7%

Percent Reporting Past 30 Day Use-Marijuana	7.5%	4.9%	5.7%	6.7%
<b>11th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	89.5%	88.2%	87.5%	83.2%
% Reporting Good, Very Good, or Excellent Mental Health	82.3%	84.1%	73.6%	66.3%
Preventative Care Visit, % last 12 months	56.8%	47.1%	57.0%	62.2%
Emergency Care Visit, % last 12 months	26.9%	24.9%	26.0%	35.7%
Oral Health Visit, % last 12 months	72.7%	74.3%	72.6%	73.8%
Suicidal Ideation, % last 12 months	17.9%	19.8%	18.9%	18.2%
% Have had Sexual Intercourse	53.0%	59.7%	49.0%	40.9%
Percent Reporting Past 30 Day Use -Alcohol	37.4%	49.3%	29.7%	26.9%
Percent Reporting Past 30 Day Use-Tobacco	14.1%	16.7%	5.0%	7.4%
Percent Reporting Past 30 Day Use-Marijuana	18.7%	19.9%	14.4%	20.9%
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	40.5	67.9	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	32.9	37.7	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	63.3	45.3	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	212.7	246.5	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	55.7	62.9	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	65.8	57.9	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	98.8	123.3	48.3
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	45.6	52.8	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	27.9	17.6	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	174.7	188.7	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	7.6	10.1	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	43.1	30.2	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	91.4%	89.3%	84.6%	82.9%
Overall Mental Health (2010-2013 BRFSS)	79.0%	80.7%	62.6%	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	35.0%	28.3%	20.3%
Tobacco Use Total (2010-2013 BRFSS)	19.9%	26.6%	17.4%	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	19.9%	13.4%	13.4%	19.0%
	<b>Lake</b>	<b>Lake</b>	<b>Lake</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Tobacco Use, Smokeless (2010-2013 BRFSS)	S	13.2%	13.2%	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	12.1%	S	S	7.8%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	12.0%	S	S	7.9%

Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	<b>17.9%</b>	13.6%	S	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	9.7%	S	S	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	<b>45.4%</b>	NA	<b>42.4%</b>	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	60.0%	33.1%	33.1%	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	19%	<b>34.1%</b>	<b>34.1%</b>	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	176.8	170	<b>4.9%</b>	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	80.8	68.5	S	2.9%
Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	6.4^	NA		7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	3.5^	NA	5.7%	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	4.8^	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	24.2^	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	7.1^	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	2.9^	NA	<b>4.9%</b>	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	54.8	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	<b>60.9%</b>	54.3%

<b>CODES:</b>
NA = Not Available
NAP = Not Applicable
S = Suppressed Data
* = Statewide lists as "Asian / Pacific Islander" and county specific data lists two group = "Asian" and "Pacific Islander."
/ = Gilliam, Sherman, and Wasco Counties Combined
** = This number is suppressed because it is statistically unreliable.
^ = This number may be statistically unreliable and should be interpreted with caution.
. = Percentages exclude missing answers.
<b>Bold = Worse than state rate - County rate is higher than statewide rate (or lower if a higher rate is more positive)</b>
# = Rate is significantly different from the state rate.
& = Detailed reporting of small numbers may breach confidentiality.
! = Insufficient data.

<b>2019 EOCCO CHA Elements and Sources</b>	<b>Malheur</b>	<b>Malheur</b>	<b>Malheur</b>	<b>OREGON</b>
<b>DEMOGRAPHICS</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>				
Total Population	31,395	31,470	31,845	4,141,100
Age 0-17 2013, 2015, 2017	7,927	7,810	7,620	869,330
Age 0-17 % of Total Population	25.0%	25.0%	23.9%	21.0%
Age 16-64 2013, 2015, 2017	18,533	18,396	18,583	2,557,575
Age 16-64 % of Total Population	59.0%	58.0%	58.4%	61.8%
Age 65 and Over	4,934	5,264	5,642	714,196
Age 65 and Over % of Total Population	16.0%	17.0%	17.7%	17.2%
<b>Race</b>				
% White	81.1%	61.0%	62.0%	77.0%
% American Indian/Native Alaskan	0.8%	0.83%	0.6%	0.9%
% African American/Black	1.4%	1.10%	1.0%	1.8%
% Asian	1.1%	1.66%	1.6%	4.0%
% Pacific Islander	0.1%	0%	0.1%	0.4%
% Other	10.0%	1.8%	0.1%	0.1%
% 2 or More	5.4%	4.7%	1.8%	3.5%
<b>Ethnicity</b>				
Hispanic	30.9%	33.5%	32.9%	12.4%
<b>Gender</b>				
% Females	54.6%	45.4%	46.2%	52.0%
% Males	45.4%	54.6%	53.8%	48.0%
% Other	NA	NA	NA	NA
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll - % of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	3.25	3.24	3.2	3.1
<b>% Single Parents - ACS</b>	<b>31.6%</b>	<b>31.6%</b>	<b>11.7%</b>	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>9.8%</b>	<b>8.2%</b>	<b>5.6%</b>	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	20.4%	10.0%	19.9%	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	79.5%	<b>76.1%</b>	84.3%	77.8%
<b>Poverty</b>				
Total Population 100%, 185% - ACS	<b>24.5%</b>	<b>29.4%</b>	<b>24.8%</b>	15.7%
Child Poverty Rate - ACS	<b>38.8%</b>	<b>33.9%</b>	<b>34.7%</b>	20.4%

	Malheur	Malheur	Malheur	OREGON
	2013	2015	2017	2017
<b>Language</b>				
% of Limited English Speaking Households	5.1%	5.1%	4.6%	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	16.4%	6.8%	8.3%	6.2%
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	88.4%	90.6%
Renter Occupied Housing Units - ACS	NA	NA	40.7%	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	51.3%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	56%	55%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	2.0%	1.3%
No Telephone Available in Household - ACS	2.7%	2.7%	3.9%	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	54	43	NAP
Unsheltered	NA	50	108	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	6.4%	9.1%	9.0%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	7,153	10,012	10,750	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	78.60	112.84	120.84	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	69.8%	70.9%	71.9%	47.6%
Estimated # of Food Insecure Children (OSU, Communitis Reporter, 2013, 2014, 2015)	2,260	2,080	1,890	194,070
Estimated # of Food Insecure Individuals (OSU, Communitis Reporter, 2013, 2014, 2015)	4,570	4,580	3,940	572,790
Estimated % of Food Insecure Children (OSU, Communitis Reporter, 2013, 2014, 2015)	29.0%	27.2%	24.7%	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitis Reporter, 2013, 2014, 2015)	14.8%	15.2%	12.9%	14.2%
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	18.8%	NA	22.3%
Food Insecurity	NA	44.7%	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	3,946	3,924	3,629	NA
	Malheur	Malheur	Malheur	OREGON
	2013	2015	2017	2017
<b>VULNERABLE POPULATIONS</b>				

<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	NA	3.5	<b>6.5</b>	4.6
Low Birthweight per 1,000 births	56.6	54.0	<b>99.8</b>	68.3
Births to Mothers Receiving Inadequate Prenatal Care	<b>12.4#%</b>	<b>15.6#%</b>	<b>12.3# %</b>	6.1%
Births to Mothers under the age of 18	<b>4.4%</b>	0.14%	<b>2.2%</b>	0.9%
<b>Maternal Depression - PRAMS Data by State - EOCCO rate</b>				
% During Pregnancy	<b>22.1%</b>	<b>23.7%</b>	<b>28.9%</b>	20.1%
% Postpartum	20.9%	21.3%	<b>47.6%</b>	21.3%
% Depression during pregnancy or postpartum or both	31.0%	31.0%	<b>48.1%</b>	29.3%
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	<b>19.4</b>	<b>24.8</b>	<b>30.6</b>	12.8
Children in Foster Care per 1,000 - OR DHS	<b>136</b>	<b>132</b>	<b>22.9</b>	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	13	15	NA
Unaccompanied	NA	16	43	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	34.0%	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$7,200	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	<b>71%</b>	<b>68%</b>	55%	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	56.1%	<b>36.3%</b>	<b>39.4%</b>	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	<b>61.8%</b>	75.0%	73.0%	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	21.0%	21.0%	<b>24.2%</b>	23.9%
<b>Teen Health</b>				
<b>8th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	93.3%	89.8%	86.9%	86.3%
% Reporting Good, Very Good, or Excellent Mental Health	83.0%	84.5%	80.5%	75.0%
Preventative Care Visit, % last 12 months	<b>50.7%</b>	<b>55.7%</b>	67.8%	61.8%
Emergency Care Visit, % last 12 months	29.6%	31.2%	32.1%	34.8%
Oral Health Visit, % last 12 months	<b>68.1%</b>	<b>73.7%</b>	<b>69.6%</b>	74.0%
Suicidal Ideation, % last 12 months	<b>17.8%</b>	16.6%	16.9%	16.9%
% Have had Sexual Intercourse	<b>13.2%</b>	<b>8.8%</b>	<b>14.5%</b>	8.4%
	<b>Malheur</b>	<b>Malheur</b>	<b>Malheur</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Percent Reporting Past 30 Day Use -Alcohol	<b>12.6%</b>	8.7%	<b>11.5%</b>	10.3%
Percent Reporting Past 30 Day Use-Tobacco	<b>3.1%</b>	2.6%	<b>3.5%</b>	2.7%

Percent Reporting Past 30 Day Use-Marijuana	<b>8.3%</b>	<b>7.3%</b>	6.0%	6.7%
<b>11th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	88.4%	<b>82.2%</b>	85.7%	83.2%
% Reporting Good, Very Good, or Excellent Mental Health	82.2%	80.0%	73.2%	66.3%
Preventative Care Visit, % last 12 months	<b>53.5%</b>	66.1%	64.7%	62.2%
Emergency Care Visit, % last 12 months	34.3%	31.5%	33.7%	35.7%
Oral Health Visit, % last 12 months	<b>73.5%</b>	76.1%	<b>71.3%</b>	73.8%
Suicidal Ideation, % last 12 months	14.9%	11.3%	17.6%	18.2%
% Have had Sexual Intercourse	<b>48.2%</b>	<b>42.7%</b>	35.5%	40.9%
Percent Reporting Past 30 Day Use -Alcohol	15.6%	<b>31.6%</b>	18.9%	26.9%
Percent Reporting Past 30 Day Use-Tobacco	3.8%	4.7%	7.2%	7.4%
Percent Reporting Past 30 Day Use-Marijuana	6.3%	8.8%	11.9%	20.9%
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	39.9	42.0	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	10.5	12.9	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	30.1	<b>47.2</b>	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>206.6</b>	<b>204.2</b>	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>49.0</b>	45.9	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>60.2</b>	<b>61.4</b>	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>78.5</b>	<b>64.0</b>	48.3
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>38.6</b>	<b>29.7</b>	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>13.7</b>	<b>12.9</b>	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>221.7</b>	<b>232.0</b>	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	8.5	7.8	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	17.7	<b>20.0</b>	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	83.8%	<b>82.4%</b>	<b>73.9%</b>	82.9%
Overall Mental Health (2010-2013 BFRSS)	81.3%	76.0%	72.2%	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	19.5%	<b>12.4%</b>	20.3%
Tobacco Use Total (2010-2013 BRFSS)	<b>45.5%</b>	<b>37.8%</b>	<b>25.4%</b>	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	<b>22.0%</b>	<b>22.5%</b>	<b>22.5%</b>	19.0%
	<b>Malheur</b>	<b>Malheur</b>	<b>Malheur</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Tobacco Use, Smokeless (2010-2013 BRFSS)	<b>23.5%</b>	<b>15.3%</b>	<b>15.3%</b>	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	<b>8.70%</b>	S	S	7.8%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	1.40%	S	S	7.9%

Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	13.20%	S	<b>25.6%</b>	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	4.2%	10.2%	S	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	<b>28.5%</b>	NA	<b>29.7%</b>	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	57.0%	<b>23.5%</b>	<b>23.5%</b>	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	<b>33%</b>	<b>31.0%</b>	<b>31.0%</b>	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	237.3	234.4	<b>4.7%</b>	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	62	60.2	<b>5.0%</b>	2.9%
Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	7.2^	NA		7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	8.1	NA	<b>9.6%</b>	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	5.8^	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	21.2	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	8.7	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	4.0^	NA	<b>4.7%</b>	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	47.6	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	4.0^	NA	48.7%	54.3%

<b>CODES:</b>
NA = Not Available
NAP = Not Applicable
S = Suppressed Data
* = Statewide lists as "Asian / Pacific Islander" and county specific data lists two group = "Asian" and "Pacific Islander."
/ = Gilliam, Sherman, and Wasco Counties Combined
** = This number is suppressed because it is statistically unreliable.
^ = This number may be statistically unreliable and should be interpreted with caution.
. = Percentages exclude missing answers.
<b>Bold = Worse than state rate - County rate is higher than statewide rate (or lower if a higher rate is more positive)</b>
# = Rate is significantly different from the state rate.
& = Detailed reporting of small numbers may breach confidentiality.
! = Insufficient data.

<b>2019 EOCCO CHA Elements and Sources</b>	<b>Morrow</b>	<b>Morrow</b>	<b>Morrow</b>	<b>OREGON</b>
<b>DEMOGRAPHICS</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>				
Total Population	11,300	11,525	11,890	4,141,100
Age 0-17 2013, 2015, 2017	3,125	3,089	3,003	869,330
Age 0-17 % of Total Population	28.0%	27.0%	25.3%	21.0%
Age 16-64 2013, 2015, 2017	6,630	6,722	6,955	2,557,575
Age 16-64 % of Total Population	59.0%	58.0%	58.5%	61.8%
Age 65 and Over	1,545	1,714	1,932	714,196
Age 65 and Over % of Total Population	14.0%	15.0%	16.2%	17.2%
<b>Race</b>				
% White	88%	60.5%	61.2%	77.0%
% American Indian/Native Alaskan	0.7%	0.91%	0.4%	0.9%
% African American/Black	0.2%	0.60%	0.1%	1.8%
% Asian	0.9%	0.72%	0.4%	4.0%
% Pacific Islander	0.0%	0.1%	0.1%	0.4%
% Other	6.1%	1.9%	0.0%	0.1%
% 2 or More	0.4%	3.4%	3.1%	3.5%
<b>Ethnicity</b>				
Hispanic	30.6%	35.2%	34.7%	12.4%
<b>Gender</b>				
% Females	50.9%	49.1%	45.4%	52.0%
% Males	49.1%	50.9%	54.6%	48.0%
% Other	NA	NA	NA	NA
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll - % of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	3.35	3.50	3.3	3.1
<b>% Single Parents - ACS</b>	<b>33.2%</b>	<b>33.2%</b>	<b>9.8%</b>	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>8.2%</b>	<b>7.1%</b>	<b>5.0%</b>	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	<b>22.9%</b>	<b>12.4%</b>	<b>24.9%</b>	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	84.82%	83.52%	80.30%	77.80%
<b>Poverty</b>				
Total Population 100%, 185% - ACS	<b>16.1%</b>	<b>16.8%</b>	15.2%	15.7%
Child Poverty Rate - ACS	<b>24.5%</b>	<b>22.9%</b>	<b>22.9%</b>	20.4%

	Morrow	Morrow	Morrow	OREGON
	2013	2015	2017	2017
<b>Language</b>				
% of Limited English Speaking Households	0.9%	NA	NA	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	<b>16.4%</b>	5.6%	<b>6.9%</b>	6.2%
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	<b>86.1%</b>	90.6%
Renter Occupied Housing Units - ACS	NA	NA	<b>28.1%</b>	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	27.3%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	41%	41%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	0.7%	1.3%
No Telephone Available in Household - ACS	<b>3.0%</b>	1.8%	1.1%	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	0	0	NAP
Unsheltered	NA	0	0	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	6.1%	5.1%	2.6%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	2,762	3,370	3,413	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	92.81	125.19	135.87	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	<b>71.4%</b>	<b>71.3%</b>	<b>72.3%</b>	47.6%
Estimated # of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	810	750	670	194,070
Estimated # of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	1,230	1,230	980	572,790
Estimated % of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>25.4%</b>	<b>23.7%</b>	21.2%	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	10.9%	11.0%	8.7%	14.2%
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	18.8%	NA	22.3%
Food Insecurity	NA	44.7%	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	1,292	1,268	1,173	NA
	<b>Morrow</b>	<b>Morrow</b>	<b>Morrow</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>VULNERABLE POPULATIONS</b>				

<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	NA	3.9	<b>6.1</b>	4.6
Low Birthweight per 1,000 births	49.1	41.2	29.4	68.3
Births to Mothers Receiving Inadequate Prenatal Care	<b>9.4%</b>	<b>10.5#%</b>	<b>11.3#%</b>	6.1%
Births to Mothers under the age of 18	<b>1.8%</b>	0.11%	0.6%	0.9%
<b>Maternal Depression - PRAMS Data by State - EOCCO rate</b>				
% During Pregnancy	<b>22.1%</b>	<b>23.7%</b>	<b>28.9%</b>	20.1%
% Postpartum	20.9%	21.3%	<b>47.6%</b>	21.3%
% Depression during pregnancy or postpartum or both	31.0%	31.0%	<b>48.1%</b>	29.3%
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	<b>16.5</b>	9.2	12	12.8
Children in Foster Care per 1,000 - OR DHS	<b>22</b>	<b>20</b>	3.8	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	0	0	NA
Unaccompanied	NA	0	0	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	19.0	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$4,008	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	<b>71%</b>	<b>65%</b>	<b>64%</b>	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	65.7%	<b>38.9%</b>	<b>40.9%</b>	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	<b>68.1%</b>	74.0%	69.0%	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	23.2%	23.2%	16.9%	23.9%
<b>Teen Health</b>				
<b>8th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	92.2%	87.4%	88.0%	86.3%
% Reporting Good, Very Good, or Excellent Mental Health	86.0%	86.6%	<b>70.9%</b>	75.0%
Preventative Care Visit, % last 12 months	<b>49.9%</b>	<b>45.3%</b>	<b>53.5%</b>	61.8%
Emergency Care Visit, % last 12 months	28.0%	33.3%	<b>35.3%</b>	34.8%
Oral Health Visit, % last 12 months	<b>67.9%</b>	<b>62.1%</b>	<b>67.2%</b>	74.0%
Suicidal Ideation, % last 12 months	12.9%	15.1%	<b>17.0%</b>	16.9%
% Have had Sexual Intercourse	<b>9.2%</b>	3.7%	<b>9.4%</b>	8.4%
	<b>Morrow</b>	<b>Morrow</b>	<b>Morrow</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Percent Reporting Past 30 Day Use -Alcohol	<b>14.3%</b>	7.3%	<b>11.1%</b>	10.3%
Percent Reporting Past 30 Day Use-Tobacco	<b>3.3%</b>	1.4%	1.9%	2.7%

Percent Reporting Past 30 Day Use-Marijuana	<b>9.8%</b>	3.7%	2.4%	6.7%
<b>11th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	85.7%	89.0%	88.7%	83.2%
% Reporting Good, Very Good, or Excellent Mental Health	77.6%	74.4%	78.9%	66.3%
Preventative Care Visit, % last 12 months	<b>55.5%</b>	<b>51.9%</b>	<b>54.4%</b>	62.2%
Emergency Care Visit, % last 12 months	<b>39.2%</b>	29.3%	26.9%	35.7%
Oral Health Visit, % last 12 months	74.2%	<b>68.7%</b>	<b>67.1%</b>	73.8%
Suicidal Ideation, % last 12 months	16.0%	15.7%	13.6%	18.2%
% Have had Sexual Intercourse	<b>61.2%</b>	<b>47.1%</b>	<b>44.2%</b>	40.9%
Percent Reporting Past 30 Day Use -Alcohol	45.0%	21.1%	<b>24.6%</b>	26.9%
Percent Reporting Past 30 Day Use-Tobacco	16.0%	<b>2.5%</b>	9.4%	7.4%
Percent Reporting Past 30 Day Use-Marijuana	26.1%	<b>14.9%</b>	<b>13.6%</b>	20.9%
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>49.9</b>	<b>50.7</b>	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>19.6</b>	17.5	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	12.5	17.5	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	180.0	180.1	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>55.3</b>	43.7	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	28.5	33.2	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	41.0	47.2	48.3
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	16.0	14.0	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	7.1	5.2	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	101.6	125.9	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	8.9	10.5	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	5.3	10.5	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	85.7%	<b>82.7%</b>	<b>72.1%</b>	82.9%
Overall Mental Health (2010-2013 BRFSS)	74.8%	76.2%	64.5%	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	NA	48.8%	20.3%
Tobacco Use Total (2010-2013 BRFSS)	<b>42.6%</b>	<b>33.7%</b>	<b>23.1%</b>	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	<b>23.0%</b>	15.8%	15.8%	19.0%
	<b>Morrow</b>	<b>Morrow</b>	<b>Morrow</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Tobacco Use, Smokeless (2010-2013 BRFSS)	<b>19.6%</b>	<b>17.9%</b>	<b>17.9%</b>	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	<b>18.6%</b>	S	S	7.8%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	S	S	S	7.9%

Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	3.6%	S	<b>28.8%</b>	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	<b>16.6%</b>	<b>18.6%</b>	<b>30.9%</b>	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	**	NA	S	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	52.0%	S	S	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	<b>36%</b>	<b>29.5%</b>	<b>29.5%</b>	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	118	108.8	<b>10.0%</b>	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	39.3	38.6	<b>4.5%</b>	2.9%
Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	11.5^	NA		7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	9.6^	NA	<b>11.9%</b>	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	10.4^	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	17.4^	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	14.8	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	8.1^	NA	<b>10.0%</b>	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	44.8	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	3.8^	NA	48.5%	54.3%

<b>CODES:</b>
NA = Not Available
NAP = Not Applicable
S = Suppressed Data
* = Statewide lists as "Asian / Pacific Islander" and county specific data lists two group = "Asian" and "Pacific Islander."
/ = Gilliam, Sherman, and Wasco Counties Combined
** = This number is suppressed because it is statistically unreliable.
^ = This number may be statistically unreliable and should be interpreted with caution.
. = Percentages exclude missing answers.
<b>Bold = Worse than state rate - County rate is higher than statewide rate (or lower if a higher rate is more positive)</b>
# = Rate is significantly different from the state rate.
& = Detailed reporting of small numbers may breach confidentiality.
! = Insufficient data.

<b>2019 EOCCO CHA Elements and Sources</b>	<b>Sherman</b>	<b>Sherman</b>	<b>Sherman</b>	<b>OREGON</b>
<b>DEMOGRAPHICS</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>				
Total Population	1,765	1,785	1,800	4,141,100
Age 0-17 2013, 2015, 2017	348	346	337	869,330
Age 0-17 % of Total Population	20.0%	19.0%	18.7%	21.0%
Age 16-64 2013, 2015, 2017	1,012	1,002	998	2,557,575
Age 16-64 % of Total Population	57.0%	56.0%	55.5%	61.8%
Age 65 and Over	405	437	465	714,196
Age 65 and Over % of Total Population	23.0%	24.0%	25.9%	17.2%
<b>Race</b>				
% White	95.9%	87.9%	88.3%	77.0%
% American Indian/Native Alaskan	0.4%	1.82%	2.5%	0.9%
% African American/Black	0.2%	0.17%	0.5%	1.8%
% Asian	0.2%	0.17%	0.1%	4.0%
% Pacific Islander	0.1%	0%	0.0%	0.4%
% Other	1.2%	2.0%	0.0%	0.1%
% 2 or More	2.3%	4.7%	3.5%	3.5%
<b>Ethnicity</b>				
Hispanic	5.8%	7.8%	5.1%	12.4%
<b>Gender</b>				
% Females	50.5%	49.5%	49.0%	52.0%
% Males	49.5%	50.5%	51.0%	48.0%
% Other	NA	NA	NA	NA
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll - % of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	2.78	2.83	2.7	3.1
<b>% Single Parents - ACS</b>	<b>26.0%</b>	<b>26.0%</b>	5.3%	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>8.4%</b>	<b>7.5%</b>	4.6%	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	<b>9.6%</b>	<b>5.9%</b>	<b>6.7%</b>	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	100%	<b>71.43%</b>	<b>72.00%</b>	77.80%
<b>Poverty</b>				
Total Population 100%, 185% - ACS	15.0%	<b>17.1%</b>	<b>17.7%</b>	15.7%
Child Poverty Rate - ACS	<b>23.7%</b>	<b>20.7%</b>	<b>24.6%</b>	20.4%

	Sherman	Sherman	Sherman	OREGON
	2013	2015	2017	2017
<b>Language</b>				
% of Limited English Speaking Households	4.4%	1.6%	0.0%	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	16.40%	5.60%	6.90%	6.20%
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	85.6%	90.6%
Renter Occupied Housing Units - ACS	NA	NA	39.6%	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	44.5%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	35%	62%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	0.6%	1.3%
No Telephone Available in Household - ACS	1.3%	0.5%	1.4%	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	0	0	NAP
Unsheltered	NA	0	1	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	2.2%	2.0%	3.2%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	292	703	1,486	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	87.16	219.69	448.94	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	52.4%	48.1%	53.4%	47.6%
Estimated # of Food Insecure Children (OSU, Communitis Reporter, 2013, 2014, 2015)	110	90	80	194,070
Estimated # of Food Insecure Individuals (OSU, Communitis Reporter, 2013, 2014, 2015)	310	290	300	572,790
Estimated % of Food Insecure Children (OSU, Communitis Reporter, 2013, 2014, 2015)	30.2%	26.9%	26.4%	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitis Reporter, 2013, 2014, 2015)	16.4%	16.3%	16.5%	14.2%
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	18.8%	NA	22.3%
Food Insecurity	NA	44.7%	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	113	101	101	NA
	Sherman	Sherman	Sherman	OREGON
	2013	2015	2017	2017
<b>VULNERABLE POPULATIONS</b>				

<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	NA	0	<b>58.8</b>	4.6
Low Birthweight per 1,000 births	NA	<b>75.9</b>	66.7	68.3
Births to Mothers Receiving Inadequate Prenatal Care	<b>9.1%</b>	0.0%	0.0%	6.1%
Births to Mothers under the age of 18	NA	0.06%	0.0%	0.9%
<b>Maternal Depression - PRAMS Data by State - EOCCO rate</b>				
% During Pregnancy	<b>22.1%</b>	<b>23.7%</b>	<b>28.9%</b>	20.1%
% Postpartum	20.9%	21.3%	<b>47.6%</b>	21.3%
% Depression during pregnancy or postpartum or both	31.0%	31.0%	<b>48.1%</b>	29.3%
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	NA	S	6.2	12.8
Children in Foster Care per 1,000 - OR DHS	9	0	S	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	0	0	NA
Unaccompanied	NA	0	0	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	!	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	!	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	<b>67%</b>	56%	31%	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	50.0%	93.8%	62.5%	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	<b>72.0%</b>	<b>72.0%</b>	<b>73.0%</b>	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	<b>28.7%</b>	<b>28.7%</b>	14.9%	23.9%
<b>Teen Health</b>				
<b>8th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	NA	NA	NA	NA
% Reporting Good, Very Good, or Excellent Mental Health	NA	NA	NA	NA
Preventative Care Visit, % last 12 months	NA	NA	NA	NA
Emergency Care Visit, % last 12 months	NA	NA	NA	NA
Oral Health Visit, % last 12 months	NA	NA	NA	NA
Suicidal Ideation, % last 12 months	NA	NA	NA	NA
% Have had Sexual Intercourse	NA	NA	NA	NA
	<b>Sherman</b>	<b>Sherman</b>	<b>Sherman</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Percent Reporting Past 30 Day Use -Alcohol	NA	NA	NA	NA
Percent Reporting Past 30 Day Use-Tobacco	NA	NA	NA	NA

Percent Reporting Past 30 Day Use-Marijuana	NA	NA	NA	NA
<b>11th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	NA	NA	NA	NA
% Reporting Good, Very Good, or Excellent Mental Health	NA	NA	NA	NA
Preventative Care Visit, % last 12 months	NA	NA	NA	NA
Emergency Care Visit, % last 12 months	NA	NA	NA	NA
Oral Health Visit, % last 12 months	NA	NA	NA	NA
Suicidal Ideation, % last 12 months	NA	NA	NA	NA
% Have had Sexual Intercourse	NA	NA	NA	NA
Percent Reporting Past 30 Day Use -Alcohol	NA	NA	NA	NA
Percent Reporting Past 30 Day Use-Tobacco	NA	NA	NA	NA
Percent Reporting Past 30 Day Use-Marijuana	NA	NA	NA	NA
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	11.6	34.3	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>34.7</b>	<b>22.8</b>	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>57.8</b>	<b>80.0</b>	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>393.1</b>	<b>331.2</b>	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>57.8</b>	<b>45.7</b>	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	34.7	<b>45.7</b>	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>57.8</b>	<b>57.1</b>	48.3
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	23.1	11.4	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>11.6</b>	0.0	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>196.5</b>	<b>331.2</b>	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>23.1</b>	<b>22.8</b>	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	11.6	<b>22.8</b>	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	<b>77.7%</b>	83.6%	<b>77.8%</b>	82.9%
Overall Mental Health (2010-2013 BRFSS)	66.8%	64.5%	61.5%	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	37.7%	S	20.3%
Tobacco Use Total (2010-2013 BRFSS)	<b>31.2%</b>	19.6%	S	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	<b>22.8%</b>	<b>19.6%</b>	<b>19.6%</b>	19.0%
	<b>Sherman</b>	<b>Sherman</b>	<b>Sherman</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Tobacco Use, Smokeless (2010-2013 BRFSS)	<b>84.0%</b>	S	S	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	<b>9.7%</b>	S	S	7.8%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	S	S	3.3%	7.9%

Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	<b>21.7%</b>	17.0%	18.0%	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	3.8%	4.3%	S	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	<b># 38.9%</b>	NA	<b>34.3%</b>	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	57.0%	S	S	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	<b>31%</b>	<b>33.6%</b>	NA	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	251.7	170.6	S	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	22.9	22.7	S	2.9%
Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	NA	7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	S	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	S	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	S	54.3%

<b>CODES:</b>
NA = Not Available
NAP = Not Applicable
S = Suppressed Data
* = Statewide lists as "Asian / Pacific Islander" and county specific data lists two group = "Asian" and "Pacific Islander."
/ = Gilliam, Sherman, and Wasco Counties Combined
** = This number is suppressed because it is statistically unreliable.
^ = This number may be statistically unreliable and should be interpreted with caution.
. = Percentages exclude missing answers.
<b>Bold = Worse than state rate - County rate is higher than statewide rate (or lower if a higher rate is more positive)</b>
# = Rate is significantly different from the state rate.
& = Detailed reporting of small numbers may breach confidentiality.
! = Insufficient data.

<b>2019 EOCCO CHA Elements and Sources</b>	<b>Umatilla</b>	<b>Umatilla</b>	<b>Umatilla</b>	<b>OREGON</b>
<b>DEMOGRAPHICS</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>				
Total Population	77,120	78,340	80,500	4,141,100
Age 0-17 2013, 2015, 2017	20,397	20,500	20,496	869,330
Age 0-17 % of Total Population	26.0%	26.0%	25.5%	21.0%
Age 16-64 2013, 2015, 2017	46,434	46,703	47,857	2,557,575
Age 16-64 % of Total Population	60.0%	60.0%	59.4%	61.8%
Age 65 and Over	10,289	11,137	12,147	714,196
Age 65 and Over % of Total Population	13.0%	14.0%	15.1%	17.2%
<b>Race</b>				
% White	87.4%	66.9%	67.4%	77.0%
% American Indian/Native Alaskan	2.2%	3.19%	2.1%	0.9%
% African American/Black	0.6%	0.81%	0.7%	1.8%
% Asian	0.9%	1.14%	0.7%	4.0%
% Pacific Islander	0.1%	0.1%	0.2%	0.4%
% Other	4.2%	2.1%	0.1%	0.1%
% 2 or More	4.6%	5.0%	3.3%	3.5%
<b>Ethnicity</b>				
Hispanic	23.0%	26%	25.6%	12.4%
<b>Gender</b>				
% Females	48.0%	48.0%	49.8%	52.0%
% Males	52.0%	52.0%	50.2%	48.0%
% Other	NA	NA	NA	NA
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll - % of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	3.2	3.25	3.2	3.1
<b>% Single Parents - ACS</b>	<b>32.4%</b>	<b>32.4%</b>	<b>12.7%</b>	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>8.4%</b>	<b>7.9%</b>	<b>5.4%</b>	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	18.2%	<b>9.2%</b>	17.4%	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	81.41%	<b>75.68%</b>	<b>75.50%</b>	77.80%
<b>Poverty</b>				
Total Population 100%, 185% - ACS	<b>17.7%</b>	<b>17.1%</b>	<b>18.0%</b>	15.7%
Child Poverty Rate - ACS	<b>22.8%</b>	<b>26.3%</b>	<b>25.3%</b>	20.4%

	Umatilla	Umatilla	Umatilla	OREGON
	2013	2015	2017	2017
<b>Language</b>				
% of Limited English Speaking Households	0.2%	4.5%	4.5%	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	16.4%	5.8%	7.7%	6.2%
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	89.5%	90.6%
Renter Occupied Housing Units - ACS	NA	NA	36.5%	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	31.7%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	37%	45%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	1.2%	1.3%
No Telephone Available in Household - ACS	3.0%	3.0%	3.7%	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	24	24	NAP
Unsheltered	NA	28	31	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	6.1%	7.0%	7.7%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	20,710	26,810	25,131	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	109.66	149.64	148.06	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	62.9%	64.0%	63.4%	47.6%
Estimated # of Food Insecure Children (OSU, Communitis Reporter, 2013, 2014, 2015)	5,090	4,880	4,610	194,070
Estimated # of Food Insecure Individuals (OSU, Communitis Reporter, 2013, 2014, 2015)	9,90	10,250	9,150	572,790
Estimated % of Food Insecure Children (OSU, Communitis Reporter, 2013, 2014, 2015)	25.3%	24.3%	23.0%	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitis Reporter, 2013, 2014, 2015)	13.1%	15.2%	11.9%	14.2%
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	18.8%	NA	22.3%
Food Insecurity	NA	44.7%	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	7,805	6,835	6,268	NA
	<b>Umatilla</b>	<b>Umatilla</b>	<b>Umatilla</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>VULNERABLE POPULATIONS</b>				

<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	4.0	4.6	<b>7.4</b>	4.6
Low Birthweight per 1,000 births	63.2	53.5	53.8	68.3
Births to Mothers Receiving Inadequate Prenatal Care	<b>6.9%</b>	<b>7.4%</b>	6.0%	6.1%
Births to Mothers under the age of 18	<b>3.6%</b>	0.12%	0.0%	0.9%
<b>Maternal Depression - PRAMS Data by State - EOCCO rate</b>				
% During Pregnancy	<b>22.1%</b>	<b>23.7%</b>	<b>28.9%</b>	20.1%
% Postpartum	20.9%	21.3%	<b>47.6%</b>	21.3%
% Depression during pregnancy or postpartum or both	31.0%	31.0%	<b>48.1%</b>	29.3%
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	9.3	9.0	5.5	12.8
Children in Foster Care per 1,000 - OR DHS	<b>131</b>	<b>115</b>	5.8	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	1	3	NA
Unaccompanied	NA	7	4	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	45.0%	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$9,612	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	<b>68%</b>	<b>70%</b>	<b>73%</b>	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	58.7%	<b>41.0%</b>	<b>32.9%</b>	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	<b>58.0%</b>	73.0%	<b>64.0%</b>	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	21.0%	21.0%	18.2%	23.9%
<b>Teen Health</b>				
<b>8th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	92.2%	<b>85.4%</b>	<b>85.9%</b>	86.3%
% Reporting Good, Very Good, or Excellent Mental Health	86.0%	83.1%	83.2%	75.0%
Preventative Care Visit, % last 12 months	<b>49.9%</b>	<b>58.2%</b>	<b>49.5%</b>	61.8%
Emergency Care Visit, % last 12 months	28.0%	<b>35.2%</b>	30.9%	34.8%
Oral Health Visit, % last 12 months	<b>67.9%</b>	<b>66.8%</b>	<b>63.4%</b>	74.0%
Suicidal Ideation, % last 12 months	12.9%	9.9%	12.2%	16.9%
% Have had Sexual Intercourse	<b>9.2%</b>	7.4%	<b>13.1%</b>	8.4%
	<b>Umatilla</b>	<b>Umatilla</b>	<b>Umatilla</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Percent Reporting Past 30 Day Use -Alcohol	<b>14.3%</b>	6.0%	<b>13.0%</b>	10.3%
Percent Reporting Past 30 Day Use-Tobacco	3.3%	0.9%	1.8%	2.7%

Percent Reporting Past 30 Day Use-Marijuana	<b>9.8%</b>	4.0%	6.5%	6.7%
<b>11th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	85.7%	90.1%	<b>80.1%</b>	83.2%
% Reporting Good, Very Good, or Excellent Mental Health	77.6%	74.9%	67.5%	66.3%
Preventative Care Visit, % last 12 months	<b>55.5%</b>	<b>56.9%</b>	<b>61.1%</b>	62.2%
Emergency Care Visit, % last 12 months	<b>39.2%</b>	34.1%	33.7%	35.7%
Oral Health Visit, % last 12 months	74.2%	<b>72.4%</b>	76.0%	73.8%
Suicidal Ideation, % last 12 months	16.0%	<b>20.1%</b>	18.0%	18.2%
% Have had Sexual Intercourse	<b>61.2%</b>	<b>46.1%</b>	<b>46.9%</b>	40.9%
Percent Reporting Past 30 Day Use -Alcohol	<b>45.0%</b>	<b>28.3%</b>	<b>28.4%</b>	26.9%
Percent Reporting Past 30 Day Use-Tobacco	<b>16.0%</b>	6.6%	<b>8.5%</b>	7.4%
Percent Reporting Past 30 Day Use-Marijuana	<b>26.1%</b>	18.0%	<b>23.8%</b>	20.9%
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	43.2	<b>46.7</b>	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	12.6	14.8	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	29.6	31.2	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>191.2</b>	<b>195.7</b>	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>49.7</b>	47.5	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>45.8</b>	<b>45.5</b>	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>49.7</b>	<b>54.7</b>	48.3
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>32.9</b>	<b>32.7</b>	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	10.8	<b>23.3</b>	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	149.8	146.1	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	9.3	12.3	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	16.7	16.3	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	82.7%	<b>78.9%</b>	<b>78.2%</b>	82.9%
Overall Mental Health (2010-2013 BRFSS)	71.6%	70.7%	62.9%	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	25.1%	<b>12.1%</b>	20.3%
Tobacco Use Total (2010-2013 BRFSS)	<b>68.7%</b>	<b>34.0%</b>	<b>26.0%</b>	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	<b>24.2%</b>	<b>22.9%</b>	<b>22.9%</b>	19.0%
	<b>Umatilla</b>	<b>Umatilla</b>	<b>Umatilla</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Tobacco Use, Smokeless (2010-2013 BRFSS)	<b>13.3%</b>	<b>11.1%</b>	<b>11.1%</b>	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	3.10%	S	S	7.8%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	2.2%	2.6%	4.4%	7.9%

Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	15.9%	17.5%	23.1%	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	7.5%	6.6%	11.7%	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	<b>34.4%</b>	NA	<b>33.8%</b>	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	6.0%	13.4%	13.4%	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	<b>36%</b>	<b>33.2%</b>	<b>33.2%</b>	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	161.3	150.6	<b>5.6%</b>	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	50.4	47.3	S	2.9%
Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	6.2	NA		7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	8	NA	<b>8.7%</b>	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	5.3	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	20.9	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	7.4	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	5.0	NA	<b>5.6%</b>	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	47.5	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	2.9	NA	48.9%	54.3%

<b>CODES:</b>
NA = Not Available
NAP = Not Applicable
S = Suppressed Data
* = Statewide lists as "Asian / Pacific Islander" and county specific data lists two group = "Asian" and "Pacific Islander."
/ = Gilliam, Sherman, and Wasco Counties Combined
** = This number is suppressed because it is statistically unreliable.
^ = This number may be statistically unreliable and should be interpreted with caution.
. = Percentages exclude missing answers.
<b>Bold = Worse than state rate - County rate is higher than statewide rate (or lower if a higher rate is more positive)</b>
# = Rate is significantly different from the state rate.
& = Detailed reporting of small numbers may breach confidentiality.
! = Insufficient data.

<b>2019 EOCCO CHA Elements and Sources</b>	<b>Union</b>	<b>Union</b>	<b>Union</b>	<b>OREGON</b>
<b>DEMOGRAPHICS</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>				
Total Population	26,170	26,485	26,900	4,141,100
Age 0-17 2013, 2015, 2017	5,956	6,025	6,049	869,330
Age 0-17 % of Total Population	23.0%	23.0%	22.5%	21.0%
Age 16-64 2013, 2015, 2017	15,540	15,359	15,250	2,557,575
Age 16-64 % of Total Population	59.0%	58.0%	56.7%	61.8%
Age 65 and Over	4,671	5,101	5,602	714,196
Age 65 and Over % of Total Population	18.0%	19.0%	20.8%	17.2%
<b>Race</b>				
% White	94%	88.8%	89.7%	77.0%
% American Indian/Native Alaskan	0.4%	1.24%	0.8%	0.9%
% African American/Black	0.4%	0.37%	0.7%	1.8%
% Asian	0.8%	2.37%	1.1%	4.0%
% Pacific Islander	0.1%	0.9%	1.2%	0.4%
% Other	0.8%	2.4%	0.1%	0.1%
% 2 or More	2.8%	2.9%	2.2%	3.5%
<b>Ethnicity</b>				
Hispanic	3.5%	4.7%	4.4%	12.4%
<b>Gender</b>				
% Females	49.1%	49.1%	48.0%	52.0%
% Males	50.9%	50.9%	52.0%	48.0%
% Other	NA	NA	NA	NA
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll - % of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	2.85	2.96	2.9	3.1
<b>% Single Parents - ACS</b>	<b>31.2%</b>	<b>31.2%</b>	7.9%	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>9.2%</b>	<b>7.4%</b>	<b>5.9%</b>	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	11.0%	<b>5.7%</b>	<b>7.4%</b>	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	92.21%	83.82%	88.30%	77.80%
<b>Poverty</b>				
Total Population 100%, 185% - ACS	<b>15.8%</b>	<b>19.4%</b>	<b>18.6%</b>	15.7%
Child Poverty Rate - ACS	<b>24.7%</b>	<b>21.2%</b>	<b>25.0%</b>	20.4%

	Union	Union	Union	OREGON
	2013	2015	2017	2017
<b>Language</b>				
% of Limited English Speaking Households	0.0%	0.4%	0.4%	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	<b>16.4%</b>	5.8%	<b>7.7%</b>	6.2%
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	<b>87.9%</b>	90.6%
Renter Occupied Housing Units - ACS	NA	NA	<b>36.2%</b>	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	40.6%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	41%	44%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	<b>1.9%</b>	1.3%
No Telephone Available in Household - ACS	<b>3.1%</b>	<b>2.9%</b>	2.3%	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	29	1	NAP
Unsheltered	NA	46	42	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	7.4%	6.6%	6.3%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	5,314	6,986	6,957	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	89.85	123.45	123.20	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	<b>53.3%</b>	<b>52.4%</b>	<b>50.7%</b>	47.6%
Estimated # of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	1,580	1,500	1,410	194,070
Estimated # of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	4,260	4,220	4,130	572,790
Estimated % of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>27.5%</b>	<b>26.2%</b>	<b>24.7%</b>	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>16.6%</b>	<b>16.4%</b>	<b>16.0%</b>	14.2%
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	18.8%	NA	22.3%
Food Insecurity	NA	44.7%	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	2,120	1,974	1,903	NA
	<b>Union</b>	<b>Union</b>	<b>Union</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>VULNERABLE POPULATIONS</b>				

<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	12.7	6.5	12.8	4.6
Low Birthweight per 1,000 births	85.4	60.5	111.1	68.3
Births to Mothers Receiving Inadequate Prenatal Care	3.8%	4.7%	9.9#%	6.1%
Births to Mothers under the age of 18	2.5%	0.09%	1.7%	0.9%
<b>Maternal Depression - PRAMS Data by State - EOCCO rate</b>				
% During Pregnancy	22.1%	23.7%	28.9%	20.1%
% Postpartum	20.9%	21.3%	47.6%	21.3%
% Depression during pregnancy or postpartum or both	31.0%	31.0%	48.1%	29.3%
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	22.5	18.0	15.9	12.8
Children in Foster Care per 1,000 - OR DHS	24	42	4.1	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	6	0	NA
Unaccompanied	NA	3	7	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	32.0%	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$6,720	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	58%	55%	52%	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	66.0%	34.5%	39.1%	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	63.7%	75.0%	63.0%	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	26.9%	26.9%	15.0%	23.9%
<b>Teen Health</b>				
<b>8th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	90.5%	89.0%	88.6%	86.3%
% Reporting Good, Very Good, or Excellent Mental Health	83.7%	84.4%	81.0%	75.0%
Preventative Care Visit, % last 12 months	52.5%	49.2%	62.9%	61.8%
Emergency Care Visit, % last 12 months	38.9%	31.2%	53.0%	34.8%
Oral Health Visit, % last 12 months	72.8%	70.0%	69.9%	74.0%
Suicidal Ideation, % last 12 months	17.4%	11.4%	18.3%	16.9%
% Have had Sexual Intercourse	8.5%	5.5%	9.2%	8.4%
	<b>Union</b>	<b>Union</b>	<b>Union</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Percent Reporting Past 30 Day Use -Alcohol	13.7%	11.4%	11.5%	10.3%
Percent Reporting Past 30 Day Use-Tobacco	5.2%	1.8%	8.4%	2.7%

Percent Reporting Past 30 Day Use-Marijuana	5.8%	4.9%	6.2%	6.7%
<b>11th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	90.1%	89.6%	<b>80.7%</b>	83.2%
% Reporting Good, Very Good, or Excellent Mental Health	79.8%	77.3%	<b>60.0%</b>	66.3%
Preventative Care Visit, % last 12 months	<b>48.4%</b>	<b>57.6%</b>	<b>58.9%</b>	62.2%
Emergency Care Visit, % last 12 months	33.1%	<b>40.8%</b>	<b>36.7%</b>	35.7%
Oral Health Visit, % last 12 months	<b>71.4%</b>	81.9%	<b>69.2%</b>	73.8%
Suicidal Ideation, % last 12 months	<b>19.9%</b>	13.2%	<b>19.1%</b>	18.2%
% Have had Sexual Intercourse	<b>47.8%</b>	<b>46.2%</b>	<b>56.7%</b>	40.9%
Percent Reporting Past 30 Day Use -Alcohol	<b>41.1%</b>	21.7%	<b>41.5%</b>	26.9%
Percent Reporting Past 30 Day Use-Tobacco	<b>15.9%</b>	<b>8.3%</b>	<b>8.2%</b>	7.4%
Percent Reporting Past 30 Day Use-Marijuana	17.8%	11.0%	<b>26.8%</b>	20.9%
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>47.3</b>	<b>56.1</b>	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	11.4	13.5	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	34.3	30.7	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>209.9</b>	<b>212.6</b>	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>52.7</b>	45.7	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>51.9</b>	<b>47.2</b>	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>69.5</b>	<b>80.1</b>	48.3
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	23.7	22.5	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>24.4</b>	<b>17.2</b>	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>183.2</b>	<b>202.8</b>	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	8.4	12.0	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>21.4</b>	<b>18.0</b>	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	87.0%	86.0%	<b>82.8%</b>	82.9%
Overall Mental Health (2010-2013 BRFSS)	63.9%	62.5%	64.7%	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	27.5%	24.4%	20.3%
Tobacco Use Total (2010-2013 BRFSS)	<b>34.9%</b>	<b>41.8%</b>	<b>24.3%</b>	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	14.0%	18.6%	18.6%	19.0%
	<b>Union</b>	<b>Union</b>	<b>Union</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Tobacco Use, Smokeless (2010-2013 BRFSS)	<b>20.9%</b>	<b>23.2%</b>	<b>23.2%</b>	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	1.80%	S	S	7.8%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	7.1%	4.8%	S	7.9%

Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	20.6%	S	21.4%	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	6.6%	5.6%	<b>16.2%</b>	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	30.6%	NA	30.7%	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	50.0%	29.6	29.6%	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	23%	<b>27.7%</b>	<b>27.7%</b>	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	177.2	170.1	<b>7.8%</b>	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	62.6	59.5	S	2.9%
Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	11.2	NA		7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	9.7	NA	<b>11.0%</b>	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	10.9	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	19.2	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	8.7	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	6.4	NA	<b>7.8%</b>	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	53.5	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	<b>56.7%</b>	54.3%

<b>CODES:</b>
NA = Not Available
NAP = Not Applicable
S = Suppressed Data
* = Statewide lists as "Asian / Pacific Islander" and county specific data lists two group = "Asian" and "Pacific Islander."
/ = Gilliam, Sherman, and Wasco Counties Combined
** = This number is suppressed because it is statistically unreliable.
^ = This number may be statistically unreliable and should be interpreted with caution.
. = Percentages exclude missing answers.
<b>Bold = Worse than state rate - County rate is higher than statewide rate (or lower if a higher rate is more positive)</b>
# = Rate is significantly different from the state rate.
& = Detailed reporting of small numbers may breach confidentiality.
! = Insufficient data.

<b>2019 EOCCO CHA Elements and Sources</b>	<b>Wallowa</b>	<b>Wallowa</b>	<b>Wallowa</b>	<b>OREGON</b>
<b>DEMOGRAPHICS</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>				
Total Population	7,015	7,070	7,195	4,141,100
Age 0-17 2013, 2015, 2017	1,356	1,374	1,393	869,330
Age 0-17 % of Total Population	19.0%	19.0%	19.4%	21.0%
Age 16-64 2013, 2015, 2017	3,904	3,777	3,677	2,557,575
Age 16-64 % of Total Population	56.0%	53.0%	51.1%	61.8%
Age 65 and Over	1,756	1,920	2,125	714,196
Age 65 and Over % of Total Population	25.0%	27.0%	29.5%	17.2%
<b>Race</b>				
% White	96.3%	93.4%	93.7%	77.0%
% American Indian/Native Alaskan	0.4%	0.8%	0.4%	0.9%
% African American/Black	0.2%	0.49%	0.4%	1.8%
% Asian	0.2%	0.51%	0.2%	4.0%
% Pacific Islander	0.6%	0%	0.0%	0.4%
% Other	0.5%	2.1%	0.1%	0.1%
% 2 or More	1.9%	2.4%	2.6%	3.5%
<b>Ethnicity</b>				
Hispanic	2.2%	2.6%	2.6%	12.4%
<b>Gender</b>				
% Females	50.0%	50.0%	50.7%	52.0%
% Males	50.0%	50.0%	49.3%	48.0%
% Other	NA	NA	NA	NA
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll - % of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	2.86	2.88	2.8	3.1
<b>% Single Parents - ACS</b>	<b>35.1%</b>	<b>35.1%</b>	<b>8.5%</b>	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>10.2%</b>	<b>10.2%</b>	<b>6.7%</b>	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	<b>7.3%</b>	<b>4.9%</b>	<b>6.8%</b>	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	95.08%	98.68%	93.60%	77.80%
<b>Poverty</b>				
Total Population 100%, 185% - ACS	<b>16.0%</b>	15.1%	14.6%	15.7%
Child Poverty Rate - ACS	<b>26.3%</b>	<b>26.2%</b>	<b>22.7%</b>	20.4%

	Wallowa	Wallowa	Wallowa	OREGON
	2013	2015	2017	2017
<b>Language</b>				
% of Limited English Speaking Households	2.5%	0.3%	0.5%	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	<b>16.4%</b>	5.8%	<b>7.7%</b>	6.2%
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	<b>74.2%</b>	90.6%
Renter Occupied Housing Units - ACS	NA	NA	<b>32.1%</b>	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	<b>45.4%</b>	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	39%	43%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	0.7%	1.3%
No Telephone Available in Household - ACS	2.1%	<b>2.9%</b>	<b>3.2%</b>	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	11	4	NAP
Unsheltered	NA	12	4	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	5.1%	5.6%	7.0%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	1,660	1,991	2,284	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	102.60	129.03	145.02	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	37.5%	37.9%	45.4%	47.6%
Estimated # of Food Insecure Children (OSU, Communitis Reporter, 2013, 2014, 2015)	330	350	330	194,070
Estimated # of Food Insecure Individuals (OSU, Communitis Reporter, 2013, 2014, 2015)	1,090	1,150	1,100	572,790
Estimated % of Food Insecure Children (OSU, Communitis Reporter, 2013, 2014, 2015)	<b>25.6%</b>	<b>27.2%</b>	<b>26.4%</b>	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitis Reporter, 2013, 2014, 2015)	<b>15.7%</b>	<b>16.7%</b>	<b>16.1%</b>	14.2%
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	18.8%	NA	22.3%
Food Insecurity	NA	44.7%	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	349	337	329	NA
	<b>Wallowa</b>	<b>Wallowa</b>	<b>Wallowa</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>VULNERABLE POPULATIONS</b>				

<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	NA	<b>10.4</b>	S	4.6
Low Birthweight per 1,000 births	16.4	48.9	31.4	68.3
Births to Mothers Receiving Inadequate Prenatal Care	1.5%	<b>9.7%</b>	3.2%	6.1%
Births to Mothers under the age of 18	<b>1.6%</b>	0.03%	0.0%	0.9%
<b>Maternal Depression - PRAMS Data by State - EOCCO rate</b>				
% During Pregnancy	<b>22.1%</b>	<b>23.7%</b>	<b>28.9%</b>	20.1%
% Postpartum	20.9%	21.3%	<b>47.6%</b>	21.3%
% Depression during pregnancy or postpartum or both	31.0%	31.0%	<b>48.1%</b>	29.3%
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	<b>14.9</b>	<b>13.6</b>	<b>27.7</b>	12.8
Children in Foster Care per 1,000 - OR DHS	8	8	8.5	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	0	0	NA
Unaccompanied	NA	1	1	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	37.0%	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$7,800	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	57%	58%	53%	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	84.1%	<b>47.2%</b>	<b>40.0%</b>	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	<b>57.9%</b>	<b>56.0%</b>	<b>66.0%</b>	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	21.2%	21.2%	16.7%	23.9%
<b>Teen Health</b>				
<b>8th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	NA	NA	NA	NA
% Reporting Good, Very Good, or Excellent Mental Health	NA	NA	NA	NA
Preventative Care Visit, % last 12 months	NA	NA	NA	NA
Emergency Care Visit, % last 12 months	NA	NA	NA	NA
Oral Health Visit, % last 12 months	NA	NA	NA	NA
Suicidal Ideation, % last 12 months	NA	NA	NA	NA
% Have had Sexual Intercourse	NA	NA	NA	NA
	<b>Wallowa</b>	<b>Wallowa</b>	<b>Wallowa</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Percent Reporting Past 30 Day Use -Alcohol	NA	NA	NA	NA
Percent Reporting Past 30 Day Use-Tobacco	NA	NA	NA	NA

Percent Reporting Past 30 Day Use-Marijuana	NA	NA	NA	NA
<b>11th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	NA	NA	NA	NA
% Reporting Good, Very Good, or Excellent Mental Health	NA	NA	NA	NA
Preventative Care Visit, % last 12 months	NA	NA	NA	NA
Emergency Care Visit, % last 12 months	NA	NA	NA	NA
Oral Health Visit, % last 12 months	NA	NA	NA	NA
Suicidal Ideation, % last 12 months	NA	NA	NA	NA
% Have had Sexual Intercourse	NA	NA	NA	NA
Percent Reporting Past 30 Day Use -Alcohol	NA	NA	NA	NA
Percent Reporting Past 30 Day Use-Tobacco	NA	NA	NA	NA
Percent Reporting Past 30 Day Use-Marijuana	NA	NA	NA	NA
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>75.4</b>	<b>90.3</b>	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	17.4	<b>19.7</b>	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	14.5	5.6	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>284.0</b>	<b>253.9</b>	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>52.2</b>	<b>59.2</b>	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>75.4</b>	<b>70.5</b>	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>60.9</b>	<b>53.6</b>	48.3
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>37.7</b>	25.4	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>17.4</b>	<b>22.6</b>	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>284.0</b>	<b>332.9</b>	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>17.4</b>	<b>14.1</b>	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>29.0</b>	<b>31.0</b>	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	88.8%	89.0%	90.2%	82.9%
Overall Mental Health (2010-2013 BRFSS)	77.9%	77.3%	70.6%	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	55.2%	<b>19.9%</b>	20.3%
Tobacco Use Total (2010-2013 BRFSS)	<b>32.0%</b>	20.3%	15.1%	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	13.0%	8.6%	8.6%	19.0%
	<b>Wallowa</b>	<b>Wallowa</b>	<b>Wallowa</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Tobacco Use, Smokeless (2010-2013 BRFSS)	<b>19.0%</b>	<b>11.7%</b>	<b>11.7%</b>	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	1.4%	S	S	7.8%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	<b>8.2%</b>	<b>28.5%</b>	S	7.9%

Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	<b>27.0%</b>	S	S	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	<b>16.6%</b>	<b>43.1%</b>	S	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	10.3%	NA	11.6%	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	44.0%	S	S	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	19.5%	22.2%	22.2%	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	235.6	257.5	<b>7.2%</b>	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	62.5	66.5	S	2.9%
Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	3.7	NA		7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	6.8	NA	<b>10.6%</b>	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	2.6^	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	20.8^	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	9.2^	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	4.6	NA	<b>7.2%</b>	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	46	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	53.3%	54.3%

<b>CODES:</b>
NA = Not Available
NAP = Not Applicable
S = Suppressed Data
* = Statewide lists as "Asian / Pacific Islander" and county specific data lists two group = "Asian" and "Pacific Islander."
/ = Gilliam, Sherman, and Wasco Counties Combined
** = This number is suppressed because it is statistically unreliable.
^ = This number may be statistically unreliable and should be interpreted with caution.
. = Percentages exclude missing answers.
<b>Bold = Worse than state rate - County rate is higher than statewide rate (or lower if a higher rate is more positive)</b>
# = Rate is significantly different from the state rate.
& = Detailed reporting of small numbers may breach confidentiality.
! = Insufficient data.

<b>2019 EOCCO CHA Elements and Sources</b>	<b>Wheeler</b>	<b>Wheeler</b>	<b>Wheeler</b>	<b>OREGON</b>
<b>DEMOGRAPHICS</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>				
Total Population	1,425	1,440	1,480	4,141,100
Age 0-17 2013, 2015, 2017	260	258	257	869,330
Age 0-17 % of Total Population	18.0%	18.0%	17.4%	21.0%
Age 16-64 2013, 2015, 2017	736	728	740	2,557,575
Age 16-64 % of Total Population	52.0%	51.0%	50.0%	61.8%
Age 65 and Over	429	454	483	714,196
Age 65 and Over % of Total Population	30.0%	32.0%	32.6%	17.2%
<b>Race</b>				
% White	96.7%	88.4%	94.3%	77.0%
% American Indian/Native Alaskan	0.4%	1.20%	1.1%	0.9%
% African American/Black	0.0%	0%	0.0%	1.8%
% Asian	0.0%	1.06%	0.7%	4.0%
% Pacific Islander	0.0%	0%	0.0%	0.4%
% Other	0.9%	4.3%	0.0%	0.1%
% 2 or More	2.0%	2.9%	2.1%	3.5%
<b>Ethnicity</b>				
Hispanic	1.2%	4.9%	1.9%	12.4%
<b>Gender</b>				
% Females	47.4%	47.4%	51.2%	52.0%
% Males	52.6%	52.6%	48.8%	48.0%
% Other	NA	NA	NA	NA
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll - % of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	2.55	2.46	2.3	3.1
<b>% Single Parents - ACS</b>	<b>48.9%</b>	<b>48.9%</b>	2.0%	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>7.6%</b>	<b>6.4%</b>	4.4%	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	12.6%	<b>7.8%</b>	<b>8.4%</b>	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	100%	<b>73.33%</b>	<b>28.20%</b>	77.80%
<b>Poverty</b>				
Total Population 100%, 185% - ACS	<b>20.1%</b>	<b>22.6%</b>	<b>20.2%</b>	15.7%
Child Poverty Rate - ACS	<b>39.1%</b>	<b>43.6%</b>	<b>44.8%</b>	20.4%

	Wheeler	Wheeler	Wheeler	OREGON
	2013	2015	2017	2017
<b>Language</b>				
% of Limited English Speaking Households	0.0%	0.0%	S	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	<b>16.4%</b>	5.6%	<b>6.9%</b>	6.2%
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	<b>71.5%</b>	90.6%
Renter Occupied Housing Units - ACS	NA	NA	<b>25.6%</b>	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	20.4%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	33%	48%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	S	1.3%
No Telephone Available in Household - ACS	1.0%	2.4%	1.9%	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	0	0	NAP
Unsheltered	NA	0	1	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	1.5%	2.3%	1.9%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	342	594	323	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	128.57	227.59	128.17	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	<b>48.5%</b>	30.3%	9.9%	47.6%
Estimated # of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	50	60	60	194,070
Estimated # of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	190	210	210	572,790
Estimated % of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>27.8%</b>	<b>26.9%</b>	<b>28.9%</b>	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>14.9%</b>	<b>15.3%</b>	<b>15.6%</b>	14.2%
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	18.8%	NA	22.3%
Food Insecurity	NA	44.7%	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	78	67	64	NA
	<b>Wheeler</b>	<b>Wheeler</b>	<b>Wheeler</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>VULNERABLE POPULATIONS</b>				

<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	NA	0	S	4.6
Low Birthweight	<b>133.3</b>	61.5	S	68.3
Births to Mothers Receiving Inadequate Prenatal Care	0.0%	&	&	6.1%
Births to Mothers under the age of 18	NA	92.3	0.0%	0.9%
<b>Maternal Depression - PRAMS Data by State - EOCCO rate</b>				
% During Pregnancy	<b>22.1%</b>	<b>23.7%</b>	<b>28.9%</b>	20.1%
% Postpartum	20.9%	21.3%	<b>47.6%</b>	21.3%
% Depression during pregnancy or postpartum or both	31.0%	31.0%	<b>48.1%</b>	29.3%
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	<b>53.1</b>	S	S	12.8
Children in Foster Care per 1,000 - OR DHS	<b>10</b>	0	S	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	0	0	NA
Unaccompanied	NA	0	0	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	31.0%	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$6,516	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	<b>61%</b>	<b>63%</b>	57%	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	71.0%	<b>40.0%</b>	69.4%	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	S	S	S	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	NA	NA	23.6%	23.9%
<b>Teen Health</b>				
<b>8th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	NA	NA	NA	NA
% Reporting Good, Very Good, or Excellent Mental Health	NA	NA	NA	NA
Preventative Care Visit, % last 12 months	NA	NA	NA	NA
Emergency Care Visit, % last 12 months	NA	NA	NA	NA
Oral Health Visit, % last 12 months	NA	NA	NA	NA
Suicidal Ideation, % last 12 months	NA	NA	NA	NA
% Have had Sexual Intercourse	NA	NA	NA	NA
	<b>Wheeler</b>	<b>Wheeler</b>	<b>Wheeler</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Percent Reporting Past 30 Day Use -Alcohol	NA	NA	NA	NA
Percent Reporting Past 30 Day Use-Tobacco	NA	NA	NA	NA

Percent Reporting Past 30 Day Use-Marijuana	NA	NA	NA	NA
<b>11th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	NA	NA	NA	NA
% Reporting Good, Very Good, or Excellent Mental Health	NA	NA	NA	NA
Preventative Care Visit, % last 12 months	NA	NA	NA	NA
Emergency Care Visit, % last 12 months	NA	NA	NA	NA
Oral Health Visit, % last 12 months	NA	NA	NA	NA
Suicidal Ideation, % last 12 months	NA	NA	NA	NA
% Have had Sexual Intercourse	NA	NA	NA	NA
Percent Reporting Past 30 Day Use -Alcohol	NA	NA	NA	NA
Percent Reporting Past 30 Day Use-Tobacco	NA	NA	NA	NA
Percent Reporting Past 30 Day Use-Marijuana	NA	NA	NA	NA
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	42.8	<b>56.9</b>	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	14.3	<b>28.5</b>	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	0.0	14.2	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>327.9</b>	<b>384.3</b>	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>128.3</b>	<b>156.6</b>	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	28.5	28.5	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>85.5</b>	<b>142.3</b>	48.3
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	14.3	<b>56.9</b>	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	0.0	<b>14.2</b>	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>370.6</b>	<b>284.7</b>	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>28.5</b>	<b>14.2</b>	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>28.5</b>	<b>14.2</b>	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	<b>79.2%</b>	<b>79.9%</b>	S	82.9%
Overall Mental Health (2010-2013 BFRSS)	95.7%	92.5%	S	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	NA	S	20.3%
Tobacco Use Total (2010-2013 BRFSS)	S	10.7%	<b>25.6%</b>	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	S	10.7%	10.7%	19.0%
	<b>Wheeler</b>	<b>Wheeler</b>	<b>Wheeler</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Tobacco Use, Smokeless (2010-2013 BRFSS)	S	S	S	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	S	S	S	7.8%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	<b>10.0%</b>	S	S	7.9%

Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	S	S	S	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	S	S	S	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	**	NA	S	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	S	S	S	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	<b>37.7%</b>	<b>37.7%</b>	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	345.8	409.6	S	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	55.3	84.7	S	2.9%
Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA		7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	S	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	6.6^	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	S	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	65.3	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	<b>55.4%</b>	54.3%

<b>CODES:</b>
NA = Not Available
NAP = Not Applicable
S = Suppressed Data
* = Statewide lists as "Asian / Pacific Islander" and county specific data lists two group = "Asian" and "Pacific Islander."
/ = Gilliam, Sherman, and Wasco Counties Combined
** = This number is suppressed because it is statistically unreliable.
^ = This number may be statistically unreliable and should be interpreted with caution.
. = Percentages exclude missing answers.
<b>Bold = Worse than state rate - County rate is higher than statewide rate (or lower if a higher rate is more positive)</b>
# = Rate is significantly different from the state rate.
& = Detailed reporting of small numbers may breach confidentiality.
! = Insufficient data.

<b>DEMOGRAPHICS</b>	<b>Baker</b>	<b>Baker</b>	<b>Baker</b>	<b>OREGON</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Total Population	16,210	16,325	16,750	4,141,100
Age 0-17 2013, 2015, 2017	3,252	3,213	3,173	869,330
Age 0-17 % of Total Population	20%	20%	18.9%	21.0%
Age 16-64 2013, 2015, 2017	9,183	9,037	9,101	2,557,575
Age 16-64 % of Total Population	57%	55%	54.3%	61.8%
Age 65 and Over	3,775	4,075	4,476	714,196
Age 65 and Over % of Total Population	23%	25%	26.7%	17.2%
<b>Race</b>				
% White	96%	91.3%	91.4%	77.0%
% American Indian/Native Alaskan	1.10%	1.28%	1.3%	0.9%
% African American/Black	0.40%	0.44%	0.4%	1.8%
% Asian	0.40%	0.64%	0.8%	4.0%
% Pacific Islander	0%	0%	0.3%	0.4%
% Other	0.30%	2.08%	0.1%	0.1%
% 2 or More	1.90%	1.8%	1.9%	3.5%
<b>Ethnicity</b>				
Hispanic	3.30%	4.2%	3.8%	12.4%
<b>Gender</b>				
% Females	50.70%	51%	50.5%	52.0%
% Males	49.30%	49%	49.5%	48.0%
% Other				
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll (38% of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	2.66	2.77	2.8	3.1
<b>% Single Parents - ACS</b>	<b>31.5%</b>	<b>31.5%</b>	6.5%	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>10.0%</b>	<b>8.6%</b>	<b>6.4%</b>	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	11.6%	<b>8.1%</b>	<b>9.6%</b>	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	<b>60.54%</b>	<b>71.12%</b>	<b>74.00%</b>	77.80%
	<b>Baker</b>	<b>Baker</b>	<b>Baker</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Poverty</b>				
Total Population 100%, 185% - ACS	<b>20.0%</b>	14.5%	15.1%	15.7%
Child Poverty Rate - ACS	24.7%	27.0%	<b>21.3%</b>	20.4%
<b>Language</b>				

% of Limited English Speaking Households	0.8%	0.8%	0.5%	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	<b>16.4</b>	5.8	<b>7.7</b>	6.2
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	<b>79.4%</b>	90.6%
Renter Occupied Housing Units - ACS	NA	NA	<b>32.5%</b>	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	32.6%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	42%	46%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	<b>2.3%</b>	1.3%
No Telephone Available in Household - ACS	<b>4.2%</b>	<b>3.5%</b>	<b>2.9%</b>	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	13	3	NAP
Unsheltered	NA	1	4	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	5.8%	6.8%	7.4%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	1,825	3,313	3,579	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	47.13	90.08	95.59	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	42.8%	43.2%	29.9%	47.6%
Estimated # of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	980	970	820	194,070
Estimated # of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	2,680	2,700	2,480	572,790
Estimated % of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>30.5%</b>	<b>30.4%</b>	<b>25.8%</b>	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>16.7%</b>	<b>16.8%</b>	<b>15.5%</b>	14.2%
	<b>Baker</b>	<b>Baker</b>	<b>Baker</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	NA	NA	22.3%
Food Insecurity	NA	NA	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	1,280	1,184	1,141	NA
<b>VULNERABLE POPULATIONS</b>				
<b>Maternal Health</b>				
Infant Mortality Rate per 1000 births	<b>32.7</b>	<b>8.4</b>	<b>18.8</b>	4.6
Low Birthweight per 1000 births	67.1	49.6	<b>83.3</b>	68.3
Births to Mothers Receiving Inadequate Prenatal Care	<b>7.3%</b>	<b>7.0%</b>	<b>9.7%</b>	6.1%
Births to Mothers under the age of 18	<b>1.8%</b>	0.09%	0.6%	0.9%

**Maternal Depression - PRAMS Data by State**

% During Pregnancy	22.1	23.7	28.9	20.1
% Postpartum-EOCCO rate	20.9	21.3	47.6	21.3
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	24.1	18.4	33.2	12.8
Children in Foster Care per 1,000 - OR DHS	46	71	11.7	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	0	0	NA
Unaccompanied	NA	0	1	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	26.0	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$5,520	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	47%	54%	56%	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	75.0%	52.4%	48.2%	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	72.3%	73.0%	67.0%	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	27.0%	27.0%	14.7%	23.9%

Baker	Baker	Baker	OREGON
2013	2015	2017	2017

**Teen Health****8th Grade Data Elements**

% Reporting Good, Very Good, or Excellent Physical Health	87.2	86.4	85.1	86.3
% Reporting Good, Very Good, or Excellent Mental Health	84.8	80.8	66.7	75.0
Preventative Care Visit, % last 12 months	50.0	48.1	50.0	61.8
Emergency Care Visit, % last 12 months	34.1	27.5	35.1	34.8
Oral Health Visit, % last 12 months	74.1	68.3	73.4	74.0
Suicidal Ideation, % last 12 months	17.9	16.3	20.9	16.9
% Have had Sexual Intercourse	11.5	17.6	15.7	8.4
Substance Use, % Abstaining - Tobacco	90.6	92.2	94.3	91.6
Substance Use, % Abstaining - Alcohol	77.6	74.7	71.9	73.2
Substance Use, % Abstaining - Marijuana	86.9	79.0	83.0	86.3

**11th Grade Data Elements**

% Reporting Good, Very Good, or Excellent Physical Health	88.4	90.3	89.0	83.2
% Reporting Good, Very Good, or Excellent Mental Health	84.5	78.6	69.1	66.3
Preventative Care Visit, % last 12 months	52.1	51.5	68.5	62.2

Emergency Care Visit, % last 12 months	31.1	33.0	29.1	35.7
Oral Health Visit, % last 12 months	<b>64.8</b>	<b>71.8</b>	<b>72.7</b>	73.8
Suicidal Ideation, % last 12 months	11.6	17.3	7.80	18.2
% Have had Sexual Intercourse	<b>51.4</b>	38.4	40.0	40.9
Substance Use, % Abstaining - Tobacco	84.3	<b>97.1</b>	<b>98.0</b>	92.3
Substance Use, % Abstaining - Alcohol	63.4	<b>75.0</b>	72.5	73.1
Substance Use, % Abstaining - Marijuana	68.6	<b>83.0</b>	<b>90.0</b>	79.1
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>77.9</b>	<b>74.8</b>	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>28.4</b>	<b>30.6</b>	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>38.3</b>	<b>52.7</b>	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>275.6</b>	<b>296.6</b>	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>91.5</b>	<b>94.4</b>	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>77.9</b>	<b>66.2</b>	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>89.0</b>	<b>89.5</b>	48.3
	<b>Baker</b>	<b>Baker</b>	<b>Baker</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>29.7</b>	<b>29.4</b>	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>18.5</b>	9.8	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>306.5</b>	<b>279.4</b>	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	8.7	8.6	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>21.0</b>	<b>27.0</b>	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	85.5%	84.5%	<b>82.1%</b>	82.9%
Overall Mental Health (2010-2013 BFRSS)	72.1%	69.2%	63.5%	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	32.7%	22.6%	20.3%
Tobacco Use Total (2010-2013 BRFSS)	<b>38.3%</b>	<b>43.1%</b>	<b>27.3%</b>	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	<b>20.0%</b>	<b>23.2%</b>	<b>23.2%</b>	19.0%
Tobacco Use, Smokeless (2010-2013 BRFSS)	<b>18.3%</b>	<b>19.9%</b>	<b>19.9%</b>	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	6.30%	S	<b>13.40%</b>	7.80%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	4.5%	5.9%	S	7.90%
Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	17.8%	11.1%	<b>34.6%</b>	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	7.8%	9.6%	<b>29.8%</b>	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	<b>35.0%</b>	NA	29.7%	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	42.3%	S	S	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	22.3%	<b>29.0%</b>	<b>29.0%</b>	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	<b>12.2%</b>	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	63.5	75.2	<b>6.1%</b>	2.9%

Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	13.8	NA	<b>13.8%</b>	7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	11.6	NA	<b>13.4%</b>	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	14.7	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	23.6	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	10.9	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	10.9	NA	<b>12.2%</b>	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	54.3	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	6.9^	NA	<b>61.2%</b>	54.3%

#### **CODES:**

NA = Not Available

NAP = Not Applicable

S = Suppressed Data

\* = Statewide lists as "Asian / Pacific Islander" and county specific data lists two group = "Asian" and "Pacific Islander."

/ = Gilliam, Sherman, and Wasco Counties Combined

\*\* = This number is suppressed because it is statistically unreliable.

^ = This number may be statistically unreliable and should be interpreted with caution.

. = Percentages exclude missing answers.

**Bold = County rate is higher than statewide rate (or lower if a higher rate is more positive)**

# = Rate is significantly different from the state rate.

& = Detailed reporting of small numbers may breach confidentiality.

! = Insufficient data.

<b>DEMOGRAPHICS</b>	<b>Gilliam</b>	<b>Gilliam</b>	<b>Gilliam</b>	<b>OREGON</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Total Population	1,900	1,975	1,995	4,141,100
Age 0-17 2013, 2015, 2017	351	357	346	869,330
Age 0-17 % of Total Population	19.0%	18.0%	17.3%	21.0%
Age 16-64 2013, 2015, 2017	1,095	1,106	1,087	2,557,575
Age 16-64 % of Total Population	58.0%	56.0%	54.5%	61.8%
Age 65 and Over	454	512	563	714,196
Age 65 and Over % of Total Population	24.0%	26.0%	28.2%	17.2%
<b>Race</b>				
% White	92.8%	89.1%	86.6%	77.0%
% American Indian/Native Alaskan	0.2%	1.29%	2.8%	0.9%
% African American/Black	0.3%	0.26%	0.3%	1.8%
% Asian	0.3%	1.19%	0.0%	4.0%
% Pacific Islander	0.2%	0%	0.5%	0.4%
% Other	0.45%	1.70%	0.0%	0.1%
% 2 or More	1.7%	0%	0.0%	3.5%
<b>Ethnicity</b>				
Hispanic	8.3%	6.4%	9.7%	12.4%
<b>Gender</b>				
% Females	45.7%	54.3%	49.3%	52.0%
% Males	54.3%	45.7%	50.7%	48.0%
% Other				
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll (38% of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	2.6	2.77	3.0	3.1
<b>% Single Parents - ACS</b>	<b>34.5%</b>	<b>34.5%</b>	5.6%	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>7.4%</b>	<b>8.0%</b>	<b>5.9%</b>	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	<b>13.2%</b>	6.2%	<b>10.1%</b>	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	93.3%	80.0%	<b>73.9%</b>	77.8%
	<b>Gilliam</b>	<b>Gilliam</b>	<b>Gilliam</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Poverty</b>				
Total Population 100%, 185% - ACS	11.8%	11.9%	11.2%	15.7%
Child Poverty Rate - ACS	19.7%	17.9%	4.2%	20.4%
<b>Language</b>				

% of Limited English Speaking Households	0.3%	0.4%	0.8%	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	<b>16.4%</b>	5.6%	<b>6.9%</b>	6.2%
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	<b>75.0%</b>	90.6%
Renter Occupied Housing Units - ACS	NA	NA	<b>36.4%</b>	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	23.8%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	29%	48%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	0.5%	1.3%
No Telephone Available in Household - ACS	1.9%	1.5%	<b>3.3%</b>	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	0	0	NAP
Unsheltered	NA	0	0	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	5.3%	4.0%	3.4%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	348	618	710	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	119.59	191.33	206.40	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	32.6%	<b>61.8%</b>	<b>60.7%</b>	47.6%
Estimated # of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	80	80	80	194,070
Estimated # of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	270	280	260	572,790
Estimated % of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	21.9%	20.7%	18.9%	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	14.0%	<b>14.4%</b>	13.8%	14.2%
	<b>Gilliam</b>	<b>Gilliam</b>	<b>Gilliam</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	NA	NA	22.3%
Food Insecurity	NA	NA	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	101	90	93	NA
<b>VULNERABLE POPULATIONS</b>				
<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	NA	0	S	4.6
Low Birthweight per 1,000 births	NA	34.4	S	68.3
Births to Mothers Receiving Inadequate Prenatal Care	0.0%	<b>16.7%</b>	<b>28.6%</b>	6.1%
Births to Mothers under the age of 18	<b>4.8%</b>	0.2%	0.0%	0.9%

**Maternal Depression - PRAMS Data by State**

% During Pregnancy	22.1	23.7	28.9	20.1
% Postpartum-EOCCO rate	20.9	21.3	47.6	21.3

**Children**

Victim Rate Child Abuse per 1,000 - OR DHS	60	5	13.7	12.8
Children in Foster Care per 1,000 - OR DHS	14	24	5.5	9.2

**Homeless Youth Age < 18**

With Parents	NA	0	0	NA
Unaccompanied	NA	0	0	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	29.0	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$6,180	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	81%	85%	86%	58%

**Kindergarten Readiness - See Separate Report Behind**

3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	56.0%	57.1%	36.3%	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	68.7%	72.0%	65.0%	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA

**Disabled**

% of Population with Recognized Disability Status - ACS	28.7%	28.7%	21.1%	23.9%
---	-------	-------	-------	-------

Gilliam	Gilliam	Gilliam	OREGON
2013	2015	2017	2017

**Teen Health****8th Grade Data Elements**

% Reporting Good, Very Good, or Excellent Physical Health	NA	NA	NA	NA
% Reporting Good, Very Good, or Excellent Mental Health	NA	NA	NA	NA
Preventative Care Visit, % last 12 months	NA	NA	NA	NA
Emergency Care Visit, % last 12 months	NA	NA	NA	NA
Oral Health Visit, % last 12 months	NA	NA	NA	NA
Suicidal Ideation, % last 12 months	NA	NA	NA	NA
% Have had Sexual Intercourse	NA	NA	NA	NA
Substance Use, % Abstaining - Tobacco	NA	NA	NA	NA
Substance Use, % Abstaining - Alcohol	NA	NA	NA	NA
Substance Use, % Abstaining - Marijuana	NA	NA	NA	NA

**11th Grade Data Elements**

% Reporting Good, Very Good, or Excellent Physical Health	NA	NA	NA	NA
% Reporting Good, Very Good, or Excellent Mental Health	NA	NA	NA	NA
Preventative Care Visit, % last 12 months	NA	NA	NA	NA

Emergency Care Visit, % last 12 months	NA	NA	NA	NA
Oral Health Visit, % last 12 months	NA	NA	NA	NA
Suicidal Ideation, % last 12 months	NA	NA	NA	NA
% Have had Sexual Intercourse	NA	NA	NA	NA
Substance Use, % Abstaining - Tobacco	NA	NA	NA	NA
Substance Use, % Abstaining - Alcohol	NA	NA	NA	NA
Substance Use, % Abstaining - Marijuana	NA	NA	NA	NA
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	41.6	43.2	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>20.8</b>	<b>32.4</b>	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>62.3</b>	<b>64.8</b>	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>197.4</b>	<b>194.4</b>	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	41.6	10.8	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	31.2	21.6	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	31.2	<b>64.8</b>	48.3
	<b>Gilliam</b>	<b>Gilliam</b>	<b>Gilliam</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>41.6</b>	10.8	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	0.0	<b>10.8</b>	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>187.0</b>	<b>248.4</b>	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>20.8</b>	<b>194.4</b>	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>31.2</b>	0.0	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	<b>77.7%</b>	83.6%	<b>77.8%</b>	82.9%
Overall Mental Health (2010-2013 BFRSS)	66.8%	64.5%	61.5%	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	37.7%	S	20.3%
Tobacco Use Total (2010-2013 BRFSS)	<b>31.2%</b>	19.6%	S	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	<b>22.8%</b>	<b>19.6%</b>	<b>19.6%</b>	19.0%
Tobacco Use, Smokeless (2010-2013 BRFSS)	<b>84.0%</b>	S	S	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	S	S	S	7.80%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	10.0%	S	3.3%	7.90%
Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	S	17.0%	18.0%	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	S	4.3%	S	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	<b># 38.9%</b>	NA	<b>S</b>	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	57.0%	S	S	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	<b>31%</b>	<b>33.0%</b>	NA	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	237.8	247.5	S	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	54.1	51.5	S	2.9%

Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	NA	7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	S	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	S	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	S	54.3%

### **CODES:**

NA = Not Available

NAP = Not Applicable

S = Suppressed Data

\* = Statewide lists as "Asian / Pacific Islander" and county specific data lists two group = "Asian" and "Pacific Islander."

/ = Gilliam, Sherman, and Wasco Counties Combined

\*\* = This number is suppressed because it is statistically unreliable.

^ = This number may be statistically unreliable and should be interpreted with caution.

. = Percentages exclude missing answers.

**Bold = County rate is higher than statewide rate (or lower if a higher rate is more positive)**

# = Rate is significantly different from the state rate.

& = Detailed reporting of small numbers may breach confidentiality.

! = Insufficient data.

<b>DEMOGRAPHICS</b>	<b>Grant</b>	<b>Grant</b>	<b>Grant</b>	<b>OREGON</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Total Population	7,450	7,425	7,415	4,141,100
Age 0-17 2013, 2015, 2017	1,362	1,280	1,156	869,330
Age 0-17 % of Total Population	18.0%	17.0%	15.6%	21.0%
Age 16-64 2013, 2015, 2017	4,147	4,007	3,870	2,557,575
Age 16-64 % of Total Population	56.0%	54.0%	52.2%	61.8%
Age 65 and Over	1,941	2,138	2,388	714,196
Age 65 and Over % of Total Population	26.0%	29.0%	32.2%	17.2%
<b>Race</b>				
% White	95.2%	91.1%	92.0%	77.0%
% American Indian/Native Alaskan	1.0%	1.4%	0.6%	0.9%
% African American/Black	0.4%	0.34%	0.4%	1.8%
% Asian	0.2%	0.64%	0.2%	4.0%
% Pacific Islander	0%	0%	0.0%	0.4%
% Other	0.3%	2.40%	0.0%	0.1%
% 2 or More	2.9%	3.2%	3.2%	3.5%
<b>Ethnicity</b>				
Hispanic	2.6%	4.0%	3.5%	12.4%
<b>Gender</b>				
% Females	50.7%	49.3%	49.3%	52.0%
% Males	49.3%	50.7%	50.7%	48.0%
% Other				
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll (38% of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	2.63	2.79	2.7	3.1
<b>% Single Parents - ACS</b>	<b>33.3%</b>	<b>33.3%</b>	7.6%	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>13.4%</b>	<b>10.8%</b>	<b>7.8%</b>	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	11.0%	<b>9.0%</b>	10.4%	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	81.33%	85.19%	92.5%	77.80%
	<b>Grant</b>	<b>Grant</b>	<b>Grant</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Poverty</b>				
Total Population 100%, 185% - ACS	<b>17.2%</b>	<b>18.0%</b>	14.9%	15.7%
Child Poverty Rate - ACS	<b>29.0%</b>	<b>26.4%</b>	<b>21.1%</b>	20.4%
<b>Language</b>				

% of Limited English Speaking Households	1.2%	1.0%	1.1%	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	<b>16.4</b>	5.6	<b>6.9</b>	6.2
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	<b>73.1%</b>	90.6%
Renter Occupied Housing Units - ACS	NA	NA	<b>27.2%</b>	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	28.8%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	44%	49%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	<b>2.3%</b>	1.3%
No Telephone Available in Household - ACS	2.3%	<b>3.4%</b>	<b>3.9%</b>	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	7	0	NAP
Unsheltered	NA	0	4	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	6.4%	4.6%	3.9%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	3,959	3,700	3,400	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	258.59	263.72	228.65	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	<b>58.4%</b>	<b>58.1%</b>	<b>55.4%</b>	47.6%
Estimated # of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	410	380	340	194,070
Estimated # of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	1,310	1,240	1,170	572,790
Estimated % of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>29.1%</b>	<b>28.0%</b>	<b>25.1%</b>	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>17.8%</b>	<b>16.9%</b>	<b>16.1%</b>	14.2%
	<b>Grant</b>	<b>Grant</b>	<b>Grant</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	NA	NA	22.3%
Food Insecurity	NA	NA	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	426	376	378	NA
<b>VULNERABLE POPULATIONS</b>				
<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	NA	0	<b>17.9</b>	4.6
Low Birthweight per 1,000 births	50.8	61.0	<b>95.2</b>	68.3
Births to Mothers Receiving Inadequate Prenatal Care	<b>10.2%</b>	<b>13.8%</b>	<b>9.5%</b>	6.1%
Births to Mothers under the age of 18 per 100	NA	0.9%	0.0%	0.9%

**Maternal Depression - PRAMS Data by State**

% During Pregnancy	22.1	23.7	28.9	20.1
% Postpartum-EOCCO rate	20.9	21.3	47.6	21.3
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	11.4	9.6	21.9	12.8
Children in Foster Care per 1,000 - OR DHS	12.0	14.0	14.4	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	0	0	NA
Unaccompanied	NA	0	0	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	28.0	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$6,000	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	60%	66%	79%	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	84.2%	46.2%	46.7%	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	62.3%	65.0%	62.0%	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	21.6%	21.6%	22.6%	23.9%
	<b>Grant</b>	<b>Grant</b>	<b>Grant</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Teen Health</b>				
<b>8th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	94.8	87.8	88.5	86.3
% Reporting Good, Very Good, or Excellent Mental Health	88.6	75.8	65.1	75.0
Preventative Care Visit, % last 12 months	49.8	66.4	54.2	61.8
Emergency Care Visit, % last 12 months	35.1	40.8	43.5	34.8
Oral Health Visit, % last 12 months	77.7	73.3	76.9	74.0
Suicidal Ideation, % last 12 months	15.2	15.6	21.2	16.9
% Have had Sexual Intercourse	9.9	12.9	15.5	8.4
Substance Use, % Abstaining - Tobacco	97.2	93.8	82.3	91.6
Substance Use, % Abstaining - Alcohol	85.2	86.8	61.4	73.2
Substance Use, % Abstaining - Marijuana	91.3	96.5	89.1	86.3
<b>11th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	85.3	90.3	87.5	83.2
% Reporting Good, Very Good, or Excellent Mental Health	85.4	70.3	73.6	66.3
Preventative Care Visit, % last 12 months	50.1	59.6	57.0	62.2

Emergency Care Visit, % last 12 months	29.3	<b>74.4</b>	26.0	35.7
Oral Health Visit, % last 12 months	<b>72.9</b>	<b>67.6</b>	<b>72.6</b>	73.8
Suicidal Ideation, % last 12 months	11.1	16.0	<b>18.9</b>	18.2
% Have had Sexual Intercourse	<b>48.2</b>	<b>68.5</b>	<b>49.0</b>	40.9
Substance Use, % Abstaining - Tobacco	<b>87.4</b>	80.8	77.3	81.1
Substance Use, % Abstaining - Alcohol	<b>60.5</b>	<b>69.6</b>	40.4	44.7
Substance Use, % Abstaining - Marijuana	<b>88.8</b>	<b>80.1</b>	<b>68.2</b>	60.5
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	39.2	<b>77.9</b>	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>25.2</b>	<b>25.0</b>	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>50.4</b>	<b>41.7</b>	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>235.0</b>	<b>205.9</b>	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>50.4</b>	47.3	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	39.2	<b>47.3</b>	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>103.5</b>	<b>111.3</b>	48.3
	<b>Grant</b>	<b>Grant</b>	<b>Grant</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	22.4	<b>27.8</b>	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>36.4</b>	<b>27.8</b>	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>249.0</b>	<b>239.3</b>	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	11.2	5.6	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>25.2</b>	<b>33.4</b>	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	87.0%	90.3%	87.0%	82.9%
Overall Mental Health (2010-2013 BFRSS)	66.9%	74.0%	80.8%	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	25.10%	30.9%	20.3%
Tobacco Use Total (2010-2013 BRFSS)	<b>54.7%</b>	16.3%	<b>22.6%</b>	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	<b>24.4%</b>	16.3%	16.3%	19.0%
Tobacco Use, Smokeless (2010-2013 BRFSS)	<b>30.3%</b>	S	S	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	3.7%	S	<b>28.1%</b>	7.80%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	<b>9.9%</b>	10.5%	<b>S</b>	7.90%
Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	16.2%	S	<b>36.7%</b>	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	<b>26.1%</b>	26.6%	S	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	30.8%	NA	25.4%	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	57.0%	S	S	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	<b>27.9%</b>	23.8%	23.8%	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	231.8	241.3	S	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	62	46.6	S	2.9%

Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	7.9 <sup>^</sup>	NA	7.9 <sup>^</sup> %	7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	S	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	8.5 <sup>^</sup>	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	4.0 <sup>^</sup>	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	S	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	48.8	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	<b>54.8%</b>	54.3%

### **CODES:**

NA = Not Available

NAP = Not Applicable

S = Suppressed Data

\* = Statewide lists as "Asian / Pacific Islander" and county specific data lists two group = "Asian" and "Pacific Islander."

/ = Gilliam, Sherman, and Wasco Counties Combined

\*\* = This number is suppressed because it is statistically unreliable.

<sup>^</sup> = This number may be statistically unreliable and should be interpreted with caution.

. = Percentages exclude missing answers.

**Bold = County rate is higher than statewide rate (or lower if a higher rate is more positive)**

# = Rate is significantly different from the state rate.

& = Detailed reporting of small numbers may breach confidentiality.

! = Insufficient data.

<b>DEMOGRAPHICS</b>	<b>Harney</b>	<b>Harney</b>	<b>Harney</b>	<b>OREGON</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Total Population	7,315	7,265	7,360	4,141,100
Age 0-17 2013, 2015, 2017	1,601	1,547	1,486	869,330
Age 0-17 % of Total Population	22.0%	21.0%	20.2%	21.0%
Age 16-64 2013, 2015, 2017	4,224	4,108	4,092	2,557,575
Age 16-64 % of Total Population	58.0%	57.0%	55.6%	61.8%
Age 65 and Over	1,490	1,610	1,782	714,196
Age 65 and Over % of Total Population	20.0%	22.0%	24.2%	17.2%
<b>Race</b>				
% White	92.9%	87.6%	87.3%	77.0%
% American Indian/Native Alaskan	2.9%	3.38%	3.3%	0.9%
% African American/Black	0.4%	0.35%	0.6%	1.8%
% Asian	1.0%	0.56%	0.4%	4.0%
% Pacific Islander	0.1%	0%	0.1%	0.4%
% Other	0.3%	2.9%	0.6%	0.1%
% 2 or More	2.3%	1.4%	2.7%	3.5%
<b>Ethnicity</b>				
Hispanic	3.8%	5.1%	4.9%	12.4%
<b>Gender</b>				
% Females	48.4%	51.6%	50.1%	52.0%
% Males	51.6%	48.4%	49.9%	48.0%
% Other				
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll (38% of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	2.6	2.75	2.8	3.1
<b>% Single Parents - ACS</b>	<b>30.9%</b>	<b>30.9%</b>	6.8%	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>12.6%</b>	<b>9.8%</b>	<b>6.3%</b>	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	11.2%	<b>7.3%</b>	10.4%	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	89.42%	84.62%	<b>76.00%</b>	77.80%
	<b>Harney</b>	<b>Harney</b>	<b>Harney</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Poverty</b>				
Total Population 100%, 185% - ACS	<b>18.6%</b>	<b>18.1%</b>	<b>16.4%</b>	15.7%
Child Poverty Rate - ACS	<b>28.0%</b>	<b>25.5%</b>	<b>26.7%</b>	20.4%
<b>Language</b>				

% of Limited English Speaking Households	2.2%	1.4%	1.7%	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	<b>16.4</b>	<b>6.8</b>	<b>8.3</b>	6.2
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	<b>80.4%</b>	90.6%
Renter Occupied Housing Units - ACS	NA	NA	<b>29.4%</b>	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	35.2%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	40%	52%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	0.7%	1.3%
No Telephone Available in Household - ACS	<b>3.8%</b>	<b>3.0%</b>	2.6%	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	4	1	NAP
Unsheltered	NA	2	18	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	6.6%	4.0%	3.7%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	2,679	3,255	3,215	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	146.07	187.93	172.11	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	<b>59.7%</b>	<b>51.7%</b>	41.5%	47.6%
Estimated # of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	510	490	410	194,070
Estimated # of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	1,360	1,300	1,150	572,790
Estimated % of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>32.3%</b>	<b>31.6%</b>	<b>26.8%</b>	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>18.6%</b>	<b>17.9%</b>	<b>15.9%</b>	14.2%
	<b>Harney</b>	<b>Harney</b>	<b>Harney</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	18.8%	NA	22.3%
Food Insecurity	NA	44.7%	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	434	396	401	NA
<b>VULNERABLE POPULATIONS</b>				
<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	NA	<b>7.4</b>	S	4.6
Low Birthweight per 1,000 births	<b>90.9</b>	64.2	<b>69.4</b>	68.3
Births to Mothers Receiving Inadequate Prenatal Care	<b>7.2%</b>	1.4%	2.9%	6.1%
Births to Mothers under the age of 18	<b>3.4%</b>	0.08%	0.0%	0.9%

**Maternal Depression - PRAMS Data by State**

% During Pregnancy	<b>22.1</b>	<b>23.7</b>	<b>28.9</b>	20.1
% Postpartum-EOCCO rate	20.9	21.3	<b>47.6</b>	21.3
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	12.3	<b>21.2</b>	<b>45.7</b>	12.8
Children in Foster Care per 1,000 - OR DHS	<b>14.0</b>	<b>22.0</b>	<b>30.7</b>	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	0	0	NA
Unaccompanied	NA	0	1	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	28.0	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$6,000	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	39%	43%	51%	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	72.3%	<b>40.0%</b>	52.5%	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	<b>53.4%</b>	<b>62.0%</b>	<b>66.0%</b>	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	20.6%	20.6%	19.7%	23.9%
	<b>Harney</b>	<b>Harney</b>	<b>Harney</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Teen Health</b>				
<b>8th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	94.8	87.8	88.5	86.3
% Reporting Good, Very Good, or Excellent Mental Health	88.6	75.8	<b>65.1</b>	75.0
Preventative Care Visit, % last 12 months	<b>49.8</b>	66.4	<b>54.2</b>	61.8
Emergency Care Visit, % last 12 months	35.1	40.8	43.5	34.8
Oral Health Visit, % last 12 months	77.7	<b>73.3</b>	76.9	74.0
Suicidal Ideation, % last 12 months	<b>15.2</b>	<b>15.6</b>	21.2	16.9
% Have had Sexual Intercourse	<b>9.9</b>	<b>12.9</b>	<b>15.5</b>	8.4
Substance Use, % Abstaining - Tobacco	<b>97.2</b>	93.8	82.3	91.6
Substance Use, % Abstaining - Alcohol	85.2	<b>86.8</b>	61.4	73.2
Substance Use, % Abstaining - Marijuana	91.3	<b>96.5</b>	89.1	86.3
<b>11th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	85.3	90.3	87.5	83.2
% Reporting Good, Very Good, or Excellent Mental Health	85.4	70.3	73.6	66.3
Preventative Care Visit, % last 12 months	<b>50.1</b>	<b>59.6</b>	<b>57.0</b>	62.2

Emergency Care Visit, % last 12 months	29.3	<b>74.4</b>	26.0	35.7
Oral Health Visit, % last 12 months	<b>72.9</b>	<b>67.6</b>	<b>72.6</b>	73.8
Suicidal Ideation, % last 12 months	11.1	16.0	<b>18.9</b>	18.2
% Have had Sexual Intercourse	<b>48.2</b>	<b>68.5</b>	<b>49.0</b>	40.9
Substance Use, % Abstaining - Tobacco	<b>87.4</b>	80.8	77.3	81.1
Substance Use, % Abstaining - Alcohol	<b>60.5</b>	<b>69.6</b>	40.4	44.7
Substance Use, % Abstaining - Marijuana	<b>88.8</b>	<b>80.1</b>	<b>68.2</b>	60.5
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>73.2</b>	<b>95.4</b>	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>33.8</b>	<b>43.6</b>	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	16.9	27.3	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>261.8</b>	<b>250.8</b>	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>78.8</b>	<b>65.4</b>	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>67.6</b>	<b>749.1</b>	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>61.9</b>	<b>76.3</b>	48.3
	<b>Harney</b>	<b>Harney</b>	<b>Harney</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>39.4</b>	<b>43.6</b>	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>14.1</b>	8.2	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>188.6</b>	<b>166.3</b>	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	5.6	5.5	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>39.4</b>	<b>35.4</b>	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	83.6%	83.1%	<b>73.9%</b>	82.9%
Overall Mental Health (2010-2013 BFRSS)	75.9%	69.7%	64.6%	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	21.9%	S	20.3%
Tobacco Use Total (2010-2013 BRFSS)	<b>43.0%</b>	<b>36.1%</b>	19.1%	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	14.3%	10.8%	10.8%	19.0%
Tobacco Use, Smokeless (2010-2013 BRFSS)	<b>28.7%</b>	<b>25.3%</b>	<b>25.3%</b>	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	S	S	S	7.80%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	S	S	S	7.90%
Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	17.1%	S	S	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	11.2%	S	S	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	29.9%	NA	25.2%	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	54.0%	28.2	28.2%	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	22.8%	<b>38.7%</b>	<b>38.7%</b>	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	230.9	205.3	3.7%	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	62.5	73.1	S	2.9%

Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	8.5^	NA		7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	8.0^	NA	9.9%	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	7.5^	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	23.2	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	15.7	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	2.3^	NA	3.7%	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	50.2	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	<b>57.6%</b>	54.3%

#### CODES:

NA = Not Available

NAP = Not Applicable

S = Suppressed Data

\* = Statewide lists as “Asian / Pacific Islander” and county specific data lists two group = “Asian” and “Pacific Islander.”

/ = Gilliam, Sherman, and Wasco Counties Combined

\*\* = This number is suppressed because it is statistically unreliable.

^ = This number may be statistically unreliable and should be interpreted with caution.

. = Percentages exclude missing answers.

**Bold = County rate is higher than statewide rate (or lower if a higher rate is more positive)**

# = Rate is significantly different from the state rate.

& = Detailed reporting of small numbers may breach confidentiality.

! = Insufficient data.

<b>DEMOGRAPHICS</b>	<b>Lake</b>	<b>Lake</b>	<b>Lake</b>	<b>OREGON</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Total Population	7,920	7,990	8,120	4,141,100
Age 0-17 2013, 2015, 2017	1,473	1,423	1,340	869,330
Age 0-17 % of Total Population	19.0%	18.0%	16.5%	21.0%
Age 16-64 2013, 2015, 2017	4,727	4,702	4,745	2,557,575
Age 16-64 % of Total Population	60.0%	59.0%	58.4%	61.8%
Age 65 and Over	1,720	1,865	2,035	714,196
Age 65 and Over % of Total Population	22.0%	23.0%	25.1%	17.2%
<b>Race</b>				
% White	92.1%	87.6%	85.6%	77.0%
% American Indian/Native Alaskan	2.0%	1.94%	1.2%	0.9%
% African American/Black	0.6%	0.57%	0.6%	1.8%
% Asian	0.5%	1.03%	0.9%	4.0%
% Pacific Islander	0.2%	0.0%	0.0%	0.4%
% Other	1.4%	3.0%	0.1%	0.1%
% 2 or More	3.3%	3.8%	4.0%	3.5%
<b>Ethnicity</b>				
Hispanic	6.4%	8.3%	7.6%	12.4%
<b>Gender</b>				
% Females	52.5%	52.5%	49.5%	52.0%
% Males	47.5%	47.5%	50.5%	48.0%
% Other				
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll (38% of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	2.6	2.67	2.8	3.1
<b>% Single Parents - ACS</b>	<b>29.8%</b>	<b>29.8%</b>	5.1%	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>12.8%</b>	<b>9.8%</b>	<b>6.4%</b>	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	12.8%	11.8%	16.1%	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	80.11%	85.19%	88.20%	77.80%
	<b>Lake</b>	<b>Lake</b>	<b>Lake</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Poverty</b>				
Total Population 100%, 185% - ACS	<b>20.6%</b>	<b>20.9%</b>	<b>17.6%</b>	15.7%
Child Poverty Rate - ACS	<b>29.0%</b>	<b>26.1%</b>	<b>18.6%</b>	20.4%
<b>Language</b>				

% of Limited English Speaking Households	0.5%	0.4%	0.4%	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	<b>16.4</b>	<b>6.8</b>	<b>8.3</b>	6.2
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	<b>77.2%</b>	90.6%
Renter Occupied Housing Units - ACS	NA	NA	<b>38.3%</b>	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	38.9%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	46%	55%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	<b>2.9%</b>	1.3%
No Telephone Available in Household - ACS	<b>4.4%</b>	<b>3.8%</b>	<b>3.2%</b>	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	0	0	NAP
Unsheltered	NA	6	12	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	4.0%	5.4%	7.3%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	1,188	812	1,990	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	68.71	49.00	119.52	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	<b>50.4%</b>	44.9%	43.6%	47.6%
Estimated # of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	440	390	360	194,070
Estimated # of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	1,400	1,360	1,310	572,790
Estimated % of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>29.8%</b>	<b>26.8%</b>	<b>24.9%</b>	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>17.9%</b>	<b>17.3%</b>	<b>16.8%</b>	14.2%
	<b>Lake</b>	<b>Lake</b>	<b>Lake</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	NA	NA	22.3%
Food Insecurity	NA	NA	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	551	500	479	NA
<b>VULNERABLE POPULATIONS</b>				
<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	NA	2.8	<b>14.3</b>	4.6
Low Birthweight per 1,000 births	<b>114.3</b>	62.8	<b>161.4</b>	68.3
Births to Mothers Receiving Inadequate Prenatal Care	<b>7.4%</b>	4.4%	<b>8.1%</b>	6.1%
Births to Mothers under the age of 18	1.4%	0.08%	<b>1.6%</b>	0.9%

**Maternal Depression - PRAMS Data by State**

% During Pregnancy	22.1	23.7	28.9	20.1
% Postpartum-EOCCO rate	20.9	21.3	47.6	21.3
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	25.4	41.2	37.2	12.8
Children in Foster Care per 1,000 - OR DHS	22.0	22.0	19.3	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	0	0	NA
Unaccompanied	NA	0	0	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	23.0	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$4,800	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	89%	90%	76%	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	68.8%	48.6%	48.2%	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	53.8%	62.0%	64.0%	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	26.7%	26.7%	19.8%	23.9%
	<b>Lake</b>	<b>Lake</b>	<b>Lake</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Teen Health</b>				
<b>8th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	91.1	95.4	88.5	86.3
% Reporting Good, Very Good, or Excellent Mental Health	85.1	82.6	65.1	75.0
Preventative Care Visit, % last 12 months	47.9	48.1	54.2	61.8
Emergency Care Visit, % last 12 months	36.2	35.9	43.5	34.8
Oral Health Visit, % last 12 months	70.7	65.8	76.9	74.0
Suicidal Ideation, % last 12 months	12.0	18.7	21.2	16.9
% Have had Sexual Intercourse	10.3	9.2	15.5	8.4
Substance Use, % Abstaining - Tobacco	94.2	91.3	82.3	91.6
Substance Use, % Abstaining - Alcohol	86.2	80.6	61.4	73.2
Substance Use, % Abstaining - Marijuana	92.5	95.1	89.1	86.3
<b>11th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	89.5	88.2	87.5	83.2
% Reporting Good, Very Good, or Excellent Mental Health	82.3	84.1	73.6	66.3
Preventative Care Visit, % last 12 months	56.8	47.1	57.0	62.2

Emergency Care Visit, % last 12 months	26.9	24.9	26.0	35.7
Oral Health Visit, % last 12 months	<b>72.7</b>	74.3	<b>72.6</b>	73.8
Suicidal Ideation, % last 12 months	17.9	<b>19.8</b>	<b>18.9</b>	18.2
% Have had Sexual Intercourse	<b>53.0</b>	<b>59.7</b>	<b>49.0</b>	40.9
Substance Use, % Abstaining - Tobacco	<b>85.9</b>	80.0	77.3	81.1
Substance Use, % Abstaining - Alcohol	<b>62.2</b>	<b>50.7</b>	40.4	44.7
Substance Use, % Abstaining - Marijuana	<b>81.3</b>	<b>80.1</b>	68.2	60.5
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	40.5	<b>67.9</b>	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>32.9</b>	<b>37.7</b>	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>63.3</b>	<b>45.3</b>	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>212.7</b>	<b>246.5</b>	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>55.7</b>	<b>62.9</b>	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>65.8</b>	<b>57.9</b>	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>98.8</b>	<b>123.3</b>	48.3
	<b>Lake</b>	<b>Lake</b>	<b>Lake</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>45.6</b>	<b>52.8</b>	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>27.9</b>	<b>17.6</b>	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>174.7</b>	<b>188.7</b>	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	7.6	10.1	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>43.1</b>	<b>30.2</b>	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	91.4%	89.3%	84.6%	82.9%
Overall Mental Health (2010-2013 BFRSS)	79.0%	80.7%	62.6%	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	35.0%	28.3%	20.3%
Tobacco Use Total (2010-2013 BRFSS)	19.9%	<b>26.6%</b>	17.4%	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	<b>19.9%</b>	13.4%	13.4%	19.0%
Tobacco Use, Smokeless (2010-2013 BRFSS)	S	<b>13.2%</b>	<b>13.2%</b>	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	<b>12.1%</b>	S	S	7.80%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	<b>12.0%</b>	S	S	7.90%
Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	<b>17.9%</b>	13.6%	S	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	9.7%	S	S	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	<b>45.4%</b>	NA	<b>42.4%</b>	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	60.0%	33.1%	33.1%	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	19%	<b>34.1%</b>	<b>34.1%</b>	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	176.8	170	<b>4.9%</b>	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	80.8	68.5	S	2.9%

Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	6.4 <sup>^</sup>	NA		7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	3.5 <sup>^</sup>	NA	5.7%	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	4.8 <sup>^</sup>	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	24.2 <sup>^</sup>	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	7.1 <sup>^</sup>	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	2.9 <sup>^</sup>	NA	<b>4.9%</b>	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	54.8	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	<b>60.9%</b>	54.3%

#### **CODES:**

NA = Not Available

NAP = Not Applicable

S = Suppressed Data

\* = Statewide lists as "Asian / Pacific Islander" and county specific data lists two group = "Asian" and "Pacific Islander."

/ = Gilliam, Sherman, and Wasco Counties Combined

\*\* = This number is suppressed because it is statistically unreliable.

<sup>^</sup> = This number may be statistically unreliable and should be interpreted with caution.

. = Percentages exclude missing answers.

**Bold = County rate is higher than statewide rate (or lower if a higher rate is more positive)**

# = Rate is significantly different from the state rate.

& = Detailed reporting of small numbers may breach confidentially.

! = Insufficient data.

<b>DEMOGRAPHICS</b>	<b>Malheur</b>	<b>Malheur</b>	<b>Malheur</b>	<b>OREGON</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Total Population	31,395	31,470	31,845	4,141,100
Age 0-17 2013, 2015, 2017	7,927	7,810	7,620	869,330
Age 0-17 % of Total Population	25.0%	25.0%	23.9%	21.0%
Age 16-64 2013, 2015, 2017	18,533	18,396	18,583	2,557,575
Age 16-64 % of Total Population	59.0%	58.0%	58.4%	61.8%
Age 65 and Over	4,934	5,264	5,642	714,196
Age 65 and Over % of Total Population	16.0%	17.0%	17.7%	17.2%
<b>Race</b>				
% White	81.1%	61.0%	62.0%	77.0%
% American Indian/Native Alaskan	0.8%	0.83%	0.6%	0.9%
% African American/Black	1.4%	1.10%	1.0%	1.8%
% Asian	1.1%	1.66%	1.6%	4.0%
% Pacific Islander	0.1%	0%	0.1%	0.4%
% Other	10.0%	1.8%	0.1%	0.1%
% 2 or More	5.4%	4.7%	1.8%	3.5%
<b>Ethnicity</b>				
Hispanic	30.9%	33.5%	32.9%	12.4%
<b>Gender</b>				
% Females	54.6%	45.4%	46.2%	52.0%
% Males	45.4%	54.6%	53.8%	48.0%
% Other				
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll (38% of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	3.25	3.24	3.2	3.1
<b>% Single Parents - ACS</b>	<b>31.6%</b>	<b>31.6%</b>	<b>11.7%</b>	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>9.8%</b>	<b>8.2%</b>	<b>5.6%</b>	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	20.4%	10.0%	19.9%	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	79.5%	<b>76.1%</b>	84.3%	77.8%
	<b>Malheur</b>	<b>Malheur</b>	<b>Malheur</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Poverty</b>				
Total Population 100%, 185% - ACS	<b>24.5%</b>	<b>29.4%</b>	<b>24.8%</b>	15.7%
Child Poverty Rate - ACS	<b>38.8%</b>	<b>33.9%</b>	<b>34.7%</b>	20.4%
<b>Language</b>				

% of Limited English Speaking Households	5.1%	5.1%	4.6%	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	16.4	6.8	8.3	6.2
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	88.4%	90.6%
Renter Occupied Housing Units - ACS	NA	NA	40.7%	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	51.3%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	56%	55%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	2.0%	1.3%
No Telephone Available in Household - ACS	2.7%	2.7%	3.9%	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	54	43	NAP
Unsheltered	NA	50	108	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	6.4%	9.1%	9.0%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	7,153	10,012	10,750	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	78.60	112.84	120.84	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	69.8%	70.9%	71.9%	47.6%
Estimated # of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	2,260	2,080	1,890	194,070
Estimated # of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	4,570	4,580	3,940	572,790
Estimated % of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	29.0%	27.2%	24.7%	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	14.8%	15.2%	12.9%	14.2%
	<b>Malheur</b>	<b>Malheur</b>	<b>Malheur</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	NA	NA	22.3%
Food Insecurity	NA	NA	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	3,946	3,924	3,629	NA
<b>VULNERABLE POPULATIONS</b>				
<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	NA	3.5	6.5	4.6
Low Birthweight per 1,000 births	56.6	54.0	99.8	68.3
Births to Mothers Receiving Inadequate Prenatal Care	12.4#%	15.6#%	12.3#%	6.1%
Births to Mothers under the age of 18	4.4%	0.14%	2.2%	0.9%

**Maternal Depression - PRAMS Data by State**

% During Pregnancy	22.1	23.7	28.9	20.1
% Postpartum-EOCCO rate	20.9	21.3	47.6	21.3
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	19.4	24.8	30.6	12.8
Children in Foster Care per 1,000 - OR DHS	136.0	132.0	22.9	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	13	15	NA
Unaccompanied	NA	16	43	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	34.0	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$7,200	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	71%	68%	55%	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	56.1%	36.3%	39.4%	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	61.8%	75.0%	73.0%	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	21.0%	21.0%	24.2%	23.9%

Malheur	Malheur	Malheur	OREGON
2013	2015	2017	2017

**Teen Health****8th Grade Data Elements**

% Reporting Good, Very Good, or Excellent Physical Health	93.3	89.8	86.9	86.3
% Reporting Good, Very Good, or Excellent Mental Health	83.0	84.5	80.5	75.0
Preventative Care Visit, % last 12 months	50.7	55.7	67.8	61.8
Emergency Care Visit, % last 12 months	29.6	31.2	32.1	34.8
Oral Health Visit, % last 12 months	68.1	73.7	69.6	74.0
Suicidal Ideation, % last 12 months	17.8	16.6	16.9	16.9
% Have had Sexual Intercourse	13.2	8.8	14.5	8.4
Substance Use, % Abstaining - Tobacco	96.9	97.0	82.4	91.6
Substance Use, % Abstaining - Alcohol	87.4	91.3	62.5	73.2
Substance Use, % Abstaining - Marijuana	91.7	92.7	91.1	86.3

**11th Grade Data Elements**

% Reporting Good, Very Good, or Excellent Physical Health	88.4	82.2	85.7	83.2
% Reporting Good, Very Good, or Excellent Mental Health	82.2	80.0	73.2	66.3
Preventative Care Visit, % last 12 months	53.5	66.1	64.7	62.2

Emergency Care Visit, % last 12 months	34.3	31.5	33.7	35.7
Oral Health Visit, % last 12 months	<b>73.5</b>	76.1	<b>71.3</b>	73.8
Suicidal Ideation, % last 12 months	14.9	11.3	17.6	18.2
% Have had Sexual Intercourse	<b>48.2</b>	<b>42.7</b>	35.5	40.9
Substance Use, % Abstaining - Tobacco	<b>96.2</b>	<b>95.3</b>	<b>81.9</b>	81.1
Substance Use, % Abstaining - Alcohol	<b>84.4</b>	<b>68.4</b>	<b>51.4</b>	44.7
Substance Use, % Abstaining - Marijuana	<b>93.7</b>	<b>91.2</b>	<b>75.3</b>	60.5
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	39.9	42.0	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	10.5	12.9	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	30.1	<b>47.2</b>	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>206.6</b>	<b>204.2</b>	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>49.0</b>	45.9	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>60.2</b>	<b>61.4</b>	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>78.5</b>	<b>64.0</b>	48.3
	<b>Malheur</b>	<b>Malheur</b>	<b>Malheur</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>38.6</b>	<b>29.7</b>	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>13.7</b>	<b>12.9</b>	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>221.7</b>	<b>232.0</b>	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	8.5	7.8	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	17.7	<b>20.0</b>	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	83.8%	82.4%	<b>73.9%</b>	82.9%
Overall Mental Health (2010-2013 BFRSS)	81.3%	76.0%	72.2%	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	19.5%	<b>12.4%</b>	20.3%
Tobacco Use Total (2010-2013 BRFSS)	<b>45.5%</b>	<b>37.8%</b>	<b>25.4%</b>	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	<b>22.0%</b>	<b>22.5%</b>	<b>22.5%</b>	19.0%
Tobacco Use, Smokeless (2010-2013 BRFSS)	<b>23.5%</b>	<b>15.3%</b>	<b>15.3%</b>	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	<b>8.70%</b>	S	S	7.80%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	1.40%	S	S	7.90%
Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	13.20%	<b>S</b>	<b>25.6%</b>	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	4.2%	10.2%	S	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	28.5%	NA	29.7%	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	57.0%	<b>23.5%</b>	<b>23.5%</b>	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	<b>33%</b>	<b>31.0%</b>	<b>31.0%</b>	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	237.3	234.4	<b>4.7%</b>	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	62	60.2	<b>5.0%</b>	2.9%

Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	7.2 <sup>^</sup>	NA		7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	8.1	NA	<b>9.6%</b>	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	5.8 <sup>^</sup>	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	21.2	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	8.7	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	4.0 <sup>^</sup>	NA	<b>4.7%</b>	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	47.6	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	4.0 <sup>^</sup>	NA	48.7%	54.3%

#### **CODES:**

NA = Not Available

NAP = Not Applicable

S = Suppressed Data

\* = Statewide lists as "Asian / Pacific Islander" and county specific data lists two group = "Asian" and "Pacific Islander."

/ = Gilliam, Sherman, and Wasco Counties Combined

\*\* = This number is suppressed because it is statistically unreliable.

<sup>^</sup> = This number may be statistically unreliable and should be interpreted with caution.

. = Percentages exclude missing answers.

**Bold = County rate is higher than statewide rate (or lower if a higher rate is more positive)**

# = Rate is significantly different from the state rate.

& = Detailed reporting of small numbers may breach confidentiality.

! = Insufficient data.

<b>DEMOGRAPHICS</b>	<b>Morrow</b>	<b>Morrow</b>	<b>Morrow</b>	<b>OREGON</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Total Population	11,300	11,525	11,890	4,141,100
Age 0-17 2013, 2015, 2017	3,125	3,089	3,003	869,330
Age 0-17 % of Total Population	28.0%	27.0%	25.3%	21.0%
Age 16-64 2013, 2015, 2017	6,630	6,722	6,955	2,557,575
Age 16-64 % of Total Population	59.0%	58.0%	58.5%	61.8%
Age 65 and Over	1,545	1,714	1,932	714,196
Age 65 and Over % of Total Population	14.0%	15.0%	16.2%	17.2%
<b>Race</b>				
% White	88.0%	60.5%	61.2%	77.0%
% American Indian/Native Alaskan	0.7%	0.91%	0.4%	0.9%
% African American/Black	0.2%	0.60%	0.1%	1.8%
% Asian	0.9%	0.72%	0.4%	4.0%
% Pacific Islander	0.0%	0.1%	0.1%	0.4%
% Other	6.1%	1.9%	0.0%	0.1%
% 2 or More	0.4%	3.4%	3.1%	3.5%
<b>Ethnicity</b>				
Hispanic	30.6%	35.2%	34.7%	12.4%
<b>Gender</b>				
% Females	50.9%	49.1%	45.4%	52.0%
% Males	49.1%	50.9%	54.6%	48.0%
% Other				
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll (38% of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	3.35	3.50	3.3	3.1
<b>% Single Parents - ACS</b>	<b>33.2%</b>	<b>33.2%</b>	<b>9.8%</b>	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>8.2%</b>	<b>7.1%</b>	<b>5.0%</b>	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	<b>22.9%</b>	<b>12.4%</b>	<b>24.9%</b>	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	84.82%	83.52%	80.30%	77.80%
	<b>Morrow</b>	<b>Morrow</b>	<b>Morrow</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Poverty</b>				
Total Population 100%, 185% - ACS	<b>16.1%</b>	<b>16.8%</b>	15.2%	15.7%
Child Poverty Rate - ACS	<b>24.5%</b>	<b>22.9%</b>	<b>22.9%</b>	20.4%
<b>Language</b>				

% of Limited English Speaking Households	0.9%	NA	NA	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	<b>16.4</b>	5.6	<b>6.9</b>	6.2
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	<b>86.1%</b>	90.6%
Renter Occupied Housing Units - ACS	NA	NA	<b>28.1%</b>	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	27.3%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	41%	41%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	0.7%	1.3%
No Telephone Available in Household - ACS	<b>3.0%</b>	1.8%	1.1%	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	0	0	NAP
Unsheltered	NA	0	0	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	6.1%	5.1%	2.6%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	2,762	3,370	3,413	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	92.81	125.19	135.87	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	<b>71.4%</b>	<b>71.3%</b>	<b>72.3%</b>	47.6%
Estimated # of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	810	750	670	194,070
Estimated # of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	1,230	1,230	980	572,790
Estimated % of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>25.4%</b>	<b>23.7%</b>	21.2%	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	10.9%	11.0%	8.7%	14.2%
	<b>Morrow</b>	<b>Morrow</b>	<b>Morrow</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	NA	NA	22.3%
Food Insecurity	NA	NA	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	1,292	1,268	1,173	NA
<b>VULNERABLE POPULATIONS</b>				
<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	NA	3.9	<b>6.1</b>	4.6
Low Birthweight per 1,000 births	49.1	41.2	29.4	68.3
Births to Mothers Receiving Inadequate Prenatal Care	<b>9.4%</b>	<b>10.5#%</b>	<b>11.3#%</b>	6.1%
Births to Mothers under the age of 18	<b>1.8%</b>	0.11%	0.6%	0.9%

**Maternal Depression - PRAMS Data by State**

% During Pregnancy	<b>22.1</b>	<b>23.7</b>	<b>28.9</b>	20.1
% Postpartum-EOCCO rate	20.9	21.3	<b>47.6</b>	21.3
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	<b>16.5</b>	9.2	12.0	12.8
Children in Foster Care per 1,000 - OR DHS	<b>22.0</b>	<b>20.0</b>	3.8	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	0	0	NA
Unaccompanied	NA	0	0	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	19.0	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$4,008	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	<b>71%</b>	<b>65%</b>	<b>64%</b>	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	65.7%	<b>38.9%</b>	<b>40.9%</b>	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	<b>68.1%</b>	74.0%	69.0%	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	23.2%	23.2%	16.9%	23.9%

Morrow	Morrow	Morrow	OREGON
2013	2015	2017	2017

**Teen Health****8th Grade Data Elements**

% Reporting Good, Very Good, or Excellent Physical Health	92.2	87.4	88.0	86.3
% Reporting Good, Very Good, or Excellent Mental Health	86.0	86.6	<b>70.9</b>	75.0
Preventative Care Visit, % last 12 months	<b>49.9</b>	<b>45.3</b>	<b>53.5</b>	61.8
Emergency Care Visit, % last 12 months	28.0	33.3	<b>35.3</b>	34.8
Oral Health Visit, % last 12 months	<b>67.9</b>	<b>62.1</b>	<b>67.2</b>	74.0
Suicidal Ideation, % last 12 months	12.9	15.1	<b>17.0</b>	16.9
% Have had Sexual Intercourse	<b>9.2</b>	3.7	<b>9.4</b>	8.4
Substance Use, % Abstaining - Tobacco	<b>96.7</b>	<b>97.6</b>	<b>91.9</b>	91.6
Substance Use, % Abstaining - Alcohol	<b>85.7</b>	70.4	65.7	73.2
Substance Use, % Abstaining - Marijuana	<b>90.2</b>	<b>96.3</b>	<b>91.0</b>	86.3

**11th Grade Data Elements**

% Reporting Good, Very Good, or Excellent Physical Health	85.7	89.0	88.7	83.2
% Reporting Good, Very Good, or Excellent Mental Health	77.6	74.4	78.9	66.3
Preventative Care Visit, % last 12 months	<b>55.5</b>	<b>51.9</b>	<b>54.4</b>	62.2

Emergency Care Visit, % last 12 months	<b>39.2</b>	29.3	26.9	35.7
Oral Health Visit, % last 12 months	74.2	<b>68.7</b>	<b>67.1</b>	73.8
Suicidal Ideation, % last 12 months	16.0	15.7	13.6	18.2
% Have had Sexual Intercourse	<b>61.2</b>	<b>47.1</b>	<b>44.2</b>	40.9
Substance Use, % Abstaining - Tobacco	84.0	<b>97.5</b>	90.6	92.3
Substance Use, % Abstaining - Alcohol	55.0	38.9	<b>75.4</b>	73.1
Substance Use, % Abstaining - Marijuana	73.9	<b>85.1</b>	<b>86.4</b>	79.1
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>49.9</b>	<b>50.7</b>	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>19.6</b>	17.5	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	12.5	17.5	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	180.0	180.1	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>55.3</b>	43.7	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	28.5	33.2	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	41.0	47.2	48.3
	<b>Morrow</b>	<b>Morrow</b>	<b>Morrow</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	16.0	14.0	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	7.1	5.2	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	101.6	125.9	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	8.9	10.5	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	5.3	10.5	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	85.7%	<b>82.7%</b>	<b>72.1%</b>	82.9%
Overall Mental Health (2010-2013 BFRSS)	74.8%	76.2%	64.5%	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	NA	<b>48.8%</b>	20.3%
Tobacco Use Total (2010-2013 BRFSS)	<b>42.6%</b>	<b>33.7%</b>	<b>23.1%</b>	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	<b>23.0%</b>	15.8%	15.8%	19.0%
Tobacco Use, Smokeless (2010-2013 BRFSS)	<b>19.6%</b>	<b>17.9%</b>	<b>17.9%</b>	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	<b>18.6%</b>	S	S	7.80%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	S	S	S	7.90%
Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	3.6%	S	<b>28.8%</b>	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	<b>16.6%</b>	<b>18.6%</b>	<b>30.9%</b>	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	**	NA	S	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	52.0%	S	S	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	<b>36%</b>	<b>29.5%</b>	<b>29.5%</b>	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	118	108.8	<b>10.0%</b>	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	39.3	38.6	4.5%	2.9%

Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	11.5^	NA		7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	9.6^	NA	<b>11.9%</b>	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	10.4^	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	17.4^	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	14.8	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	8.1^	NA	<b>10.0%</b>	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	44.8	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	3.8^	NA	48.5%	54.3%

#### **CODES:**

NA = Not Available

NAP = Not Applicable

S = Suppressed Data

\* = Statewide lists as "Asian / Pacific Islander" and county specific data lists two group = "Asian" and "Pacific Islander."

/ = Gilliam, Sherman, and Wasco Counties Combined

\*\* = This number is suppressed because it is statistically unreliable.

^ = This number may be statistically unreliable and should be interpreted with caution.

. = Percentages exclude missing answers.

**Bold = County rate is higher than statewide rate (or lower if a higher rate is more positive)**

# = Rate is significantly different from the state rate.

& = Detailed reporting of small numbers may breach confidentiality.

! = Insufficient data.

DEMOGRAPHICS	Sherman 2013	Sherman 2015	Sherman 2017	OREGON 2017
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Total Population	1,765	1,785	1,800	4,141,100
Age 0-17 2013, 2015, 2017	348	346	337	869,330
Age 0-17 % of Total Population	20.0%	19.0%	18.7%	21.0%
Age 16-64 2013, 2015, 2017	1,012	1,002	998	2,557,575
Age 16-64 % of Total Population	57.0%	56.0%	55.5%	61.8%
Age 65 and Over	405	437	465	714,196
Age 65 and Over % of Total Population	23.0%	24.0%	25.9%	17.2%
<b>Race</b>				
% White	95.9%	87.9%	88.3%	77.0%
% American Indian/Native Alaskan	0.4%	1.82%	2.5%	0.9%
% African American/Black	0.2%	0.17%	0.5%	1.8%
% Asian	0.2%	0.17%	0.1%	4.0%
% Pacific Islander	0.1%	0%	0.0%	0.4%
% Other	1.2%	2.0%	0.0%	0.1%
% 2 or More	2.3%	4.7%	3.5%	3.5%
<b>Ethnicity</b>				
Hispanic	5.8%	7.8%	5.1%	12.4%
<b>Gender</b>				
% Females	50.5%	49.5%	49.0%	52.0%
% Males	49.5%	50.5%	51.0%	48.0%
% Other				
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll (38% of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	2.78	2.83	2.7	3.1
<b>% Single Parents - ACS</b>	<b>26.0%</b>	<b>26.0%</b>	5.3%	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>8.4%</b>	<b>7.5%</b>	4.6%	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	9.6%	5.9%	6.7%	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	100%	<b>71.43%</b>	<b>72.00%</b>	77.80%
	<b>Sherman 2013</b>	<b>Sherman 2015</b>	<b>Sherman 2017</b>	<b>OREGON 2017</b>
<b>Poverty</b>				
Total Population 100%, 185% - ACS	15.0%	<b>17.1%</b>	<b>17.7%</b>	15.7%
Child Poverty Rate - ACS	<b>23.7%</b>	<b>20.7%</b>	<b>24.6%</b>	20.4%
<b>Language</b>				

% of Limited English Speaking Households	4.4%	1.6%	0.0%	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	16.4	5.6	6.9	6.2
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	85.6%	90.6%
Renter Occupied Housing Units - ACS	NA	NA	39.6%	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	44.5%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	35%	62%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	0.6%	1.3%
No Telephone Available in Household - ACS	1.3%	0.5%	1.4%	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	0	0	NAP
Unsheltered	NA	0	1	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	2.2%	2.0%	3.2%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	292	703	1,486	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	87.16	219.69	448.94	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	52.4%	48.1%	53.4%	47.6%
Estimated # of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	110	90	80	194,070
Estimated # of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	310	290	300	572,790
Estimated % of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	30.2%	26.9%	26.4%	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	16.4%	16.3%	16.5%	14.2%
	<b>Sherman</b>	<b>Sherman</b>	<b>Sherman</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	NA	NA	22.3%
Food Insecurity	NA	NA	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	113	101	101	NA
<b>VULNERABLE POPULATIONS</b>				
<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	NA	0	58.8	4.6
Low Birthweight per 1,000 births	NA	75.9	66.7	68.3
Births to Mothers Receiving Inadequate Prenatal Care	9.1%	0.0%	0.0%	6.1%
Births to Mothers under the age of 18	NA	0.06%	0.0%	0.9%

**Maternal Depression - PRAMS Data by State**

% During Pregnancy	22.1	23.7	28.9	20.1
% Postpartum-EOCCO rate	20.9	21.3	47.6	21.3
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	NA	S	6.2	12.8
Children in Foster Care per 1,000 - OR DHS	9	0	S	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	0	0	NA
Unaccompanied	NA	0	0	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	!	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	!	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	67%	56%	31%	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	50.0%	93.8%	62.5%	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	72.0%	72.0%	73.0%	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	28.7%	28.7%	14.9%	23.9%

Sherman	Sherman	Sherman	OREGON
2013	2015	2017	2017

**Teen Health****8th Grade Data Elements**

% Reporting Good, Very Good, or Excellent Physical Health	NA	NA	NA	NA
% Reporting Good, Very Good, or Excellent Mental Health	NA	NA	NA	NA
Preventative Care Visit, % last 12 months	NA	NA	NA	NA
Emergency Care Visit, % last 12 months	NA	NA	NA	NA
Oral Health Visit, % last 12 months	NA	NA	NA	NA
Suicidal Ideation, % last 12 months	NA	NA	NA	NA
% Have had Sexual Intercourse	NA	NA	NA	NA
Substance Use, % Abstaining - Tobacco	NA	NA	NA	NA
Substance Use, % Abstaining - Alcohol	NA	NA	NA	NA
Substance Use, % Abstaining - Marijuana	NA	NA	NA	NA

**11th Grade Data Elements**

% Reporting Good, Very Good, or Excellent Physical Health	NA	NA	NA	NA
% Reporting Good, Very Good, or Excellent Mental Health	NA	NA	NA	NA
Preventative Care Visit, % last 12 months	NA	NA	NA	NA

Emergency Care Visit, % last 12 months	NA	NA	NA	NA
Oral Health Visit, % last 12 months	NA	NA	NA	NA
Suicidal Ideation, % last 12 months	NA	NA	NA	NA
% Have had Sexual Intercourse	NA	NA	NA	NA
Substance Use, % Abstaining - Tobacco	NA	NA	NA	NA
Substance Use, % Abstaining - Alcohol	NA	NA	NA	NA
Substance Use, % Abstaining - Marijuana	NA	NA	NA	NA
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	11.6	34.3	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>34.7</b>	<b>22.8</b>	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>57.8</b>	<b>80.0</b>	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>393.1</b>	<b>331.2</b>	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>57.8</b>	45.7	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	34.7	<b>45.7</b>	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>57.8</b>	<b>57.1</b>	48.3
	<b>Sherman</b>	<b>Sherman</b>	<b>Sherman</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	23.1	11.4	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>11.6</b>	0.0	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>196.5</b>	<b>331.2</b>	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>23.1</b>	<b>22.8</b>	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	11.6	<b>22.8</b>	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	<b>77.7%</b>	83.6%	<b>77.8%</b>	82.9%
Overall Mental Health (2010-2013 BFRSS)	66.8%	64.5%	61.5%	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	37.7%	S	20.3%
Tobacco Use Total (2010-2013 BRFSS)	<b>31.2%</b>	19.6%	S	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	<b>22.8%</b>	<b>19.6%</b>	<b>19.6%</b>	19.0%
Tobacco Use, Smokeless (2010-2013 BRFSS)	<b>84.0%</b>	S	S	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	<b>9.7%</b>	S	S	7.80%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	S	S	3.3%	7.90%
Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	<b>21.7%</b>	17.0%	18.0%	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	3.8%	4.3%	S	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	<b># 38.9%</b>	NA	<b>34.3%</b>	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	57.0%	S	S	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	<b>31%</b>	<b>33.6%</b>	NA	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	251.7	170.6	S	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	22.9	22.7	S	2.9%

Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA		7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	S	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	S	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	NA	NA	S	54.3%

#### CODES:

NA = Not Available

NAP = Not Applicable

S = Suppressed Data

\* = Statewide lists as “Asian / Pacific Islander” and county specific data lists two group = “Asian” and “Pacific Islander.”

/ = Gilliam, Sherman, and Wasco Counties Combined

\*\* = This number is suppressed because it is statistically unreliable.

^ = This number may be statistically unreliable and should be interpreted with caution.

. = Percentages exclude missing answers.

**Bold = County rate is higher than statewide rate (or lower if a higher rate is more positive)**

# = Rate is significantly different from the state rate.

& = Detailed reporting of small numbers may breach confidentially.

! = Insufficient data.

<b>DEMOGRAPHICS</b>	<b>Umatilla</b>	<b>Umatilla</b>	<b>Umatilla</b>	<b>OREGON</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Total Population	77,120	78,340	80,500	4,141,100
Age 0-17 2013, 2015, 2017	20,397	20,500	20,496	869,330
Age 0-17 % of Total Population	26.0%	26.0%	25.5%	21.0%
Age 16-64 2013, 2015, 2017	46,434	46,703	47,857	2,557,575
Age 16-64 % of Total Population	60.0%	60.0%	59.4%	61.8%
Age 65 and Over	10,289	11,137	12,147	714,196
Age 65 and Over % of Total Population	13.0%	14.0%	15.1%	17.2%
<b>Race</b>				
% White	87.4%	66.9%	67.4%	77.0%
% American Indian/Native Alaskan	2.2%	3.19%	2.1%	0.9%
% African American/Black	0.6%	0.81%	0.7%	1.8%
% Asian	0.9%	1.14%	0.7%	4.0%
% Pacific Islander	0.1%	0.1%	0.2%	0.4%
% Other	4.2%	2.1%	0.1%	0.1%
% 2 or More	4.6%	5.0%	3.3%	3.5%
<b>Ethnicity</b>				
Hispanic	23.0%	25.7%	25.6%	12.4%
<b>Gender</b>				
% Females	48.0%	48.0%	49.8%	52.0%
% Males	52.0%	52.0%	50.2%	48.0%
% Other				
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll (38% of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	3.2	3.25	3.2	3.1
<b>% Single Parents - ACS</b>	<b>32.4%</b>	<b>32.4%</b>	<b>12.7%</b>	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>8.4%</b>	<b>7.9%</b>	<b>5.4%</b>	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	18.2%	<b>9.2%</b>	17.4%	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	81.41%	<b>75.68%</b>	<b>75.50%</b>	77.80%
	<b>Umatilla</b>	<b>Umatilla</b>	<b>Umatilla</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Poverty</b>				
Total Population 100%, 185% - ACS	<b>17.7%</b>	<b>17.1%</b>	<b>18.0%</b>	15.7%
Child Poverty Rate - ACS	<b>22.8%</b>	<b>26.3%</b>	<b>25.3%</b>	20.4%
<b>Language</b>				

% of Limited English Speaking Households	0.2%	4.5%	4.5%	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	16.4	5.8	7.7	6.2
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	89.5%	90.6%
Renter Occupied Housing Units - ACS	NA	NA	36.5%	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	31.7%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	37%	45%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	1.2%	1.3%
No Telephone Available in Household - ACS	3.0%	3.0%	3.7%	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	24	24	NAP
Unsheltered	NA	28	31	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	6.1%	7.0%	7.7%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	20,710	26,810	25,131	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	109.66	149.64	148.06	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	62.9%	64.0%	63.4%	47.6%
Estimated # of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	5,090	4,880	4,610	194,070
Estimated # of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	9,90	10,250	9,150	572,790
Estimated % of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	25.3%	24.3%	23.0%	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	13.1%	15.2%	11.9%	14.2%
	<b>Umatilla</b>	<b>Umatilla</b>	<b>Umatilla</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	NA	NA	22.3%
Food Insecurity	NA	NA	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	7,805	6,835	6,268	NA
<b>VULNERABLE POPULATIONS</b>				
<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	4.0	4.6	7.4	4.6
Low Birthweight per 1,000 births	63.2	53.5	53.8	68.3
Births to Mothers Receiving Inadequate Prenatal Care	6.9%	7.4%	6.0%	6.1%
Births to Mothers under the age of 18	3.6%	0.12%	0.0%	0.9%

**Maternal Depression - PRAMS Data by State**

% During Pregnancy	<b>22.1</b>	<b>23.7</b>	<b>28.9</b>	20.1
% Postpartum-EOCCO rate	20.9	21.3	<b>47.6</b>	21.3
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	9.3	9.0	5.5	12.8
Children in Foster Care per 1,000 - OR DHS	<b>131</b>	<b>115</b>	5.8	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	1	3	NA
Unaccompanied	NA	7	4	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	45.0	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$9,612	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	<b>68%</b>	<b>70%</b>	<b>73%</b>	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	58.7%	<b>41.0%</b>	<b>32.9%</b>	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	<b>58.0%</b>	73.0%	<b>64.0%</b>	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	21.0%	21.0%	18.2%	23.9%
<b>Umatilla    Umatilla    Umatilla    OREGON</b>				
<b>2013        2015        2017        2017</b>				
<b>Teen Health</b>				
<b>8th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	92.2	<b>85.4</b>	<b>85.9</b>	86.3
% Reporting Good, Very Good, or Excellent Mental Health	86.0	83.1	83.2	75.0
Preventative Care Visit, % last 12 months	<b>49.9</b>	<b>58.2</b>	<b>49.5</b>	61.8
Emergency Care Visit, % last 12 months	28.0	<b>35.2</b>	30.9	34.8
Oral Health Visit, % last 12 months	<b>67.9</b>	<b>66.8</b>	<b>63.4</b>	74.0
Suicidal Ideation, % last 12 months	12.9	9.9	12.2	16.9
% Have had Sexual Intercourse	9.2	7.4	<b>13.1</b>	8.4
Substance Use, % Abstaining - Tobacco	<b>96.7</b>	<b>99.0</b>	<b>95.8</b>	91.6
Substance Use, % Abstaining - Alcohol	<b>85.7</b>	63.7	62.9	73.2
Substance Use, % Abstaining - Marijuana	<b>90.2</b>	<b>96.0</b>	85.4	86.3
<b>11th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	85.7	90.1	<b>80.1</b>	83.2
% Reporting Good, Very Good, or Excellent Mental Health	77.6	74.9	67.5	66.3
Preventative Care Visit, % last 12 months	<b>55.5</b>	<b>56.9</b>	<b>61.1</b>	62.2

Emergency Care Visit, % last 12 months	<b>39.2</b>	34.1	33.7	35.7
Oral Health Visit, % last 12 months	74.2	<b>72.4</b>	76.0	73.8
Suicidal Ideation, % last 12 months	16.0	<b>20.1</b>	18.0	18.2
% Have had Sexual Intercourse	<b>61.2</b>	<b>46.1</b>	<b>46.9</b>	40.9
Substance Use, % Abstaining - Tobacco	84.0	92.0	71.4	92.3
Substance Use, % Abstaining - Alcohol	55.0	35.2	33.5	73.1
Substance Use, % Abstaining - Marijuana	73.9	<b>82.0</b>	55.5	79.1
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	43.2	<b>46.7</b>	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	12.6	14.8	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	29.6	31.2	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>191.2</b>	<b>195.7</b>	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>49.7</b>	47.5	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>45.8</b>	<b>45.5</b>	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>49.7</b>	<b>54.7</b>	48.3
	<b>Umatilla</b>	<b>Umatilla</b>	<b>Umatilla</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>32.9</b>	<b>32.7</b>	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	10.8	<b>23.3</b>	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	149.8	146.1	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	9.3	12.3	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	16.7	16.3	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	82.7%	<b>78.9%</b>	<b>78.2%</b>	82.9%
Overall Mental Health (2010-2013 BFRSS)	71.6%	70.7%	62.9%	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	25.1%	<b>12.1%</b>	20.3%
Tobacco Use Total (2010-2013 BRFSS)	<b>68.7%</b>	<b>34.0%</b>	<b>26.0%</b>	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	<b>24.2%</b>	<b>22.9%</b>	<b>22.9%</b>	19.0%
Tobacco Use, Smokeless (2010-2013 BRFSS)	<b>13.3%</b>	<b>11.1%</b>	<b>11.1%</b>	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	3.10%	S	S	7.80%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	2.2%	2.6%	4.4%	7.90%
Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	15.9%	17.5%	23.1%	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	7.5%	6.6%	11.7%	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	<b>34.4%</b>	NA	<b>33.8%</b>	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	6.0%	13.4%	13.4%	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	<b>36%</b>	<b>33.2%</b>	<b>33.2%</b>	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	161.3	150.6	<b>5.6%</b>	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	50.4	47.3	S	2.9%

Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	6.2	NA	7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	8	NA	<b>8.7%</b> 7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	5.3	NA	NA NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	20.9	NA	NA NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	7.4	NA	NA NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	5.0	NA	<b>5.6%</b> 4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	47.5	NA	NA NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	2.9	NA	48.9% 54.3%

#### **CODES:**

NA = Not Available

NAP = Not Applicable

S = Suppressed Data

\* = Statewide lists as "Asian / Pacific Islander" and county specific data lists two group = "Asian" and "Pacific Islander."

/ = Gilliam, Sherman, and Wasco Counties Combined

\*\* = This number is suppressed because it is statistically unreliable.

^ = This number may be statistically unreliable and should be interpreted with caution.

. = Percentages exclude missing answers.

**Bold = County rate is higher than statewide rate (or lower if a higher rate is more positive)**

# = Rate is significantly different from the state rate.

& = Detailed reporting of small numbers may breach confidentiality.

<b>DEMOGRAPHICS</b>	<b>Union</b>	<b>Union</b>	<b>Union</b>	<b>OREGON</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Total Population	26,170	26,485	26,900	4,141,100
Age 0-17 2013, 2015, 2017	5,956	6,025	6,049	869,330
Age 0-17 % of Total Population	23.0%	23.0%	22.5%	21.0%
Age 16-64 2013, 2015, 2017	15,540	15,359	15,250	2,557,575
Age 16-64 % of Total Population	59.0%	58.0%	56.7%	61.8%
Age 65 and Over	4,671	5,101	5,602	714,196
Age 65 and Over % of Total Population	18.0%	19.0%	20.8%	17.2%
<b>Race</b>				
% White	94%	88.8%	89.7%	77.0%
% American Indian/Native Alaskan	0.4%	1.24%	0.8%	0.9%
% African American/Black	0.4%	0.37%	0.7%	1.8%
% Asian	0.8%	2.37%	1.1%	4.0%
% Pacific Islander	0.1%	0.9%	1.2%	0.4%
% Other	0.8%	2.4%	0.1%	0.1%
% 2 or More	2.8%	2.9%	2.2%	3.5%
<b>Ethnicity</b>				
Hispanic	3.5%	4.7%	4.4%	12.4%
<b>Gender</b>				
% Females	49.1%	49.1%	48.0%	52.0%
% Males	50.9%	50.9%	52.0%	48.0%
% Other				
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll (38% of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	2.85	2.96	2.9	3.1
<b>% Single Parents - ACS</b>	<b>31.2%</b>	<b>31.2%</b>	7.9%	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>9.2%</b>	<b>7.4%</b>	<b>5.9%</b>	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	<b>11.0%</b>	5.7%	7.4%	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	92.21%	83.82%	88.30%	77.80%
	<b>Union</b>	<b>Union</b>	<b>Union</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Poverty</b>				
Total Population 100%, 185% - ACS	<b>15.8%</b>	<b>19.4%</b>	<b>18.6%</b>	15.7%
Child Poverty Rate - ACS	<b>24.7%</b>	<b>21.2%</b>	<b>25.0%</b>	20.4%
<b>Language</b>				

% of Limited English Speaking Households	0.0%	0.4%	0.4%	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	<b>16.4</b>	5.8	<b>7.7</b>	6.2
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	<b>87.9%</b>	90.6%
Renter Occupied Housing Units - ACS	NA	NA	<b>36.2%</b>	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	40.6%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	41%	44%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	<b>1.9%</b>	1.3%
No Telephone Available in Household - ACS	<b>3.1%</b>	<b>2.9%</b>	2.3%	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	29	1	NAP
Unsheltered	NA	46	42	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	7.4%	6.6%	6.3%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	5,314	6,986	6,957	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	89.85	123.45	123.20	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	<b>53.3%</b>	<b>52.4%</b>	<b>50.7%</b>	47.6%
Estimated # of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	1,580	1,500	1,410	194,070
Estimated # of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	4,260	4,220	4,130	572,790
Estimated % of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>27.5%</b>	<b>26.2%</b>	<b>24.7%</b>	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>16.6%</b>	<b>16.4%</b>	<b>16.0%</b>	14.2%
	<b>Union</b>	<b>Union</b>	<b>Union</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	NA	NA	22.3%
Food Insecurity	NA	NA	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	2,120	1,974	1,903	NA
<b>VULNERABLE POPULATIONS</b>				
<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	<b>12.7</b>	<b>6.5</b>	<b>12.8</b>	4.6
Low Birthweight per 1,000 births	<b>85.4</b>	60.5	<b>111.1</b>	68.3
Births to Mothers Receiving Inadequate Prenatal Care	3.8%	4.7%	<b>9.9#%</b>	6.1%
Births to Mothers under the age of 18	<b>2.5%</b>	0.09%	<b>1.7%</b>	0.9%

**Maternal Depression - PRAMS Data by State**

% During Pregnancy	22.1	23.7	28.9	20.1
% Postpartum-EOCCO rate	20.9	21.3	47.6	21.3
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	22.5	18.0	15.9	12.8
Children in Foster Care per 1,000 - OR DHS	24	42	4.1	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	6	0	NA
Unaccompanied	NA	3	7	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	32.0	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$6,720	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	58%	55%	52%	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	66.0%	34.5%	39.1%	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	63.7%	75.0%	63.0%	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	26.9%	26.9%	15.0%	23.9%
	<b>Union</b>	<b>Union</b>	<b>Union</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Teen Health</b>				
<b>8th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	90.5	89.0	88.6	86.3
% Reporting Good, Very Good, or Excellent Mental Health	83.7	84.4	81.0	75.0
Preventative Care Visit, % last 12 months	52.5	49.2	62.9	61.8
Emergency Care Visit, % last 12 months	38.9	31.2	53.0	34.8
Oral Health Visit, % last 12 months	72.8	70.0	69.9	74.0
Suicidal Ideation, % last 12 months	17.4	11.4	18.3	16.9
% Have had Sexual Intercourse	8.5	5.5	9.2	8.4
Substance Use, % Abstaining - Tobacco	94.8	96.7	84.0	91.6
Substance Use, % Abstaining - Alcohol	86.3	71.6	65.6	73.2
Substance Use, % Abstaining - Marijuana	94.2	95.1	90.6	86.3
<b>11th Grade Data Elements</b>				
% Reporting Good, Very Good, or Excellent Physical Health	90.1	89.6	80.7	83.2
% Reporting Good, Very Good, or Excellent Mental Health	79.8	77.3	60.0	66.3
Preventative Care Visit, % last 12 months	48.4	57.6	58.9	62.2

Emergency Care Visit, % last 12 months	33.1	<b>40.8</b>	<b>36.7</b>	35.7
Oral Health Visit, % last 12 months	<b>71.4</b>	81.9	<b>69.2</b>	73.8
Suicidal Ideation, % last 12 months	<b>19.9</b>	13.2	<b>19.1</b>	18.2
% Have had Sexual Intercourse	<b>47.8</b>	<b>46.2</b>	<b>56.7</b>	40.9
Substance Use, % Abstaining - Tobacco	<b>84.1</b>	<b>91.7</b>	63.7	81.1
Substance Use, % Abstaining - Alcohol	<b>58.9</b>	<b>45.3</b>	32.4	44.7
Substance Use, % Abstaining - Marijuana	<b>82.2</b>	<b>89.0</b>	<b>62.2</b>	60.5
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>47.3</b>	<b>56.1</b>	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	11.4	13.5	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	34.3	30.7	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>209.9</b>	<b>212.6</b>	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>52.7</b>	45.7	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>51.9</b>	<b>47.2</b>	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>69.5</b>	<b>80.1</b>	48.3
	<b>Union</b>	<b>Union</b>	<b>Union</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	23.7	22.5	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>24.4</b>	<b>17.2</b>	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>183.2</b>	<b>202.8</b>	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	8.4	12.0	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>21.4</b>	<b>18.0</b>	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	87.0%	86.0%	<b>82.8%</b>	82.9%
Overall Mental Health (2010-2013 BFRSS)	<b>63.9%</b>	<b>62.5%</b>	<b>64.7%</b>	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	<b>27.5%</b>	<b>24.4%</b>	20.3%
Tobacco Use Total (2010-2013 BRFSS)	<b>34.9%</b>	<b>41.8%</b>	<b>24.3%</b>	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	14.0%	18.6%	18.6%	19.0%
Tobacco Use, Smokeless (2010-2013 BRFSS)	<b>20.9%</b>	<b>23.2%</b>	<b>23.2%</b>	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	1.80%	S	S	7.80%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	7.1%	4.8%	S	7.90%
Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	20.6%	S	21.4%	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	6.6%	5.6%	<b>16.2%</b>	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	30.6%	NA	30.7%	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	50.0%	29.6	29.6%	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	23%	<b>27.7%</b>	<b>27.7%</b>	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	177.2	170.1	<b>7.8%</b>	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	62.6	59.5	S	2.9%

Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	11.2	NA		7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	9.7	NA	<b>11.0%</b>	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	10.9	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	19.2	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	8.7	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	6.4	NA	<b>7.8%</b>	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	53.5	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	<b>56.7%</b>	54.3%

#### CODES:

NA = Not Available

NAP = Not Applicable

S = Suppressed Data

\* = Statewide lists as "Asian / Pacific Islander" and county specific data lists two group = "Asian" and "Pacific Islander."

/ = Gilliam, Sherman, and Wasco Counties Combined

\*\* = This number is suppressed because it is statistically unreliable.

^ = This number may be statistically unreliable and should be interpreted with caution.

. = Percentages exclude missing answers.

**Bold = County rate is higher than statewide rate (or lower if a higher rate is more positive)**

# = Rate is significantly different from the state rate.

& = Detailed reporting of small numbers may breach confidentiality.

! = Insufficient data.

<b>DEMOGRAPHICS</b>	<b>Wallowa</b>	<b>Wallowa</b>	<b>Wallowa</b>	<b>OREGON</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Total Population	7,015	7,070	7,195	4,141,100
Age 0-17 2013, 2015, 2017	1,356	1,374	1,393	869,330
Age 0-17 % of Total Population	19.0%	19.0%	19.4%	21.0%
Age 16-64 2013, 2015, 2017	3,904	3,777	3,677	2,557,575
Age 16-64 % of Total Population	56.0%	53.0%	51.1%	61.8%
Age 65 and Over	1,756	1,920	2,125	714,196
Age 65 and Over % of Total Population	25.0%	27.0%	29.5%	17.2%
<b>Race</b>				
% White	96.3%	93.4%	93.7%	77.0%
% American Indian/Native Alaskan	0.4%	0.8%	0.4%	0.9%
% African American/Black	0.2%	0.49%	0.4%	1.8%
% Asian	0.2%	0.51%	0.2%	4.0%
% Pacific Islander	0.6%	0%	0.0%	0.4%
% Other	0.5%	2.1%	0.1%	0.1%
% 2 or More	1.9%	2.4%	2.6%	3.5%
<b>Ethnicity</b>				
Hispanic	2.2%	2.6%	2.6%	12.4%
<b>Gender</b>				
% Females	50.0%	50.0%	50.7%	52.0%
% Males	50.0%	50.0%	49.3%	48.0%
% Other				
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll (38% of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	2.86	2.88	2.8	3.1
<b>% Single Parents - ACS</b>	<b>35.1%</b>	<b>35.1%</b>	<b>8.5%</b>	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>10.2%</b>	<b>10.2%</b>	<b>6.7%</b>	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	7.3%	4.9%	6.8%	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	95.08%	98.68%	93.60%	77.80%
	<b>Wallowa</b>	<b>Wallowa</b>	<b>Wallowa</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Poverty</b>				
Total Population 100%, 185% - ACS	<b>16.0%</b>	15.1%	14.6%	15.7%
Child Poverty Rate - ACS	<b>26.3%</b>	<b>26.2%</b>	<b>22.7%</b>	20.4%
<b>Language</b>				

% of Limited English Speaking Households	2.5%	0.3%	0.5%	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	<b>16.4</b>	5.8	<b>7.7</b>	6.2
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	<b>74.2%</b>	90.6%
Renter Occupied Housing Units - ACS	NA	NA	<b>32.1%</b>	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	<b>45.4%</b>	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	39%	43%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	0.7%	1.3%
No Telephone Available in Household - ACS	2.1%	<b>2.9%</b>	<b>3.2%</b>	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	11	4	NAP
Unsheltered	NA	12	4	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	5.1%	5.6%	7.0%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	1,660	1,991	2,284	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	102.60	129.03	145.02	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	37.5%	37.9%	45.4%	47.6%
Estimated # of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	330	350	330	194,070
Estimated # of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	1,090	1,150	1,100	572,790
Estimated % of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>25.6%</b>	<b>27.2%</b>	<b>26.4%</b>	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>15.7%</b>	<b>16.7%</b>	<b>16.1%</b>	14.2%
	<b>Wallowa</b>	<b>Wallowa</b>	<b>Wallowa</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	NA	NA	22.3%
Food Insecurity	NA	NA	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	349	337	329	NA
<b>VULNERABLE POPULATIONS</b>				
<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	NA	<b>10.4</b>	S	4.6
Low Birthweight per 1,000 births	16.4	48.9	31.4	68.3
Births to Mothers Receiving Inadequate Prenatal Care	1.5%	<b>9.7%</b>	3.2%	6.1%
Births to Mothers under the age of 18	<b>1.6%</b>	0.03%	0.0%	0.9%

**Maternal Depression - PRAMS Data by State**

% During Pregnancy	22.1	23.7	28.9	20.1
% Postpartum-EOCCO rate	20.9	21.3	47.6	21.3
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	14.9	13.6	27.7	12.8
Children in Foster Care per 1,000 - OR DHS	8.0	8.0	8.5	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	0	0	NA
Unaccompanied	NA	1	1	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	37.0	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$7,800	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	57%	58%	53%	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	84.1%	47.2%	40.0%	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	57.9%	56.0%	66.0%	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	21.2%	21.2%	16.7%	23.9%

Wallowa	Wallowa	Wallowa	OREGON
2013	2015	2017	2017

**Teen Health****8th Grade Data Elements**

% Reporting Good, Very Good, or Excellent Physical Health	NA	NA	NA	NA
% Reporting Good, Very Good, or Excellent Mental Health	NA	NA	NA	NA
Preventative Care Visit, % last 12 months	NA	NA	NA	NA
Emergency Care Visit, % last 12 months	NA	NA	NA	NA
Oral Health Visit, % last 12 months	NA	NA	NA	NA
Suicidal Ideation, % last 12 months	NA	NA	NA	NA
% Have had Sexual Intercourse	NA	NA	NA	NA
Substance Use, % Abstaining - Tobacco	NA	NA	NA	NA
Substance Use, % Abstaining - Alcohol	NA	NA	NA	NA
Substance Use, % Abstaining - Marijuana	NA	NA	NA	NA

**11th Grade Data Elements**

% Reporting Good, Very Good, or Excellent Physical Health	NA	NA	NA	NA
% Reporting Good, Very Good, or Excellent Mental Health	NA	NA	NA	NA
Preventative Care Visit, % last 12 months	NA	NA	NA	NA

Emergency Care Visit, % last 12 months	NA	NA	NA	NA
Oral Health Visit, % last 12 months	NA	NA	NA	NA
Suicidal Ideation, % last 12 months	NA	NA	NA	NA
% Have had Sexual Intercourse	NA	NA	NA	NA
Substance Use, % Abstaining - Tobacco	NA	NA	NA	NA
Substance Use, % Abstaining - Alcohol	NA	NA	NA	NA
Substance Use, % Abstaining - Marijuana	NA	NA	NA	NA
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>75.4</b>	<b>90.3</b>	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	17.4	<b>19.7</b>	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	14.5	5.6	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>284.0</b>	<b>253.9</b>	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>52.2</b>	<b>59.2</b>	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>75.4</b>	<b>70.5</b>	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>60.9</b>	<b>53.6</b>	48.3
	<b>Wallowa</b>	<b>Wallowa</b>	<b>Wallowa</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>37.7</b>	25.4	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>17.4</b>	<b>22.6</b>	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>284.0</b>	<b>332.9</b>	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>17.4</b>	<b>14.1</b>	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>29.0</b>	<b>31.0</b>	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	88.8%	89.0%	90.2%	82.9%
Overall Mental Health (2010-2013 BFRSS)	77.9%	77.3%	70.6%	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	55.2%	<b>19.9%</b>	20.3%
Tobacco Use Total (2010-2013 BRFSS)	<b>32.0%</b>	20.3%	15.1%	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	13.0%	8.6%	8.6%	19.0%
Tobacco Use, Smokeless (2010-2013 BRFSS)	<b>19.0%</b>	<b>11.7%</b>	<b>11.7%</b>	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	1.4%	S	S	7.80%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	<b>8.2%</b>	<b>28.5%</b>	S	7.90%
Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	<b>27.0%</b>	S	S	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	<b>16.6%</b>	<b>43.1%</b>	S	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	10.3%	NA	11.6%	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	44.0%	S	S	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	19.5%	22.2%	22.2%	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	235.6	257.5	<b>7.2%</b>	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	62.5	66.5	S	2.9%

Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	3.7	NA	7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	6.8	NA	<b>10.6%</b> 7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	2.6^	NA	NA NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	20.8^	NA	NA NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	9.2^	NA	NA NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	4.6	NA	<b>7.2%</b> 4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	46	NA	NA NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	53.3% 54.3%

#### CODES:

NA = Not Available

NAP = Not Applicable

S = Suppressed Data

\* = Statewide lists as “Asian / Pacific Islander” and county specific data lists two group = “Asian” and “Pacific Islander.”

/ = Gilliam, Sherman, and Wasco Counties Combined

\*\* = This number is suppressed because it is statistically unreliable.

^ = This number may be statistically unreliable and should be interpreted with caution.

. = Percentages exclude missing answers.

**Bold = County rate is higher than statewide rate (or lower if a higher rate is more positive)**

# = Rate is significantly different from the state rate.

& = Detailed reporting of small numbers may breach confidentially.

! = Insufficient data.

<b>DEMOGRAPHICS</b>	<b>Wheeler</b>	<b>Wheeler</b>	<b>Wheeler</b>	<b>OREGON</b>
<b>Population (PSU, Center for Population Research and Census) (2018 in December of 2018)</b>	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Total Population	1,425	1,440	1,480	4,141,100
Age 0-17 2013, 2015, 2017	260	258	257	869,330
Age 0-17 % of Total Population	18.0%	18.0%	17.4%	21.0%
Age 16-64 2013, 2015, 2017	736	728	740	2,557,575
Age 16-64 % of Total Population	52.0%	51.0%	50.0%	61.8%
Age 65 and Over	429	454	483	714,196
Age 65 and Over % of Total Population	30.0%	32.0%	32.6%	17.2%
<b>Race</b>				
% White	96.7%	88.4%	94.3%	77.0%
% American Indian/Native Alaskan	0.4%	1.20%	1.1%	0.9%
% African American/Black	0.0%	0%	0.0%	1.8%
% Asian	0.0%	1.06%	0.7%	4.0%
% Pacific Islander	0.0%	0%	0.0%	0.4%
% Other	0.9%	4.3%	0.0%	0.1%
% 2 or More	2.0%	2.9%	2.1%	3.5%
<b>Ethnicity</b>				
Hispanic	1.2%	4.9%	1.9%	12.4%
<b>Gender</b>				
% Females	47.4%	47.4%	51.2%	52.0%
% Males	52.6%	52.6%	48.8%	48.0%
% Other				
<b>Sexual Orientation</b>				
% LGBTQ Population 2017 - The William's Institute Gallop Poll (38% of LGBTQ Oregonians have an annual income of < \$24,000)	NA	NA	4.8%	4.8%
<b>SOCIO-ECONOMICS</b>				
<b>Family Size - ACS</b>	2.55	2.46	2.3	3.1
<b>% Single Parents - ACS</b>	<b>48.9%</b>	<b>48.9%</b>	2.0%	8.3%
<b>Unemployment - OR Dept of Employment</b>	<b>7.6%</b>	<b>6.4%</b>	4.4%	4.9%
<b>Education</b>				
% of Population without a High School Diploma - ACS	<b>12.6%</b>	7.8%	8.4%	10.0%
5 Year High School Graduation Rates/100 - OR Dept of Education	100%	<b>73.33%</b>	<b>28.20%</b>	77.80%
	<b>Wheeler</b>	<b>Wheeler</b>	<b>Wheeler</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Poverty</b>				
Total Population 100%, 185% - ACS	<b>20.1%</b>	<b>22.6%</b>	<b>20.2%</b>	15.7%
Child Poverty Rate - ACS	<b>39.1%</b>	<b>43.6%</b>	<b>44.8%</b>	20.4%
<b>Language</b>				

% of Limited English Speaking Households	0.0%	0.0%	S	2.7%
<b>Uninsured - ACS</b>				
<b>2013-Insurance Rates for the EOCCO Counties, 2015, 2017-Oregon Health Insurance Survey Fact Sheets, OHA, 3 Regions within EOCCO</b>				
% Uninsured	<b>16.4</b>	5.6	<b>6.9</b>	6.2
<b>SOCIAL DETERMINANTS OF HEALTH</b>				
<b>Housing</b>				
Occupied Housing Units - ACS	NA	NA	<b>71.5%</b>	90.6%
Renter Occupied Housing Units - ACS	NA	NA	<b>25.6%</b>	38.6%
% of Renters Spending more than 35% on Rent - ACS	NA	NA	20.4%	44.0%
ALICE - Asset Limited, Income Constrained, Employed- United Way of the Pacific NW	33%	48%	NA	NA
Lacking Complete Kitchen Facilities - ACS	NA	NA	S	1.3%
No Telephone Available in Household - ACS	1.0%	2.4%	1.9%	2.7%
<b>Point in Time - Houseless Population - OR Dept of Housing and Community Services</b>				
Sheltered	NA	0	0	NAP
Unsheltered	NA	0	1	NAP
<b>Transportation</b>				
No Personal Transportation Available in Household - ACS	1.5%	2.3%	1.9%	7.9%
<b>Non-Emergency Medical Transports - GOBHI</b>				
Total one way trips by county (2015, 2016, 2017)	342	594	323	63,238
Rate per 100 EOCCO Plan Members (2015, 2016, 2017)	128.57	227.59	128.17	135.92
<b>Food</b>				
Students Eligible for Free/Reduced Lunch - OR Dept of Ed	<b>48.5%</b>	30.3%	9.9%	47.6%
Estimated # of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	50	60	60	194,070
Estimated # of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	190	210	210	572,790
Estimated % of Food Insecure Children (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>27.8%</b>	<b>26.9%</b>	<b>28.9%</b>	22.5%
Estimated % of Food Insecure Individuals (OSU, Communitas Reporter, 2013, 2014, 2015)	<b>14.9%</b>	<b>15.3%</b>	<b>15.6%</b>	14.2%
	<b>Wheeler</b>	<b>Wheeler</b>	<b>Wheeler</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
<b>Food Hunger and Insecurity for Adults EOCCO - (Medicaid BRFSS 2014)</b>				
Hunger	NA	NA	NA	22.3%
Food Insecurity	NA	NA	NA	48.6%
Average Monthly Num. of Children in SNAP-Oregon Dept of Human Services	78	67	64	NA
<b>VULNERABLE POPULATIONS</b>				
<b>Maternal Health</b>				
Infant Mortality Rate per 1,000 births	NA	0	S	4.6
Low Birthweight per 1,000 births	<b>133.3</b>	61.5	S	68.3
Births to Mothers Receiving Inadequate Prenatal Care	0.0%	&	&	6.1%
Births to Mothers under the age of 18	NA	0.09%	0.0%	0.9%

**Maternal Depression - PRAMS Data by State**

% During Pregnancy	22.1	23.7	28.9	20.1
% Postpartum-EOCCO rate	20.9	21.3	47.6	21.3
<b>Children</b>				
Victim Rate Child Abuse per 1,000 - OR DHS	53.1	S	S	12.8
Children in Foster Care per 1,000 - OR DHS	10	0	S	9.2
<b>Homeless Youth Age &lt; 18</b>				
With Parents	NA	0	0	NA
Unaccompanied	NA	0	0	NA
% of Minimum Wage For Child Care - OSU Extension, 2017	NA	NA	31.0	NA
\$ Median Annual Price of Child Care - OSU Extension, 2017	NA	NA	\$6,516	NA
% Children Age 3 to 4 Not Enrolled in School - 2013, 2014, 2015	61%	63%	57%	58%
<b>Kindergarten Readiness - See Separate Report Behind</b>				
3rd Grade Reading Levels - OR Dept of Ed: School Year Ending in 2013, 2015, 2016	71.0%	40.0%	69.4%	47.4%
Current Immunization Rates age 3 - 2017 Oregon Public Health Division	S	S	S	68.0%
% EOCCO Children Development Screen	NA	NA	NA	NA
<b>Disabled</b>				
% of Population with Recognized Disability Status - ACS	NA	NA	23.6%	23.9%

Wheeler	Wheeler	Wheeler	OREGON
2013	2015	2017	2017

**Teen Health****8th Grade Data Elements**

% Reporting Good, Very Good, or Excellent Physical Health	NA	NA	NA	NA
% Reporting Good, Very Good, or Excellent Mental Health	NA	NA	NA	NA
Preventative Care Visit, % last 12 months	NA	NA	NA	NA
Emergency Care Visit, % last 12 months	NA	NA	NA	NA
Oral Health Visit, % last 12 months	NA	NA	NA	NA
Suicidal Ideation, % last 12 months	NA	NA	NA	NA
% Have had Sexual Intercourse	NA	NA	NA	NA
Substance Use, % Abstaining - Tobacco	NA	NA	NA	NA
Substance Use, % Abstaining - Alcohol	NA	NA	NA	NA
Substance Use, % Abstaining - Marijuana	NA	NA	NA	NA

**11th Grade Data Elements**

% Reporting Good, Very Good, or Excellent Physical Health	NA	NA	NA	NA
% Reporting Good, Very Good, or Excellent Mental Health	NA	NA	NA	NA
Preventative Care Visit, % last 12 months	NA	NA	NA	NA

Emergency Care Visit, % last 12 months	NA	NA	NA	NA
Oral Health Visit, % last 12 months	NA	NA	NA	NA
Suicidal Ideation, % last 12 months	NA	NA	NA	NA
% Have had Sexual Intercourse	NA	NA	NA	NA
Substance Use, % Abstaining - Tobacco	NA	NA	NA	NA
Substance Use, % Abstaining - Alcohol	NA	NA	NA	NA
Substance Use, % Abstaining - Marijuana	NA	NA	NA	NA
<b>HEALTH STATUS</b>				
<b>Deaths - OHA Cntr for Health Statistics per 100,000</b>				
Accidents (Death rate per 100K 2009-2013, 2012-2016)	NA	42.8	<b>56.9</b>	44.5
Alcohol Induced (Death rate per 100K 2009-2013, 2012-2016)	NA	14.3	<b>28.5</b>	18.5
Alzheimer's (Death rate per 100K 2009-2013, 2012-2016)	NA	0.0	14.2	35.8
Cancer (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>327.9</b>	<b>384.3</b>	189.7
Cancer - Lung (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>128.3</b>	<b>156.6</b>	47.5
CeVD - Cerebral Vascular Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	28.5	28.5	43.8
CLRD - Chronic Lower Respiratory Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>85.5</b>	<b>142.3</b>	48.3
	<b>Wheeler</b>	<b>Wheeler</b>	<b>Wheeler</b>	<b>OREGON</b>
	<b>2013</b>	<b>2015</b>	<b>2017</b>	<b>2017</b>
Diabetes (Death rate per 100K 2009-2013, 2012-2016)	NA	14.3	<b>56.9</b>	27.3
Flu & Pneumonia (Death rate per 100K 2009-2013, 2012-2016)	NA	0.0	<b>14.2</b>	10.7
Heart Disease (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>370.6</b>	<b>284.7</b>	157.9
Hypertension (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>28.5</b>	<b>14.2</b>	12.7
Suicide (Death rate per 100K 2009-2013, 2012-2016)	NA	<b>28.5</b>	<b>14.2</b>	17.9
<b>HEALTH BEHAVIORS</b>				
Overall Health (2010-2013 BRFSS)	<b>79.2%</b>	<b>79.9%</b>	S	82.9%
Overall Mental Health (2010-2013 BFRSS)	95.7%	92.5%	S	60.9%
Adult Fruit & Vegetable Consumption (2010-2013 BRFSS)	NA	NA	S	20.3%
Tobacco Use Total (2010-2013 BRFSS)	S	10.7%	<b>25.6%</b>	20.9%
Tobacco Use, Cigarette Smoking (2010-2013 BRFSS)	S	10.7%	10.7%	19.0%
Tobacco Use, Smokeless (2010-2013 BRFSS)	S	S	S	7.7%
Alcohol Use, Heavy Drinking Males (2010-2013 BRFSS)	S	S	S	7.80%
Alcohol Use, Heavy Drinking Females (2010-2013 BRFSS)	<b>10.0%</b>	S	S	7.90%
Alcohol Use, Binge Drinking Males (2010-2013 BRFSS)	S	S	S	21.5%
Alcohol Use, Binge Drinking Females (2010-2013 BRFSS)	S	S	S	12.4%
Adults Who Averaged Less Than 7 Hours of Sleep in a 24-Hour Period (2010-2013 BRFSS)	**	NA	S	31.1%
Physical Activity Levels Met CDC Recommendation (2010-2013 BRFSS)	S	S	S	25.1%
<b>MORBIDITY</b>				
Adult Obesity (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	<b>37.7%</b>	<b>37.7%</b>	26.9%
Arthritis (2004-2007, 2006-2009, 2010-2013 BRFSS)	345.8	409.6	S	4.0%
Asthma (2004-2007, 2006-2009, 2010-2013 BRFSS)	55.3	84.7	S	2.9%

Cancer (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA		7.9%
Cardiovascular Disease (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	S	7.9%
COPD (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	NA	NA
Depression (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	NA	NA
Diabetes (2004-2007, 2006-2009, 2010-2013 BRFSS)	6.6^	NA	NA	NA
Heart Attack (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	S	4.0%
One or More Chronic Illnesses (2004-2007, 2006-2009, 2010-2013 BRFSS)	65.3	NA	NA	NA
Stroke (2004-2007, 2006-2009, 2010-2013 BRFSS)	S	NA	<b>55.4%</b>	54.3%

#### **CODES:**

NA = Not Available

NAP = Not Applicable

S = Suppressed Data

\* = Statewide lists as “Asian / Pacific Islander” and county specific data lists two group = “Asian” and “Pacific Islander.”

/ = Gilliam, Sherman, and Wasco Counties Combined

\*\* = This number is suppressed because it is statistically unreliable.

^ = This number may be statistically unreliable and should be interpreted with caution.

. = Percentages exclude missing answers.

**Bold = County rate is higher than statewide rate (or lower if a higher rate is more positive)**

# = Rate is significantly different from the state rate.

& = Detailed reporting of small numbers may breach confidentiality.

! = Insufficient data.