



Allergen Immunotherapy

EOCCO POLICY



Policy Type: PA/SP

Pharmacy Coverage Policy: EOCCO110

Description

The specific mechanism of action of allergen immunotherapy has not been established. It is believed that immunotherapy works by allowing the body to develop tolerance to specific allergens through manipulation of the humoral and cellular immune responses.

Specific immunotherapy (SIT) may act by inducing a switch from T-helper 2 cell response (Th2) to T-helper 1 cell (Th1) response, resulting in the production of IgG-blocking antibodies that compete with IgE antibodies for allergen binding.

Length of Authorization

- Initial: Six months
- Renewal: 12 months

Quantity Limits

Product Name	Dosage Form	Indication	Quantity Limit
grass pollen-timothy, standard (Grastek)	2800 BAU sublingual tablet	Allergic rhinitis due to Timothy grass pollen	30 tablets/30 days
mite,d.farinae-d.pteronysinus (Odactra)	12 SQ-HDM sublingual tablet	Allergic rhinitis due to dust mite	30 tablets/30 days
		Allergy to <i>Dermatophagoides farinae</i> and <i>D pteronyssinus</i>	
gr pol-orc/sw ver/rye/kent/tim (Oralair)	100 IR Sublingual tablet	Allergic rhinitis due to one of 5 pollen extracts	30 tablets/30 days
	100 – 300 IR sublingual tablet		
	300 IR sublingual tablet		
weed pollen-short ragweed (Ragwitek)	12 Amb a 1-U sublingual tablet	Allergic rhinitis due to ragweed	30 tablets/30 days

Initial Evaluation

- I. **Grastek, Odactra, Oralair, or Ragwitek** may be considered medically necessary when the following criteria below are met:
 - A. Medication is prescribed by, or in consultation with, an allergist or ear, nose, and throat (ENT) specialist; **AND**
 - B. **All** the following treatments have been ineffective, contraindicated, or not tolerated:
 1. Over-the-counter oral or intranasal corticosteroids (e.g. budesonide, fluticasone propionate, mometasone furoate); **AND**
 2. Over-the-counter oral or intranasal anti-histamine (e.g. diphenhydramine, loratadine, cetirizine, azelastine); **AND**
 3. Montelukast (Singulair); **AND**
 - C. A diagnosis of one of the following:
 1. **Dust mite-induced allergic rhinitis; AND**
 - i. Member is 18 years of age or older; **AND**
 - ii. Confirmed in-vitro testing for *Dermatophagoides farinae* or *D. pteronyssinus* house dust mites; **OR**
 - iii. Skin testing to a licensed house dust mite allergen extract; **AND**
 - iv. Request is for Odactra; **OR**
 2. **Grass pollen-induced allergic rhinitis due to one of the following;**
 - i. Timothy grass or cross-reactive pollens; **AND**
 - a. Member is five years of age or older; **AND**
 - b. Confirmed by positive skin or in-vitro testing for pollen specific IgE antibodies for Timothy grass or cross-reactive pollens; **AND**
 - c. Request is for Grastek or Oralair; **OR**
 - ii. Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass; **AND**
 - a. Member is five years of age or older; **AND**
 - b. Confirmed by positive skin test or in-vitro testing for pollen specific IgE antibodies for Sweet Vernal, Orchard, Perennial Rye, Timothy, and Kentucky Blue Grass, or cross-reactive pollens; **AND**
 - c. Request is for Oralair; **OR**
 - iii. Short ragweed pollen; **AND**
 - a. Member is 18 years of age or older; **AND**
 - b. Confirmed by positive skin test or in-vitro testing for pollen specific IgE antibodies for short ragweed pollen; **AND**
 - c. Request is for Ragwitek



Allergen Immunotherapy

EOCCO POLICY



- II. Grastek, Odactra, Oralair, or Ragwitek is considered investigational when used for all other conditions, including but not limited to:
 - A. Allergic asthma
 - B. Atopic dermatitis
 - C. Food allergy

Renewal Evaluation

- I. Member has received a previous prior authorization approval for this agent through this health plan; **AND**
- II. Continuance is not for a regimen initially established through samples, manufacturer coupons, or otherwise. Initial policy criteria must be met for the member to qualify for renewal evaluation through this health plan; **AND**
- III. Member experienced a decrease of allergic rhinitis during previous use

Supporting Evidence

- I. Allergen immunotherapies may cause life-threatening allergic reactions such as anaphylaxis and severe laryngopharyngeal restriction. It is recommended to monitor and administer the first dose in the presence of a health care provider.
- II. Patient must have a positive skin test or in vitro testing for allergen specific IgE antibodies pertaining to the allergen immunotherapy being requested.
- III. Safety and efficacy of Grastek and Oralair has not been established in patients younger than five years old.
- IV. Safety and efficacy of Odactra and Ragwitek has not been established in patients younger than 18 years old.
- V. Allergen avoidance and pharmacotherapy should be considered first when treating allergic rhinitis. Intranasal glucocorticoids are considered first line for allergic rhinitis and can be used in combination with oral antihistamine if symptoms are not controlled. Symptom management with pharmacotherapy should be considered first prior to initiating immunotherapy.

Investigational or Not Medically Necessary Uses

- I. There is limited data to show safety and efficacy for all other indications.
 - A. Allergic asthma
 - B. Atopic dermatitis
 - C. Food allergy



Allergen Immunotherapy

EOCCO POLICY



References

1. Timothy Grass Pollen Allergen Extract. Micromedex: Drug Point Summary. Truven Health Analytics, Greenwood Village (CO). 2014 [cited 2014 May]. Available from www.micromedexsolutions.com with subscription.
2. Grastek (Timothy grass pollen allergen extract) [prescribing information]. Whitehouse Station, NJ: Merck, Sharp & Dohme 2014 [cited 2014 May]. Available from www.merck.com.
3. The Diagnosis and management of rhinitis: An updated practice parameter. American Academy of Allergy, Asthma, and Immunology. 2008 [cited 2014 May]. Available from <http://www.aaaai.org/Aaaai/media/MediaLibrary/PDF%20Documents/Practice%20and%20Parameters/rhinitiss2008-diagnosis-management.pdf>
4. Odactra [Prescribing Information]. Whitehouse Station, NJ. Merck & Co, Inc.; March 2017. Oralair [Prescribing Information]. Antony, France Stallergenes S.A : April 2014
5. Oralair: FDA Allergenic Products Advisory Committee Briefing Document: November 2013. Available at: <http://www.fda.gov/AdvisoryCommittees/CommitteesMeetingMaterials/BloodVaccinesandOtherBiologics/AllergenicProductsAdvisoryCommittee/ucm367268.htm>. Accessed July, 2014.
6. Sweet Vernal/Orcahrd/Rye/Timothy/KentuckyBlue Grass Mixed Pollen Allergen Extract. Micromedex: Drug Point Summary. Truven Health Analytics, Greenwood Village (CO). 2014 [cited 2014 May]. Available from www.micromedexsolutions.com with subscription.
7. FDA approves Odactra for house dust mite allergies [Press Release]. Updated March 1, 2017. Available at: <https://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm544330.htm>. Accessed March 15, 2017.
8. Grastek [Prescribing Information]. Whitehouse Station, NJ. Merck & Co, Inc.; April 2014.
9. Short Ragweed Pollen Allergen Extract. Lexicomp: Lexi Drugs. Wolters Kluwer Health, Hudson (OH). 2014 [cited 2014 June]. Available from www.lexicomp.com with subscription.
10. Short Ragweed Pollen Allergen Extract. Micromedex: Drug Point Summary. Truven Health Analytics, Greenwood Village (CO). 2014 [cited 2014 June]. Available from www.micromedexsolutions.com with subscription.
11. deShazo R, Kemp S. Pharmacotherapy in Allergic Rhinitis. In: Up to Date. Wolters Kluwer, Philadelphia (PA). 2014 [cited 2014 June]. Available from www.uptodate.com with subscription.
12. Creticos P. Sublingual Immunotherapy for Allergic Rhinitis. In: Up to Date. Wolters Kluwer, Philadelphia (PA). 2014 [cited 2014 June]. Available from www.uptodate.com with subscription.
13. Ragwitek (short ragweed pollen allergen extract) [prescribing information]. Whitehouse Station, NJ: Merck, Sharp & Dohme 2014 [cited 2014 June]. Available from www.merck.com.
14. The Diagnosis and management of rhinitis: An updated practice parameter. American Academy of Allergy, Asthma, and Immunology. 2008 [cited 2014 June]. Available from <http://www.aaaai.org/Aaaai/media/MediaLibrary/PDF%20Documents/Practice%20and%20Parameters/4rhinitiss2008-diagnosis-management.pdf>

Policy Implementation/Update:

Date Created	December 2019
Date Effective	December 2019
Last Updated	01/2020
Last Reviewed	12/2019, 01/2020

Action and Summary of Changes	Date
-------------------------------	------



Allergen Immunotherapy

EOCCO POLICY



Updated to policy format. Combined existing criteria into one policy, added age requirements to match FDA-indications.	01/2020
Edit to Allergen Immunotherapy Criteria; add Odactra information and related mapping; general edits to format and criteria to accommodate Odactra.	02/2018
Combine existing criteria to create Allergen Immunotherapy Criteria	02/2018
Effective and created date of Grastek, Oralair, and Ragwitek criteria	09/2014